

Mekong River Commission


Regional Flood Management and Mitigation Centre

Weekly Flood Situation Report for the Mekong River Basin

Prepared at: 20/06/2016, covering the week from the 20th to the 27th June 2016

Weather Patterns, General Behaviour of the Mekong River and Flood Situation General weather patterns

During the week of 20th June to 27th June 2016, three weather bulletins were issued by the Department of Meteorology (DOM) of Cambodia. The weather charts of the 20th June and 22nd June are presented in the figures 1&2 below:



TD "1002 hPa"
15.5 "N/111.5 "E
Move NW Slowly
Max winds 27 KT

Figure 1: Weather map for 20th June 2016

Figure 2: Weather map for 22nd June 2016

South-West (SW) Monsoon

During the last week, the West-Southwesterly winds prevail over Thailand and Indochina Peninsular. (Figure 1 and Figure 2).

Inter Tropical Convergence Zone (ITCZ)

The Inter Tropical Convergence Zone (ITCZ) lies across the middle of Thailand, the upper South of Cambodia and Viet Nam. The trough lies across Thailand, Lao PDR, Cambodia and Viet Nam during last week.

Tropical depressions (TD), tropical storms (TS) or typhoons (TY)

No TD, TS or TY have significantly influenced the LMB during the last week.

Other weather phenomena that affect the discharge

No other weather phenomena affecting the discharge were observed.

Over weather situation

During the last week, the weather is influenced by West-Southwesterly winds and ITCZ so there were moderate and heavy rain in many areas of Lower Mekong Basin. The heavy rain happened mostly in middle reach of LMB. The first three maximum accumulated rainfalls were at Mukdahan (220.7 mm.), Khong Chiam (232.9 mm.) and Stung Treng (254.5 mm.), see Figure 3 and Table A2 for more detail.




Figure 3: Weekly Rainfall Distribution over the LMB from 20th – 27th June, 2016

General behaviour of the Mekong River

Compared the Long Term Average (LTA), during the last week, the water levels at most stations of LMB were fluctuated below the LTA.

For stations from Chiang Saen and Luang Prabang

During the last week, the water levels at these stations were fluctuated bellow the LTA.

For stations from Chiang Khan, Vientiane and Nong Khai and Paksane

During the last week the water levels at these stations were fluctuated below the LTA..

For stations from Thakhet/Nakhon Phanom to Pakse

During the last week, the water levels at these stations were below the LTA.

For stations from Stung Treng to Kampong Cham

During the last week the water levels at these stations were below the LTA.

For stations from Phnom Penh to Koh Khel/Neak Luong

During the last week, the water levels at these stations were below the LTA.

Tan Chau and Chau Doc

During the last week, the water levels at both stations were below the LTA.

Note: For areas between forecast stations, please refer to the nearest forecast station.

Flood Situation

Flood stage or alarm stage:

No alarm stage (where the forecast is expected to reach flood level within three days) was reported anywhere on the mainstream of the Mekong River during the last week. Water levels were still significantly below flood levels (as defined by the national agency) at all forecast stations.

Damage or victims:

No damage or loss of life due to river flooding was recorded anywhere along the Mekong River during the last week.

For more details see the following annexes:

- tables and graphs for water level and rainfall for the last week in Annex A
- a graph for accuracy in Annex B
- a table of forecast achievement in Annex B
- tables and graphs for performance in Annex B
- the water level graphs showing the observed water level for the season in Annex C

Annex A: Graphs and Tables

Table A1: observed water levels

Unit in m

2016	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
20/06	535.9	2.75	5.16	5.08	1.73	2.29	3.86	3.15	4.39	3.35	3.29	3.46	2.4	3.23	8.51	3.82	2.24	1.26	2.08	1.28	1.34	0.63	0.77
21/06	535.9	2.97	5.14	5.1	1.78	2.35	3.51	2.85	4.1	3.21	3.29	3.62	2.72	3.26	8.53	3.77	2.29	1.31	2.15	1.35	1.41	0.47	0.61
22/06	535.91	2.85	5.34	5.3	1.8	2.34	3.23	2.65	3.96	3.01	2.67	3.62	2.7	3.37	8.6	3.79	2.27	1.29	2.15	1.36	1.38	0.16	0.06
23/06	535.87	2.78	5.56	5.33	1.9	2.43	3.25	2.56	3.84	2.9	2.56	3.37	2.44	3.47	8.94	3.94	2.32	1.34	2.19	1.44	1.42	-0.14	-0.24
24/06	535.89	2.75	5.58	5.39	1.96	2.56	3.35	2.63	3.89	2.87	2.52	3.28	2.46	3.53	9.13	4.11	2.39	1.41	2.18	1.52	1.51	-0.12	-0.2
25/06	535.51	2.66	5.49	5.68	2.04	2.62	3.41	2.77	4.04	2.98	2.65		2.39	3.6	9.25		2.48	1.5	2.34	1.62	1.62	-0.03	-0.07
26/06	535.53	2.64	5.57	5.97	2.2	2.72	3.45	3.03	4.29	3.1	2.76	3.34	2.45	3.67	9.42	4.36	2.55	1.57	2.31	1.7	1.74	0.05	-0.01
27/06	535.65	2.37	5.62	5.86	2.45	3.02	3.58	3.31	4.55	3.32	2.98	3.63	2.94	3.81	9.62	4.52	2.55	1.57	2.34	1.68	1.68	0.03	-0.02

Table A2: observed rainfall Unit in mm

2016	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
20/06	2.5	1.5	4	0	nr	0 1	nr	0	nr	0	nr	57.6	2.4	nr	2	45.1	5.2	-	1.2	11.8	18.4	0.5	1.4
21/06	0	0	nr	0	nr	0 ו	nr	15.5	20.1	87.6	38	24.1	30.7	23.5	1	2.1	38	-	35.7	51	39.5	32.2	19
22/06	9.5	0.5	nr	0	nr	0.9	0.8	0	nr	0	nr	0	nr	13	nr	-	nr	-	0.8	0.8	nr	0	0
23/06	0	0	18	0	12.4	7.4	50	2.6	2.8	1.5	nr	2.5	23.5	27.5	43.5	3.3	nr	-	nr	12.6	7.3	4.2	2
24/06	0	0	3.2	44	6.8	6.4	2.8	1.2	4	15.7	nr	40.7	nr	56	1	5.9	13.4	-	5	0	19.2	5.6	13
25/06	2	0	25	4	96.4	5.8	12.7	6.3	13	68.3	75	0	42.3	45.5	nr	1	nr	-	nr	11.8	nr	1.2	11
26/06	0	0.8	7.2	0	nr	0 1	nr	1	7.4	36.6	34.5	20.5	nr	17	1.5	5.9	2.9	-	0	0	nr	nr	11
27/06	0	0	nr	1	38.2	23.1	nr	26.5	22.5	11	10	87.5	-	72	-	3.8	2	-	12.5	3.2	nr	3.4	8
Sum R	14.0	2.8	57.4	49.0	153.8	43.6	66.3	53.1	69.8	220.7	157.5	232.9	98.9	254.5	49.0	67.1	61.5	0.0	55.2	91.2	84.4	47.1	65.4

Figure A1: Observed water level and rainfall for Jinghong, Chiang Saen, and Luang Prabang




Figure A2: Observed water level and rainfall for Chiang Khan, Vientiane, Nongkhai, and Paksane




Figure A3: Observed water level and rainfall for Nakhon Phanom, Thakhek, Mukdahan and Savannakhet




Figure A4: Observed water level and rainfall for Khong Chiam, Pakse, Stung Treng, and Kratie




Figure A5: Water level and rainfall for Kampong Cham, Phnom Penh (Bassac and Port), and Koh Khel





Figure A6: Water level and rainfall for Neak Luong, Prek Kdam, Tan Chau and Chau Doc



Annex B: Accuracy and performance

Accuracy

"Accuracy" describes the accuracy of the adjusted and published forecast, based on the results of the MRC Mekong Flood Forecasting System, which are then adjusted by the Flood Forecaster in Charge taking into consideration known biases in input data and his/her knowledge of the response of the model system and the hydrology of the Mekong River Basin. The information is presented as a graph below, showing the average flood forecasting accuracy along the Mekong mainstream.

In general, the overall accuracy is fairly good for 1-day to 5-day forecast lead time at stations

in the upper parts of the LMB. However, the accuracies at middle and lower reachs at Savannakhet to Chau Doc for 3 to 4-day forecast were less than expected.

The above differences due to two main factors: (1) internal model functionality in forecasting; for which the parameter adjustment in the model is not possible especially at stations in the upper part and in the Mekong delta where are affected by tidal; (2) the adjustment by utilizing the practical knowledge and experience of flood forecaster-in-charge. See the Figure B1 and table B1 for more detail.




Figure B1: Average flood forecast accuracy along the Mekong mainstream (from 20th – 27th June 2016)

Remark: During this week, DMH had (1) moved staff gauge at Savannakhet to new location, therefore there is no continuation between previous and current reading; (2) changed water level reading value at Thakhek in the next morning from 4.10 to 4.29 (date 26 June 2016).

Forecast Achievement

The forecast achievement indicates the % of days that the forecast at a particular station for a lead-time is successful against a respective benchmark (Table B2).

Table B1: Achievement of daily forecast against benchmarks

Unit in %

	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	Average
1-day	100.0	100.0	100.0	100.0	85.7	100.0	71.4	57.1	85.7	71.4	85.7	28.6	100.0	85.7	100.0	100.0	100.0	71.4	100.0	57.1	85.7	71.4	84.4
2-day	100.0	100.0	100.0	100.0	100.0	100.0	83.3	100.0	100.0	66.7	100.0	66.7	100.0	83.3	100.0	50.0	33.3	66.7	50.0	50.0	50.0	50.0	79.5
3-day	100.0	100.0	100.0	80.0	100.0	100.0	40.0	60.0	80.0	0.0	60.0	60.0	60.0	20.0	60.0	20.0	20.0	60.0	0.0	20.0	40.0	20.0	54.5
4-day	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50.0	75.0	75.0	75.0	50.0	100.0	0.0	25.0	0.0	25.0	25.0	0.0	0.0	63.6
5-day	100.0	100.0	100.0	100.0	100.0	100.0	66.7	100.0	66.7	33.3	66.7	66.7	66.7	33.3	100.0	33.3	33.3	33.3	0.0	0.0	100.0	100.0	68.2

Table B2: Benchmarks of success (Indicator of accuracy in mean absolute error)

Unit in cm

	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
1-day	25	25	25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
2-day	50	50	50	25	25	25	25	25	25	25	25	25	25	25	25	10	10	10	10	10	10	10
3-day	50	50	50	25	25	25	25	25	25	25	25	25	25	25	25	10	10	10	10	10	10	10
4-day	75	75	50	50	50	50	50	50	50	50	50	50	50	50	50	10	25	10	25	25	10	10
5-day	75	75	50	50	50	50	50	50	50	50	50	50	50	50	50	25	25	25	25	25	25	25

Note: An indication of the accuracy given in the Table B2 is based on the performance of the forecast made in 2008 from the new flood forecasting system and the configuration for the 2009 flood season and is published on the website of MRC (http://ffw.mrcmekong.org/accuracy.htm).

A new set of performance indicators that is established by combining international standards and the specific circumstances in the Mekong River Basin, is applied officially for the flood season of 2011 onward.

Performance

Performance is assessed by evaluating a number of performance indicators, see table and graphs below:

Table B3: Overview of performance indicators for the past 5 days including the current report date

	Flood Fo	orecast: ti	ime sent			Arri	/al time c	of input da	ata (avera	ige)		Missing data (number)								
2016	FF completed and sent (time)	stations without forecast	FF2 completed and sent (time)	Weather informaition available (number)	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - NCHMF	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - NCHMF		
week	09:58	0	-	0	08:15	07:10	07:29	07:59	08:46	07:57	07:59	0	0	3	6	353	0	0		
month	10:13	0	-	-	08:14	07:12	08:04	07:36	09:13	07:54	07:33	0	0	25	29	993	16	0		
season	10:13	0	-	0	08:14	07:12	08:04	07:36	09:13	07:54	07:33	0	0	25	29	993	16	0		

Week is the week for which this report is made; *Month* is actually the last 30 days (or less if the flood season has just begun); Season is the current flood season up to the date of this report.



B2: Data delivery times for the past 8 days including the current report date



Figure B3: Missing data for the past 8 days including the current report date




Figure B4: Flood forecast completion time




Figure B5: Flood forecast stations without forecast




Figure B6: Second forecast needed

Annex C: Season Water Level Graphs

This Annex has the water level graphs of the report date. These graphs are distributed daily by email together with the Flood Bulletins.

HYDROGRAPHS OF THE MEKONG AT MAINSTREAM STATIONS IN FLOOD SEASON FROM 1 JUNE TO 31 OCTOBER



