

Weekly Dry Season Situation Report in the Lower Mekong River Basin

26 January – 1 February 2021



Copyright © Mekong River Commission, 2021

First published (2021)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly dry season situation report in the Lower Mekong River Basin for 26 January-1 February 2021

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2021). Weekly dry season situation report in the Lower Mekong River Basin for 26 January-1 February 2021. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at http://www.mrcmekong.org/ publications/

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Contents

Fi	gure	es	ii
T	able		iii
1	lı	ntroduction	1
2	G	General Weather Patterns	2
	2.1	Tropical depressions (TD), tropical storms (TS) and typhoons (TY)	3
	2.2	Rainfall patterns over the LMB	4
3	V	Water Levels in the Lower Mekong River	6
4	F	Flash Flood in the Lower Mekong Basin	12
5	D	Drought Monitoring in the Lower Mekong Basin	13
6	V	Weather and Water Level Forecast and Flash Flood Information	16
	6.1	Weather and rainfall forecast	16
	6.2	Water level forecast	17
	6.3	Flash Flood Information	18
	6.4	Drought forecast	19
7	S	Summary and Possible Implications	21
	7.1	Rainfall and its forecast	21
	7.2	Water level and its forecast	21
	7.3	Flash flood and its trends	22
	7.4	Drought condition and its forecast	22

Figures

Figure 1: Summary of weather conditions over the LMB.	2
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC	3
Figure 3: A Tropical Depression risk observed on 1 February 2021.	3
Figure 4: Weekly total rainfall at key stations in the LMB during 26 Jan-1 Feb 2021	4
Figure 5: Weekly rainfall distribution over the LMB during 26 Jan-1 Feb 2021	5
Figure 6: Key stations and model application for River Monitoring and Flood Forecasting	7
Figure 7: Water levels at Paksane of Lao PDR.	8
Figure 8: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR	8
Figure 9: Water levels at Stung Treng and Kratie on the Mekong River.	9
Figure 10: Seasonal change of inflows and outflows of Tonle Sap Lake.	. 10
Figure 11: The seasonal change in monthly flow volume of Tonle Sap Lake	. 11
Figure 12: Weekly standardized precipitation index from 16 to 22 Jan 2021	. 13
Figure 13: Weekly Soil Moisture Anomaly from 16 to 22 Jan 2021	. 14
Figure 14: Weekly Combined Drought Index from 16 to 22 Jan 2021.	. 15
Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS.	. 17
Figure 16: Daily average of monthly rainfall anomaly forecast from Jan to Mar 2021.	. 19

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake	. 11
•	
Table 2. Weekly River Monitoring Bulletin.	. 20

1 Introduction

This Weekly Dry Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for the period from **26 January-1 February 2021**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. All water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap Lake
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: http://ffw.mrcmekong.org/bulletin wet.php.

Drought monitoring and forecasting information is available at: http://droughtforecast.mrcmekong.org

Flash flood information is accessible at: http://ffw.mrcmekong.org/ffg.php

2 General Weather Patterns

The weather outlook bulletins for three months (January, February and March) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

The data from the TMD predict that instances of low pressure and tropical cyclones had ended their effect in the Mekong region since December 2020. The cold weather due to a high-pressure air mass is prevailing over the Mekong region in January. The TMD also predicts that a scattered coldly high-pressure air mass from China will prevail over the upper part of the Mekong region in between January and February.

<u>Figure 1</u> presents the weather map of 31 January 2021, showing no line of low pressure crossing the Mekong region.




Figure 1: Summary of weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), wetter conditions are predicted over the southern part of Southeast Asia and the lower part of the LMB covering Cambodia and Viet Nam during 31 January and 7 February 2021. However, during this time, the ASMC says that drier condition may still influence the region.

<u>Figure 2</u> shows the outlook of comparative wet and dry conditions from 25 January to 7 February 2021 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

2.1 Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was no low pressure line taking place in the lower part of the LMB during 31 January 2021, as shown in <u>Figure 1</u>. This condition indicates that no rainfall in the LMB was presented. Moreover, based on Tropical Strom Risk (TSR), as displayed in <u>Figure 3</u>, there was no sign of tropical depression (TD), tropic storm (TS) or typhoon (TY) in the Mekong region on 1 February 2021.




Figure 3: A Tropical Depression risk observed on 1 February 2021.

2.2 Rainfall patterns over the LMB

This week, no rainfall was recorded for most of the key stations along the Mekong mainstream. Average rainfall at key stations in January is presented in Figure 4.




Figure 4: Weekly total rainfall at key stations in the LMB during 26 Jan-1 Feb 2021.

To verify area rainfall distribution, <u>Figure 5</u> shows a map of the weekly accumulated rainfall based on observed data provided by the MRC Member Countries — Cambodia, Lao PDR, Thailand, and Viet Nam — from 26 January to 1 February 2021.




Figure 5: Weekly rainfall distribution over the LMB during 26 Jan-1 Feb 2021.

3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in Figure 6. The hydrograph for each key station is available from the MRC's River Flood Forecasting: http://ffw.mrcmekong.org/overview.php. The weekly water levels and rainfall at each key station are summarised in Annex A.

The notification from China on January 5 said that the water outflow at Jinghong hydropower station in China's Yunnan province would be operated with the outflow at 1,000 m³/s due to power grid maintenance during 5–24 January 2021.

The water level at this station was decreasing about 0.45 metre, based on the observed data from 26 Jan to 1 Feb 2021. The near-real time of hydro-meteorological monitoring at Jinghong Station is presented at https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry.

It was observed that up to 1 February 2021, water levels from Chiang Saen to Vientiane in Thailand and Lao PDR are slightly decreasing, but still higher than their TLAs. Water levels from Nakhon Phanom to Pakse in Thailand and Lao PDR showed an decrease about 0.30 metres (from 26 Jan to 1 Feb 2021). It was probably due to the influence of both the Mekong-Lancang upstream and downstream dam operation at Mekong mainstream and its tributaries during the Dry Season.

The increased water level at Jinghong of about 0.42 metres from January 5 to 25 has made water levels at both Thailand's Chiang Saen and Lao PDR's Vientiane higher than their LTAs. This means that the practices of Jinghong Hydropower during January 4 and 24 have significant impacts on the water flow and water levels at Chiang Saen areas.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting.

Chiang Saen and Luang Prabang

The water level from 26 January to 1 February 2021 at Thailand's Chiang Saen slightly increased from 1.82 metres to 1.93 metres. This week's water level is 0.26 metre higher than its long-term average (LTA). When compared to last week, the level this week is higher.

The water level at the Luang Prabang station in Lao PDR slightly decreased from 8.90 metres to 8.68 metres, during the reporting period. This level showed 0.07 metres lower than its maximum level.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. **Thus, the water level at this station can possibly change very rapidly during the wet and dry seasons**.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand decreased from 3.98 metres to 3.87 metres during this week, showing 0.10 metres below its LTA value. Downstream water levels from Vientiane

to Paksane in Lao PDR were decreasing. The decreased values varied between -0.10 metres and -0.03 metres. The current water level at Vientiane is about 0.37 metres higher than its LTA value. But the water level at Nong Khai is about 0.75 metres lower than its LTA, while the water level at Paksane is about 0.67 metres lower than its historical minimum level. Water levels at Nong Khai and Paksane are considered very critical, as shown in Figure 7.




Figure 7: Water levels at Paksane of Lao PDR.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom to Mukdahan in Thailand decreased by about 0.25 metres, while at Pakse in Lao PDR slightly increased during the reporting period. However, the weekly water levels at Pakse were about 0.02 metres higher than its LTA, or about 0.25 meters higher than the 2019's level, as shown in Figure 8. The water levels at Nakhon Phanom to Mukdahan are considered critical.




Figure 8: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR.

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

With some contribution of flows from the upstream part of the Mekong River and the 3S river (Sekong, Se San and Sre Pok), the water levels at Stung Treng and Kratie in Cambodia slightly increased accordingly. And this week water levels were about 0.25 metres higher than their LTAs, as shown in Figure 9.

Water levels in Cambodia's Kompong Cham, Neak Luong on the Mekong River, Koh Khel on the Bassac River and Prek Kdam on the Tonle Sap River were decreasing, remaining lower than their LTAs. The decrease was about 0.30 metres during this reporting week.




Figure 9: Water levels at Stung Treng and Kratie on the Mekong River.

Tidal stations at Tan Chau and Chau Doc

Like last week, from 26 Jan to 1 Feb 2021, water levels at the two stations of Viet Nam's Tan Chau and Chau Doc were fluctuating above their LTAs due to daily tidal effects from the sea.

The Tonle Sap Flow

At the end of the wet season, when water levels along the Mekong River decrease, flows of the Tonle Sap Lake (TSL) returns to the Mekong mainstream and then to the Delta. This phenomenon normally takes place from mid-October to early November. The delay of the outflow was due to the heavy rain from last October in some of the inflow tributaries around the TSL

Figure 10 shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2018 and 2019, and their LTA level (1997–2019). Up to 1 February 2021 of this reporting period, it is observed that the main outflow from the TSL has started since 15 November 2020. The outflow condition in late 2020 was lower than its average flows but higher than the 2019's flow. From next week, the outflow is expected to decrease more, since water levels at downstream parts of the Mekong and Bassac rivers are lower than their LTAs levels which can extract flow from the Lake.




Figure 10: Seasonal change of inflows and outflows of Tonle Sap Lake.

The water volume of the Lake up to this point has been considered critical as it is still lower than its long-term average level. Figure 11 shows seasonal changes in monthly flow volumes up to February 1 for the TSL compared with the volumes in 2018 and 2019 and their LTA and the fluctuating levels (1997–2019). It shows that up to 1 February the water volumes of the Lake were higher than those of 2019 and lower than those of 2018 during the same period. This is clearly evidenced in Table 1, which indicates that the TSL has been affected by inflows from the Mekong River, the tributaries, and rainfall in the surrounding sub-catchments.

The increased inflows (inflows from the Mekong River and tributaries) of the TSL in October of the 2020 wet season have resulted in a higher flow in 2020 than in 2019. This demonstrates the influence of the relationships between the reverse flows, water levels of the Mekong River, inflows from tributaries and the flow direction in the complex hydraulic environment of the TSL during the wet season. The data show that about half of the annual inflow volume into the Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impacts on the Tonle Sap Lake water levels and on its hydrology.




Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	Average Volume (97-19) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2018 [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]
Jan	16452.95	26357.53	6272.01	13633.41	10285.31	5906.80	9923.80
Feb	9312.36	15596.22	4281.41	7729.72	6019.30	4264.19	7224.36
Mar	5868.92	9438.24	3350.92	5037.06	4354.62	3553.99	
Apr	4474.98	8009.14	2875.42	3956.47	3667.47	2992.61	
May	4166.07	9176.93	2417.81	3864.00	3266.43	2594.92	
Jun	6034.10	13635.01	2470.54	5919.18	3517.06	2641.88	
Jul	12502.58	28599.56	3832.51	12024.96	4001.99	2925.86	
Aug	26934.35	39015.12	7554.93	22399.65	7622.71	5941.07	
Sep	42644.05	65632.35	22180.73	53639.54	24194.19	12105.31	
Oct	49698.19	73757.23	24276.79	48193.08	30358.38	20799.13	
Nov	39542.58	60367.33	18576.01	31036.07	19112.65	27546.80	
Dec	26325.13	38888.95	10869.43	18469.21	10577.29	18251.65	
	Critical situation, co	mapred with his	storical Min val	ues			
	Normal condition, co	ompared with L	TA (Long term	average)			
	Low volume situatio	n, comapred w	ith LTA values				
Unit: Million	Cubic Meter (1 MCM=	= 0.001 Km ³)					

4 Flash Flood in the Lower Mekong Basin

Between 26 January and 1 February 2021, the LMB was affected by two main weather factors. These include (i) the active high pressure from China which extended its ridge over the upper and middle parts of the LMB causing some cold weather in the northern and north-eastern areas; and (ii) the strong northeast monsoon which prevailed over the Gulf of Thailand.

According to the MRC-Flash Flood Guidance System (FFGS) and analysis, flash flood events were not detected in the LMB.

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from 23-29 January 2021

Drought monitoring data for 2021 are available from Saturday to Friday every week; thus, the reporting period is normally three days delayed compared to Flood and Flash Flood reports.

Weekly Standardised Precipitation Index (SPI1)

Drought condition of the LMB from 23 to 29 January 2021, as shown in <u>Figure 12</u>, was normal in most parts. Meteorological indicator of SPI shows that the LMB did not receive any rainfall during the monitoring week and was normal compared with its historical records. The condition was very much similar to last week (16-22 January 2021).




Figure 12: Weekly standardized precipitation index from 23 to 29 Jan 2021.

Weekly Soil Moisture Anomaly (SMA)

Soil moisture condition from 23 to 29 January 2021, as displayed in <u>Figure 13</u>, was very much similar to the condition last week (Jan 16-22) which was at moderate dry in the north and some areas in the central and the south. Moderate dry condition in the north of the LMB covered Chiang Mai, Chiang Rai, and Payao of Thailand; and Bokeo, Luang Namtha, Xayaburi, Phongsaly, Luang Prabang, Xieng Khouang, and Vientiane of Lao PDR. Dry condition also took place in Kratie and Mondulkiri of Cambodia. Other areas were normal and wet during the monitoring week.




Figure 13: Weekly Soil Moisture Anomaly from 23 to 29 Jan 2021.

Weekly Combined Drought Index (CDI)

The overall drought condition through combined drought index from 23 to 29 January 2021, as displayed in <u>Figure 14</u>, shows no drought threat over the region amid some dry soil moisture. The CDI presents normal condition in almost all LMB areas.




Figure 14: Weekly Combined Drought Index from 23 to 29 Jan 2021.


More information on Drought Early Warning and Forecasting as well as the explanation is available here: http://droughtforecast.mrcmekong.org/templates/view/our-product.

6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

Based on the analysis of the synoptic meteorological information and result from the Global Forecast System (GFS) Model, in the coming week, there might be two factors affecting the LMB, as have been the case. They include (i) high pressure from China moving over to the LMB areas, and (ii) the on-going prevailing northeast monsoon from the Gulf of Thailand to the lower part of the LMB. During that period, very small rainfall (2–5 mm/24 hrs) may occur in some areas of the LMB but not significant.

<u>Figure 15</u> shows accumulated rainfall forecast (24 hrs) of the GFS model from 02 to 08 Feb 2021.






Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS.

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on February 1's weekly river monitoring bulletin, the weekly forecast water level at Chiang Saen in Thailand is expected to slightly increase from 1.93 metres to 2.22 metres in the next seven days. The trend of water levels at this station will continue staying above its LTA.

For Luang Prabang in Lao PDR, the water level is likely to increase slightly from 8.75 metres to 8.84 metres during the same period. The current water level is close to its maximum value. No precipitation is forecasted between Chiang Saen and Luang Prabang for next week.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand is forecasted to go up slightly by about 0.07 metres, and also at Vientiane in Lao PDR the water level is likely to go up by about 0.06 metres. From Nong Khai to Paksane, water levels will also slightly increase by about 0.06 metres in the next

seven days. No precipitation is forecasted for the areas between Chiang Khan and Paksane for next week.

The water levels will remain higher than its LTA at Vientiane, while at Nong Khai they will probably be lower than their LTAs. And at Paksane the water level will be lower than its minimum level.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom in Thailand and Savannakhet in Lao PDR may slightly decrease by about 0.10 metres in the next seven days. From Khong Chiam in Thailand to Pakse in Lao PDR the water will also decrease by about 0.05 metres. No precipitation is forecasted in between Nakhon Phanom and Pakse for next week.

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng to Neak Luong along the Mekong River in Cambodia, water levels will slightly decrease by about 0.15 meters in the next seven days, without any rain in forecast for the surrounding areas.

Water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port, as well as at Phnom Penh, Chaktomuk, and Koh Khel on the Bassac River, will decrease by about 0.15 metres over the next seven days.

With the trend, water levels at these stations will continue staying below their LTA levels, particularly from the Kompong Cham and Bassac at Phnom Penh to Neak Luong as well as Tonle Sap at Prekdam to Phnom Penh Port. No precipitation is forecasted for the low-lying area of Cambodia next week.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be fluctuating around their LTAs, following daily tidal effects from the sea. Rainfall is not in the forecast for the Delta area for next week.

<u>Table 2</u> shows the weekly River Monitoring Bulletin issued on February 1. Results of the started weekly river monitoring bulletin are also available at http://ffw.mrcmekong.org/bulletin wet.php.

6.3 Flash Flood Information

Flash flood events are likely not to happen in the LMB within next week. During the dry season if extreme weather occurs, the information on flash flood guidance for the next one, three, and six hours is updated at http://ffw.mrcmekong.org/ffg.php.

Further detailed information on Flash Flood Information Warning, as well as on its explanation, is available for download here.

6.4 Drought forecast

There are several climate-prediction models with different scenarios on the upcoming months until February 2021. The MRC's Drought Forecasting and Early Warning System (DFEWS) adopts an ensemble model, which averages all scenarios called the North America Multi-Model Ensemble (NMME).

The global scale of rainfall prediction is used to see how the rain distribution looks like for the coming months. Figure 16 of the monthly anomaly maps shows daily average of each month in mm/day from January to March 2021 produced by the NMME.




Figure 16: Daily average of monthly rainfall anomaly forecast from Jan to Mar 2021.

Since the dry season has already begun, the LMB is not going to receive any significant rain from January to March 2021. The ensemble prediction model forecasts that the LMB is likely to receive very little rain in January mainly in the Central Highland of Viet Nam and almost no rain in February nor March this year.

Table 2. Weekly River Monitoring Bulletin.



Mekong Bulletin

Mekong River Commission Secretariat (MRCS)

Regional Flood and Drought Management Centre (RFDMC)

P.O. Box 623 #576, National Road #2, Chak Angre Krom, Meanchey, Phnom Penh, Cambodia Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org

Forecast period from: 02 February to 08 February 2021

Date: 01 February 2021

LOCATION	Country	Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Min water level against zero gauge (m)	against ze (r	i W. level ero gauge n)	Forecasted Water Levels (m)								
Jinhong	**	31-Jan			31-Jan	01-Feb	02-Feb	03-Feb	04-Feb	05-Feb	06-Feb	07-Feb	08-Feb		
	7.7	0.0	•	•	535.80	535.54									
Chiang Saen		0.0	357.110	0.00	2.15	1.93	2.03	1.91	1.87	1.94	2.02	2.12	2.22		
Luang Prabang	•	0.0	267.195	2.53	8.66	8.68	8.75	8.80	8.75	8.81	8.84	8.86	8.84		
Chiang Khan		0.0	194.118	1.91	3.78	3.87	3.89	3.93	3.97	3.94	3.97	3.99	4.02		
Vientiane		0.0	158.040	-0.28	1.73	1.72	1.79	1.80	1.82	1.84	1.81	1.84	1.86		
Nongkhai		0.0	153.648	0.33	1.15	1.12	1.18	1.19	1.21	1.23	1.20	1.24	1.27		
Paksane		0.0	142.125	0.10	1.38	1.33	1.31	1.34	1.35	1.36	1.37	1.36	1.38		
Nakhon Phanom		0.0	130.961	0.18	1.09	1.03	0.99	0.97	0.99	1.01	1.02	1.03	1.01		
Thakhek		0.0	129.629	1.38	2.44	2.37	2.31	2.28	2.31	2.34	2.36	2.38	2.35		
Mukdahan		0.0	124.219	0.72	1.68	1.60	1.55	1.51	1.49	1.52	1.53	1.55	1.56		
Savannakhet	•	0.0	125.410	-0.65	1.17	1.16	1.14	1.12	1.11	1.13	1.13	1.14	1.14		
Khong Chiam		0.0	89.030	1.02	2.14	2.08	2.02	1.95	1.90	1.86	1.90	1.93	1.96		
Pakse	•	0.0	86.490	0.03	1.15	1.10	1.06	1.03	1.00	0.98	1.02	1.04	1.06		
Stung Treng	and the last	nr	36.790	0.32	2.66	2.65	2.61	2.59	2.57	2.55	2.54	2.57	2.59		
Kratie	Adul.	nr	-1.080	3.06	7.16	7.19	7.17	7.12	7.09	7.06	7.03	7.00	7.04		
Kompong Cham	ida.	nr	-0.930	0.65	2.96	2.98	3.01	2.98	2.93	2.90	2.86	2.83	2.80		
Phnom Penh (Bassac)	and the last	nr	-1.020	1.58	2.22	2.28	2.30	2.28	2.25	2.23	2.21	2.20	2.18		
Phnom Penh Port	1884.	nr	0.000	0.14	1.24	1.34	1.37	1.34	1.31	1.28	1.26	1.24	1.21		
Koh Khel	Mit.	nr	-1.000	1.52	2.31	2.35	2.36	2.34	2.32	2.31	2.30	2.30	2.29		
Neak Luong	Mis.	nr	-0.330	0.81	1.72	1.66	1.67	1.68	1.67	1.64	1.62	1.60	1.58		
Prek Kdam	Adul	nr	0.080	0.58	1.39	1.41	1.43	1.41	1.38	1.36	1.34	1.32	1.30		
Tan Chau	*	nr	0.000	-0.37	1.31	1.00	0.82	0.68	0.53	0.56	0.78	1.01	1.18		
Chau Doc	*	nr	0.000	-0.60	1.46	1.17	1.00	0.86	0.71	0.77	1.02	1.26	1.43		

REMARKS:

-: not available.
*: reference stations without forecast. nr: no rain.

River Flood Forecaster

NOTE: Discharge at Luang Prabang may be influenced by hydropower operations (at both upstream and downstream). For more info, please refer to this link: http://www.mrcmekong.org/; http://ffw.mrcmekong.org/bulletin_wet.php; http://ffw.mrcmekong.org/reportflood.php

7 Summary and Possible Implications

7.1 Rainfall and its forecast

No rainfall during this reporting week was recorded for most of the stations along the mainstream of the Mekong River, based on ground stations. However, based on the forecasted satellite data, rainfall can be varying from 2 to 5 mm in the LMB which is considered not significant.

Based on the forecasted rainfall from satellite using GFS data, no significant rainfall (<10mm) is likely to take place in the Mekong region from 2 to 8 February 2021.

7.2 Water level and its forecast

The notification from China on January 5 said that the water outflow at Jinghong hydropower station in China's Yunnan province would be operated with the outflow at 1,000 m³/s due to power grid maintenance during 5–24 January 2021.

The water level at this station was decreasing about 0.45 metre, based on observed data from 26 Jan to 1 Feb 2021.

It was observed that up to 1 February 2021, water levels from Chiang Saen to Vientiane in Thailand and Lao PDR were slightly decreasing, but still higher than their TLAs. Water levels from Nakhon Phanom to Pakse in Thailand and Lao PDR showed an decrease about 0.30 metres (from 26 Jan to 1 Feb 2021). The situation may probably received influence from both the Mekong-Lancang upstream and the downstream dam operation at Mekong mainstream and its tributaries during the Dry Season.

Water levels from Thailand's Chiang Saen to Lao PDR's Vientiane and Nong Khai in Thailand were slightly increasing during this reporting week. Water level at Paksane is currently below its historical minimum value. From Nakhon Phanom in Thailand to Pakse in Lao PDR, water levels were decreasing. At Stung Treng and Kratie in Cambodia, water levels slightly decreased but were still slightly higher than their LTAs, perhaps due to the influence of tributary dam operations. Water levels at Kompong Cham, Neak Luong, Bassac at Phnom Penh, and Prek Kdam in Cambodia were still lower than their LTA levels. The low level was due to low inflows from upstream and no rainfall in the region from Jan 26 to Feb 1.

Generally, this week's water levels were relatively lower than those of last week from the middle part to the lower part.

The starting date of the outflow from the Tonle Sap Lake into the Mekong mainstream took place on November 15, slightly late compared to the normal event. Due to heavy rainfall in late October 2020, the water volume of the Lake at this reporting point is higher than that in 2019. However, it is lower than its LTA which is considered critical.

Over the next few days, water levels across most monitoring stations in the LMB from Chiang Khan to Vientaine are expected to slightly increase about 0.06 metres, but decrease

about 0.15 from Nakhon Phanom to Pakse. This situation still continues to put most stations' water levels below their LTAs.

From Stung Treng to Kratie, the water levels slightly decreased but still stay above their LTAs except from Komgpong Cham to Neak Luong on the Mekong, Prek Kdam to Phnom Penh Port on the Tonle Sap and Chaktomuk to Koh Khel on the Bassac the water levels are below their LTAs.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain unchanged.

The low rainfall during the past months in 2020 (except in October) is believed to be one of the main factors causing low water levels at most of the stations along the Mekong mainstream.

Since the beginning of this year (2020), water levels in the LMB have been lower than their LTAs for all monitoring stations (from upper to lower stretches within the LMB). Like many parts of the world, the Mekong region has been affected by the prolonged El Nino event, the phenomenon that usually causes extreme heat and insufficient rainfall. This climate change impact has been observed since 2019. Therefore, the main cause of low water levels in the Mekong mainstream from June to July 2020 could be the unusual low rainfall as results of the climate change affecting the LMB.

For a more complete preliminary analysis of the hydrological conditions in the LMB over January–July 2020, please refer to this <u>Situation Report</u>.

The contribution to the Mekong River's flow from the Upper Mekong Basin in China (Yunnan component) is about 16 % by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane — Nakhon Phanom and Pakse — Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the very small predicted amounts of rainfall for the coming week as mentioned earlier in <u>section 6.1</u>, major flash floods are likely not to happen in the region.

7.4 Drought condition and its forecast

Drought condition of the LMB from 23 to 29 January 2021 was very much similar to last week (January 16-22). The region only showed moderate dry soil moisture in some areas of the northern and southern parts with no meteorological drought in the whole LMB. In general, drought condition was getting much better – with no potential threat – over the region.

For the upcoming three-month forecast, LMB is likely to receive very little rain in February this year mainly in the Central Highland of Viet Nam.

Annex A: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels in metres

2020	gnong	iang Saen	uang Prabang	Chiang Khan	ntiane	ngkhai	Paksane	Nakhon Phanom	kdahan	kse	ung Treng	Kratie	mpong Cham	nom Penh assac)	h Khel	ak Luong	sk Kdam	ר Chau	au Doc
26-01-2021	≒ 535.99	ວົ 1.82		د 3.98	1.90	1.34	1.70	1.34	1.81	LB 1.00	2.69	7.04	2.76	2.18	2.20	Neak 1.96	1.32	ē 0.87	2 Pa 1.03
27-01-2021	535.99	2.06		3.96	1.84	1.34	1.63	1.31	1.80		2.69	7.04	2.70	2.16	2.20	2.00	1.28	1.13	1.28
28-01-2021	535.99	2.15		3.95	1.84	1.26	1.55	1.26	1.80		2.64	7.13	2.85	2.24	2.22	2.00	1.25	1.32	1.49
29-01-2021	535.99	2.14		3.87	1.83	1.26		1.20	1.76		2.66	7.14	2.88	2.25	2.25	2.03	1.36	1.44	1.60
30-01-2021	535.56	2.15		3.80		1.23		1.13	1.72	1.09	2.66	7.18	2.92	2.26	2.29	1.98	1.41	1.47	1.63
31-01-2021	535.80	2.15	8.66	3.78	1.73	1.15	1.38	1.09	1.68	1.15	2.66	7.16	2.96	2.22	2.31	1.72	1.39	1.31	1.46
01-02-2021	535.54	1.93	8.68	3.87	1.72	1.12	1.33	1.03	1.60	1.10	2.65	7.19	2.98	2.28	2.35	1.66	1.41	1.00	1.17

Table A2: Weekly observed rainfall in mm

2020	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Mukdahan	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
26-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31-01-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01-02-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Mekong River Commission Secretariat