



Mekong River Commission

**Weekly Dry Season Situation Report in
the Lower Mekong River Basin
23-29 March 2021**

Prepared by
The Regional Flood and Drought Management Centre
30 March 2021

The MRC is funded by contributions from its Member Countries and Development Partners, including Australia, the European Union, Finland, Flanders/Belgium, France, Germany, Japan, Luxembourg, the Netherlands, New Zealand, Sweden, Switzerland, the United States and the World Bank.

Copyright © Mekong River Commission, 2021

First published (2021)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly dry season situation report in the Lower Mekong River Basin for 23-29 March 2021

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2021). *Weekly dry season situation report in the Lower Mekong River Basin for 23-29 March 2021*. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at
<http://www.mrcmekong.org/publications/>

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcc@mrcmekong.org | www.mrcmekong.org

Contents

- Figures..... ii
- Table iii
- 1 Introduction 1
- 2 General Weather Patterns 2
 - 2.1 Tropical depressions (TD), tropical storms (TS) and typhoons (TY) 3
 - 2.2 Rainfall patterns over the LMB 4
- 3 Water Levels in the Lower Mekong River 6
- 4 Flash Flood in the Lower Mekong Basin 12
- 5 Drought Monitoring in the Lower Mekong Basin..... 13
- 6 Weather and Water Level Forecast and Flash Flood Information 16
 - 6.1 Weather and rainfall forecast 16
 - 6.2 Water level forecast 17
 - 6.3 Flash Flood Information..... 18
 - 6.4 Drought forecast 19
- 7 Summary and Possible Implications 22
 - 7.1 Rainfall and its forecast 22
 - 7.2 Water level and its forecast 22
 - 7.3 Flash flood and its trends..... 23
 - 7.4 Drought condition and its forecast 23

Figures

- Figure 1: Summary of weather conditions over the LMB. 2
- Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC..... 3
- Figure 3: A Tropical Depression risk observed on 29 March 2021..... 3
- Figure 4: Weekly total rainfall at key stations in the LMB during 23-29 March 2021. 4
- Figure 5: Weekly rainfall distribution over the LMB during 23-29 Mar 2021. 5
- Figure 6: Key stations and model application for River Monitoring and Flood Forecasting. . 7
- Figure 7: Water levels at Chiang Khan and Paksane in Thailand and Lao PDR. 8
- Figure 8: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR. 8
- Figure 9: Water levels at Stung Treng and Kompong Cham on the Mekong River..... 9
- Figure 10: Seasonal change of inflows and outflows of Tonle Sap Lake. 10
- Figure 11: The seasonal change in monthly flow volume of Tonle Sap Lake..... 11
- Figure 12: Weekly standardized precipitation index from 20 to 26 Mar 2021. 13
- Figure 13: Weekly Soil Moisture Anomaly from 20 to 26 Mar 2021. 14
- Figure 14: Weekly Combined Drought Index from 20 to 26 Mar 2021. 15
- Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS. 17
- Figure 16: Daily average of monthly rainfall anomaly forecast from March to June 2021. . 19
- Figure 17: Monthly drought forecast for Feb, Mar, and Apr 2021 20

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake.	11
Table 2. Weekly River Monitoring Bulletin.	21

1 Introduction

This Weekly Dry Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for the period from **23-29 March 2021**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. All water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap Lake
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from:
http://ffw.mrcmekong.org/bulletin_wet.php.

Drought monitoring and forecasting information is available at:
<http://droughtforecast.mrcmekong.org>

Flash flood information is accessible at: <http://ffw.mrcmekong.org/ffg.php>

2 General Weather Patterns

The weather outlook bulletins for three months (February, March, and April) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

The TMD states that March is the transitional period between winter and summer. The high-pressure air mass areas prevailing over the Mekong region was started to weaken since early March. The TMD also predicts that rising air-temperature will occur from this month, prevailing hot season over the Mekong region in between March and April.

[Figure 1](#) presents the weather map of 28 March 2021, showing a low pressure is nominated in northern part of Thailand in the Mekong region.




Figure 1: Summary of weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), dry and warm conditions are predicted over the southern part of Southeast Asia and entire areas of the Mekong region covering Lao PDR, Thailand, Cambodia, and Viet Nam during a period from 22 March to 4 April 2021. However, during this time, the ASMC says that warmer and dry condition may still influence the region.

[Figure 2](#) shows the outlook of comparative warm conditions from 22 March to 4 April 2021 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

2.1 Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was no any low-pressure line crossing the lower part of the LMB during 29 March 2021, as shown in [Figure 1](#). But the low pressure in Northern Thailand can cause some rainfall that likely take place in the Mekong region, in the next few days. However, based on Tropical Storm Risk (TSR), as displayed in [Figure 3](#), there was no sign of tropical depression (TD), tropic storm (TS) or typhoon (TY) in the Mekong region on 29 March 2021.




Figure 3: A Tropical Depression risk observed on 29 March 2021.

2.2 Rainfall patterns over the LMB

This week, rainfall was observed from Chiang Saen to Nong Khai in the upper part and the lower part at Tan Chau, varying from 1.30 mm to 33. 50 mm. The total rainfall in this week compared with average rainfall in February 2021 is showed in [Figure 4](#).




Figure 4: Weekly total rainfall at key stations in the LMB during 23-29 March 2021.

To verify area rainfall distribution, [Figure 5](#) shows a map of the weekly accumulated rainfall based on observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 23 to 29 March 2021.





Figure 5: Weekly rainfall distribution over the LMB during 23-29 Mar 2021.

3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in [Figure 6](#). The hydrograph for each key station is available from the MRC's River Flood Forecasting: <http://ffw.mrcmekong.org/overview.php>. The weekly water levels and rainfall at each key station are summarised in [Annex A](#).

According to MRC's observed water level data, the outflow at Jinghong hydrological station increased from 1,696 cubic metres per second (m^3/s) on Monday last week to 1,863 m^3/s today (March 29). Amid water-level fluctuation in the upstream part of the LMB, water levels in the LMB region slightly increased during the mentioned period and were more apparent from Chiang Saen in Thailand to Vientiane in Lao PDR, and also from the stretches of the river between Nakhon Phanom in Thailand and Pakse in Lao PDR, and Stung Treng to Kompong Cham in Cambodia. Water level fluctuation from 1 Dec 2020 to 29 Mar 2021 at Jinghong Dam is presented in the graph below.



Near-real time of hydro-meteorological monitoring at Jinghong Station is presented at <https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry>.

Based on hydrological phenomenon, the contribution of inflow water from the upstream of Lancang-Mekong in China to the Mekong mainstream is about 25% in total during the dry season from November to May. The whole inflow of water into the lower Mekong basin is influenced not only by the Mekong-Lancang upstream but also by downstream dam operation at Mekong mainstream and its tributaries during the Dry Season.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting.

Chiang Saen and Luang Prabang

The water level from 23 to 29 March 2021 at Thailand’s Chiang Saen slightly increased from 2.48 metres to 2.66 metres. This week’s water level is 1.17 metres higher than its long-term average (LTA). When compared to last week, the level this week is higher.

The water level at Luang Prabang station in Lao PDR increased slightly from 8.65 metres to 8.77 metres, during the reporting period. This level shows 0.10 metres lower than its maximum level and 3.26 metres higher than its LTA value.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. **Thus, the water level at this station can possibly change very rapidly during the wet and dry seasons.**

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand (downstream of Xayaburi Dam) slightly increased from 4.00 metres to 4.35 metres during this week, showing 1.25 metres above its LTA value.

This situation is probably influenced by Xayaburi dam operation. It is also noted that water levels downstream at Vientiane followed the same trend which slightly increased from 2.00 metres to 2.01 metres, showing about 1.19 metres higher than its LTA value. Water levels at Nong Khai is about 0.11 metres higher than its LTA value, while water level at Lao PDR’s Paksane increased about 0.33 metres, showing about 0.39 metres lower than its LTA during this week. It was observed that water level at this station was lower than its minimum level for about 8 consecutive weeks since beginning of the dry season (from 4 January to 3 March 2021), still considered as very critical. **Fluctuated water levels at Chiang Khan and Paksane are shown in Figure 7 .**




Figure 7: Water levels at Chiang Khan and Paksane in Thailand and Lao PDR.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom to Sovannakhet in Thailand and Lao PDR decreased by about 0.15 metres and stayed about 0.35 metres above their LTAs values, during the reporting period. Water level at Pakse increased 0.06 metres and about 0.43 metres above its LTA. The weekly water levels at Nakhon Phanom and Pakse are shown in Figure 8.




Figure 8: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR.

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

With contribution of flows from the upstream part of the Mekong River and the 3S river (Sekong, Se San and Sre Pok), the water levels at Stung Treng to Kompong Cham in Cambodia still increased. This week water levels were about 0.55 metres higher than their LTAs at Stung

Treng and 0.97 metres at Kratie, while at Kompong Cham is about 0.14 metres higher than their LTAs, as shown in [Figure 9 \(Stung Treng and Kratie\)](#).

At Neak Luong on the Mekong River, water level was influenced by the tidal effect which increased about 0.62 metres from 22 to 26 March and was 0.14 metres above its LTA. From Chaktomuk to Koh Khel on the Bassac River and Prekdam on the Tonle Sap River, water levels decreased to a level below their LTAs. For the Tonle Sap Lake, it revealed that the water level of the lake was lower than its LTA (observed at Kompong Loung), expressing as a critical situation.




Figure 9: Water levels at Stung Treng and Kompong Cham on the Mekong River.

Tidal stations at Tan Chau and Chau Doc

Like last week, from 23 to 29 March 2021, water levels at the tidal stations of Viet Nam’s Tan Chau and Chau Doc fluctuated out of the long-term range maximum and minimum due to daily tidal effects from the sea, which considered as a very critical condition.

The Tonle Sap Flow

At the end of the wet season, when water levels along the Mekong River decrease, flows of the Tonle Sap Lake (TSL) returns to the Mekong mainstream and then to the Delta. This phenomenon normally takes place from mid-October to early November. The delay of the outflow was due to the heavy rain from last October in some of the inflow tributaries around the TSL area.

[Figure 10](#) shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2018 and 2019, and their LTA level (1997–2019). Up to 29 March 2021 of this reporting period, **it is observed that the main outflow from the TSL has started since 15 November 2020**. The outflow condition in late 2020 was lower than its average flows but look similar with the 2020’s flow and higher than 2019’s. Since water levels at Prek Kdam on the Tonle Sap river, Neak Luong on the Mekong and Chaktomuk, and Koh Khel on the Bassac rivers are lower than their LTAs levels, the outflow of the TLS Lake is expected to slightly decrease starting from next week.




Figure 10: Seasonal change of inflows and outflows of Tonle Sap Lake.

The water volume of the Lake up to this point has been considered critical as it is still lower than its long-term average level. [Figure 11](#) shows seasonal changes in monthly flow volumes up to March 22 for the TSL compared with the volumes in 2018 and 2019 and their LTA and the fluctuating levels (1997–2019). **It shows that up to March 29, the water volumes of the Lake were higher than 2020 and close to those of 2019 during the same period.** This is clearly displayed in [Table 1](#), which indicates that the TSL has been affected by water levels from the Mekong River, the tributaries, and rainfall in the surrounding sub-catchments.

The increased inflows, from the Mekong River and tributaries, of the TSL in October of the 2020 wet season have resulted in a higher flow in 2020 than in 2019. This demonstrates the influence of the relationships between the reverse flows, water levels of the Mekong River, inflows from tributaries and the flow direction in the complex hydraulic environment of the TSL during the wet season. The data show that about half of the annual inflow volume into the Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impacts on the Tonle Sap Lake water levels and on its hydrology.




Figure 11: The seasonal change in monthly flow volume of Tonle Sap Lake.

Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	Average Volume (97-19) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2018 [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]
Jan	16452.95	26357.53	6272.01	13633.41	10285.31	5906.80	9923.80
Feb	9312.36	15596.22	4281.41	7729.72	6019.30	4264.19	5832.97
Mar	5868.92	9438.24	3350.92	5037.06	4354.62	3553.99	4281.30
Apr	4474.98	8009.14	2875.42	3956.47	3667.47	2992.61	
May	4166.07	9176.93	2417.81	3864.00	3266.43	2594.92	
Jun	6034.10	13635.01	2470.54	5919.18	3517.06	2641.88	
Jul	12502.58	28599.56	3832.51	12024.96	4001.99	2925.86	
Aug	26934.35	39015.12	7554.93	22399.65	7622.71	5941.07	
Sep	42644.05	65632.35	22180.73	53639.54	24194.19	12105.31	
Oct	49698.19	73757.23	24276.79	48193.08	30358.38	20799.13	
Nov	39542.58	60367.33	18576.01	31036.07	19112.65	27546.80	
Dec	26325.13	38888.95	10869.43	18469.21	10577.29	18251.65	
	Critical situation, compared with historical Min values						
	Normal condition, compared with LTA (Long term average)						
	Low volume situation, compared with LTA values						
Unit: Million Cubic Meter (1 MCM= 0.001 Km ³)							

4 Flash Flood in the Lower Mekong Basin

From March 23 to 29, the LMB was affected by three main weather factors. These include (i) the moderate high-pressure which covered the upper part of the LMB; (ii) the southerly and south-easterly wind which prevailed over the central part of the LMB last week, causing hot weather in some northern areas of middle part of the LMB; and (iii) the northeast monsoon which prevailed over the Gulf of Thailand.

According to the MRC-Flash Flood Guidance System (FFGS) and analysis, flash flood events were not detected in the LMB.

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from 20 to 26 March 2021

Drought monitoring data for 2021 are available from Saturday to Friday every week; thus, the reporting period is normally three days delayed compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS during wet season. The products are limited for dry season. The RFDMC, therefore, temporarily uses the products of forecasted SMA to replace the weekly soil moisture monitoring for the time being. Further contact with the developer, HRC, will soon be carried out to solve the soil moisture monitoring issue.

- **Weekly Standardised Precipitation Index (SPI1)**

Like last week, meteorological drought condition of the LMB from 20-26 March 2021, as shown in [Figure 12](#), was moderately and severely dry mainly in the lower part of the LMB covering some areas of Cambodia's Battambang, Banteay Meanchey, Oddar Meanchey, Siem Reap, Preah Vihear, Stung Treng, and Kampong Thom, and some area of Viet Nam's Dak Lak. The middle part also experienced some moderate dry covering some areas of Thailand's Surin, Si Saket, Nakhon Ratchasima, Buriram, and Ubon Ratchathani, and Lao PDR's Champassack and Attapeu.




Figure 12: Weekly standardized precipitation index from 20 to 26 Mar 2021.

- **Weekly Soil Moisture Anomaly (SMA)**

Soil moisture condition from 20 to 26 March 2021, as displayed in [Figure 13](#), was slightly different from the condition last week (Mar 13 to 19). The only moderate dry soil moistures were found in the lower part of the LMB covering some areas of Chanthaburi, Nakhon Ratchasima, Burirum, Banteay Meanchey, Siem Reap, Pailin, Battambang, Pursat, Kampong Thom, Kampong Chhnang, Mondul Kiri, Dak Lak, and Lam Dong. Other areas were normal and wet.





Figure 13: Weekly Soil Moisture Anomaly from 20 to 26 Mar 2021.

- **Weekly Combined Drought Index (CDI)**

The overall drought condition through combined drought index from 20 to 26 March 2021, as displayed in [Figure 14](#), shows some moderate and severe drought mainly in northern Cambodia. It covers some parts of Battambang, Banteay Meanchey, Siem Reap, Kampong Thom, Preah Vihear, and Oddar Meanchey. Moderate drought also covers Nakhon Ratchasima, Burirum, Surin, Modul Kiri, Dak Lak, and Lam Dong.










Drought Early Warning Lower Mekong Basin



Updated On: 26-03-2021

Weekly Monitoring

Combined Drought Index (CDI)

	D4 (Exceptional Drought)		Mekong River
	D3 (Extremely Drought)		Country Boundary
	D2 (Severely Drought)		Catchment Boundary
	D1 (Moderate Drought)		Lower Mekong Basin Boundary
	D0 (Normal Condition)		
	No Data		

The drought monitor focus on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

Disclaimer: This drought monitoring and forecasting map is calculated based on the satellite imageries with no ground verification. MRC does not guarantee the values and accuracy of the products nor be responsible for any risks of using the products.

Figure 14: Weekly Combined Drought Index from 20 to 26 Mar 2021.


More information on Drought Early Warning and Forecasting (DFEW) as well as the explanation is available here: <http://droughtforecast.mrcmekong.org/templates/view/our-product>. DFEW provides not only weekly monitoring and forecasting information but also three-month forecasts of drought indicators with seasonal outlook which are usually updated every month based on international weather forecast models. Details on drought forecast is described in section [6.4](#) of this report.

6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

Based on the analysis of the synoptic meteorological information and result from the Global Forecast System (GFS) model, in the coming week, there might be three factors affecting the LMB, as have been the case. They include (i) high-pressure which likely continues to cover the upper part of the LMB, (ii) the south-easterly wind which likely appears in the middle part of the LMB, and (iii) the on-going prevailing northeast monsoon from the Gulf of Thailand to the lower part of the LMB. From March 30 to April 05, very small (2–5 mm/24 hrs) and small (5–10 mm/24 hrs) amount of rainfall may take place in some areas of the LMB.

[Figure 15](#) shows accumulated rainfall forecast (24 hrs) of the GFS model from 29 Mar to 05 Apr 2021.






Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS.

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on March 29's weekly river monitoring bulletin, the weekly forecast water level at Chiang Saen in Thailand is expected to slightly increase from 2.66 metres to 2.99 metres in the next seven days. However, the trend of water levels at this station will continue staying above its LTA.

For Luang Prabang in Lao PDR, the water level will slightly increase from 8.71 to 8.95 metres during next week. The current water level is lower than its maximum value. Unlike last week, small amount of precipitation is forecasted for the areas between Chiang Saen and Luang Prabang stations for next week.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand is forecasted to go down by about 0.04 metres, while at Vientiane in Lao PDR the water level is also forecasted to decrease by about 0.11 metres. From Nong Khai to Paksane, water levels will decrease by about 0.08 metres in the

next seven days. Small amount of precipitation is forecasted for the areas between Chiang Khan and Paksane for next week.

The water levels will remain higher than their LTAs at Chiang Khan and Vientiane, while at Paksane water levels will continue staying below their LTAs but stay higher than their minimum levels.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR may slightly increase by about 0.04 metres in the next seven days. Water levels from Nakhon Phanom to Pakse in Thailand and Lao PDR will stay higher than their LTAs. Small amount of precipitation is forecasted for the areas between Nakhon Phanom and Pakse for next week.

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng to Kampong Cham along the Mekong River in Cambodia, water levels will slightly increase by about 0.12 meters in the next seven days.

Water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port, as well as at Phnom Penh, Chaktomuk, and Koh Khel on the Bassac River, will slightly increase by about 0.06 metres over the next seven days.

With the trend, water levels at these stations will continue staying below their LTA levels, particularly from the Bassac at Phnom Penh to Koh Khel as well as Tonle Sap at Prekdam to Phnom Penh Port, including the Tonle Sap Lake. Small amount of precipitation is forecasted for the low-lying area of Cambodia next week.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be fluctuating below their LTAs, following daily tidal effects from the sea. Small amount of rainfall is forecasted for the Delta area for next week.

[Table 2](#) shows the weekly River Monitoring Bulletin issued on March 29. Results of the weekly river monitoring bulletin are also available at http://ffw.mrcmekong.org/bulletin_wet.php.

6.3 Flash Flood Information

Flash flood events are likely not to happen in the LMB within next week. During dry season if extreme weather occurs, the information on flash flood guidance for the next one, three, and six hours is updated at <http://ffw.mrcmekong.org/ffg.php>.

Further detailed information on Flash Flood Information Warning, as well as on its explanation, is available for download [here](#).

6.4 Drought forecast

There are several climate-prediction models with different scenarios on the upcoming months until June 2021. The MRC's Drought Forecasting and Early Warning System (DFEWS) adopts an ensemble model, which averages all scenarios called the North America Multi-Model Ensemble (NMME).

The global scale of rainfall prediction is used to see how the rain distribution looks like for the coming months. [Figure 16](#) shows the ensemble mean of daily average precipitation (mm/day) each month from March to June 2021 produced by the NMME.




Figure 16: Daily average of monthly rainfall anomaly forecast from March to June 2021.

Since the dry season has already begun, the LMB is not going to receive any significant rain from January to March 2021. The ensemble prediction model forecasts that the LMB is likely to receive some little rain in March mainly in the Central Highland of Viet Nam and south-eastern part of Cambodia. The initial forecast shows some rain in April covering Cambodia, Lao PDR, Thailand, and Viet Nam. It seems that dry season this 2021 is wetter than last year 2020 and rain might come early in the wet season than in 2019 and 2020.

The forecasted combined drought index in Figure 17, a combination of forecasted SPI and SMA, shows no drought threats in both March and April. The overall drought condition is normal in all parts of the LMB.




Figure 17: Monthly drought forecast for Feb, Mar, and Apr 2021

Table 2. Weekly River Monitoring Bulletin.



Mekong Bulletin

Mekong River Commission Secretariat (MRCS)

Regional Flood and Drought Management Centre (RFDMC)

P.O. Box 623 #576, National Road #2, Chak Angre Krom, Meanchey, Phnom Penh, Cambodia

Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org

Forecast period from: 30 March to 05 April 2021

Date: 29 March 2021

LOCATION	Country	Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Min water level against zero gauge (m)	Observed W. level against zero gauge (m)		Forecasted Water Levels (m)						
					28-Mar	29-Mar	30-Mar	31-Mar	01-Apr	02-Apr	03-Apr	04-Apr	05-Apr
Jinhong		0.0	-	-	536.71	536.68							
Chiang Saen		0.0	357.110	0.00	2.73	2.66	2.64	2.61	2.66	2.75	2.86	2.93	2.99
Luang Prabang		0.0	267.195	2.53	8.88	8.77	8.71	8.62	8.58	8.52	8.58	8.78	8.95
Chiang Khan		10.1	194.118	1.91	4.24	4.35	4.27	4.22	4.17	4.13	4.08	4.12	4.23
Vientiane		0.2	158.040	-0.28	1.97	2.00	2.06	2.02	2.00	1.97	1.95	1.92	1.95
Nongkhai		33.5	153.648	0.33	1.32	1.46	1.54	1.50	1.46	1.41	1.37	1.32	1.37
Paksane		0.0	142.125	0.10	2.06	2.11	2.20	2.25	2.23	2.21	2.19	2.17	2.14
Nakhon Phanom		0.0	130.961	0.18	1.45	1.39	1.36	1.41	1.44	1.43	1.42	1.41	1.40
Thakhek		0.0	129.629	1.38	2.75	2.71	2.66	2.72	2.77	2.75	2.72	2.70	2.68
Mukdahan		0.0	124.219	0.72	1.92	1.87	1.85	1.83	1.86	1.89	1.88	1.87	1.86
Savannakhet		0.0	125.410	-0.65	1.13	1.12	1.11	1.10	1.12	1.14	1.13	1.13	1.12
Khong Chiam		0.0	89.030	1.02	2.28	2.28	2.20	2.16	2.12	2.17	2.23	2.19	2.16
Pakse		0.0	86.490	0.03	1.10	1.25	1.31	1.29	1.26	1.29	1.33	1.30	1.28
Stung Treng		nr	36.790	0.32	2.71	2.69	2.77	2.83	2.81	2.78	2.81	2.84	2.82
Kratie		nr	-1.080	3.06	7.18	7.23	7.20	7.30	7.38	7.34	7.30	7.34	7.38
Kompong Cham		nr	-0.930	0.65	2.76	2.76	2.82	2.78	2.89	2.99	2.94	2.89	2.94
Phnom Penh (Bassac)		nr	-1.020	1.58	2.01	1.90	1.87	1.85	1.89	1.94	1.92	1.90	1.92
Phnom Penh Port		nr	0.000	0.14	1.03	0.92	0.90	0.88	0.92	0.98	0.97	0.96	0.99
Koh Khel		nr	-1.000	1.52	1.92	1.91	1.93	1.96	1.99	2.02	2.00	1.98	1.96
Neak Luong		nr	-0.330	0.81	1.78	1.58	1.50	1.45	1.41	1.37	1.42	1.46	1.50
Prek Kdam		nr	0.080	0.58	1.03	1.02	1.00	0.98	1.01	1.05	1.03	1.01	1.03
Tan Chau		0.0	0.000	-0.37	1.18	1.18	1.05	0.90	0.67	0.48	0.34	0.27	0.20
Chau Doc		nr	0.000	-0.60	1.41	1.30	1.16	1.00	0.76	0.55	0.40	0.30	0.21

REMARKS:

-: not available.
 *: reference stations without forecast.
 nr: no rain.

River Flood Forecaster

KHEM Sothea

NOTE: Discharge at Luang Prabang may be influenced by hydropower operations (at both upstream and downstream).
 For more info, please refer to this link:
<http://www.mrcmekong.org/>; http://ffw.mrcmekong.org/bulletin_wet.php; <http://ffw.mrcmekong.org/reportflood.php>

7 Summary and Possible Implications

7.1 Rainfall and its forecast

During this reporting week, rainfall was recorded from Chiang Saen to Nong Khai in the upper part and small amount at Tan Chau along the Mekong River, varying from 1.30 mm to 33.50 mm.

Based on the forecasted satellite data, rainfall is forecasted for some areas of the LMB from 10 to 60 mm for the next 7 days. The forecasting model using GFS data, on the other hand, shows that no significant rainfall (>50mm) is likely to take place in the Mekong region from 30 March to 5 April 2021.

7.2 Water level and its forecast

According to MRC's observed water level data, the outflow at Jinghong hydrological station increased from 1,696 cubic metres per second (m³/s) on Monday last week to 1,863 m³/s today (March 29). Amid water-level fluctuation in the upstream part of the LMB, water levels in the LMB region slightly increased during the mentioned period and were more apparent from Chiang Saen in Thailand to Vientiane in Lao PDR, and also from the stretches of the river between Nakhon Phanom in Thailand and Pakse in Lao PDR, and Stung Treng to Kompong Cham in Cambodia. For the Mekong Delta in Viet Nam at Tan Chau and Chau Doc, water levels were influenced by the sea tidal.

Water levels from Chiang Khan to Vientiane in Thailand and Lao PDR will likely be affected by Xayaburi dam in the next few weeks.

Over the next few days, water levels across most monitoring stations from Chiang Khan to Vientiane are expected to slightly decrease about 0.10 metres and at Nakhon Phanom to Pakse will increase about 0.15 metres. This situation continues to put most stations' water levels match with their LTAs.

The starting date of the outflow from the Tonle Sap Lake into the Mekong mainstream took place on November 15, slightly late compared to the normal event. Due to heavy rainfall in late October 2020, the water volume of the Lake at this reporting point is higher than that in 2020. However, it is lower than its LTA which is considered critical. From next week, the flow might continue to slightly decrease due to low water levels along the lower part of the Mekong and Bassac rivers.

From Stung Treng to Kompong Cham, the water levels will slightly increase and remain higher than their LTAs. However, at Neak Luong on the Mekong River, from Prek Kdam to Phnom Penh Port on the Tonle Sap, and from Chaktomuk to Koh Khel on the Bassac, the water levels are below their LTAs. It was noted that water levels at Tonle Sap Lake have connection with water levels at Prek Kdam.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain unchanged but influenced by tidal.

The low rainfall during the past months in 2020 (except in October) is believed to be one of the main factors causing low water levels at most of the stations along the Mekong mainstream.

Since the beginning of this year (2020), water levels in the LMB have been lower than their LTAs for all monitoring stations (from upper to lower stretches within the LMB). Like many parts of the world, the Mekong region has been affected by the prolonged El Nino event, the phenomenon that usually causes extreme heat and insufficient rainfall. This climate change impact has been observed since 2019. Therefore, the main cause of low water levels in the Mekong mainstream from June to July 2020 could be the unusual low rainfall as results of the climate change affecting the LMB.

For a more complete preliminary analysis of the hydrological conditions in the LMB over January–July 2020, please refer to this [Situation Report](#).

The contribution to the Mekong River’s flow from the Upper Mekong Basin in China (Yunnan component) is about 16 % by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major ‘left-bank’ (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the very small predicted amounts of rainfall for the coming week as mentioned earlier in [section 6.1](#), flash floods are likely not to happen in the region.

7.4 Drought condition and its forecast

Drought condition of the LMB from 20 to 26 March 2021 was relatively different from last week (Mar 13 to 19). The LMB was experiencing some moderate and severe drought in northern part of Cambodia. It covers some areas of Battambang, Banteay Meanchey, Siem Reap, Kampong Thom, Preah Vihear, and Oddar Meanchey. Moderate drought also covers Nakhon Ratchasima, Buriram, Surin, Modul Kiri, Dak Lak, and Lam Dong.

The initial forecast shows some rain in April covering Cambodia, Lao PDR, Thailand, and Viet Nam. It seems that dry season this 2021 is wetter than last year 2020 and rain might come early in the wet season than in 2019 and 2020.

Annex A: Tables for weekly updated water levels and rainfall at the Key Stations from 23-29 March 2021

Table A1: Weekly observed water levels in metres

2020	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Mukdahan	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
23-03-2021	536.48	2.45	8.56	3.70	1.94	1.36	1.86	1.52	1.92	1.18	2.65	7.11	2.60	2.07	2.15	1.52	1.08	0.24	0.34
24-03-2021	536.74	2.47	8.68	3.68	1.78	1.24	1.86	1.51	1.90	1.18	2.64	7.17	2.72	2.13	2.17	1.66	1.18	0.43	0.55
25-03-2021	536.73	2.51	8.67	3.78	1.70	1.01	1.91	1.51	1.92	1.22	2.64	7.14	2.76	2.11	2.07	1.70	1.14	0.57	0.66
26-03-2021	536.73	2.61	8.66	3.92	1.75	1.10	1.88	1.51	1.93	1.16	2.66	7.14	2.74	2.07	2.00	1.90	1.07	0.93	1.00
27-03-2021	536.72	2.71	8.67	4.12	1.85	1.20	1.88	1.47	1.95	1.16	2.66	7.16	2.76	2.02	1.75	1.86	1.03	1.23	1.33
28-03-2021	536.71	2.73	8.88	4.24	1.97	1.32	2.06	1.45	1.92	1.10	2.71	7.18	2.76	2.01	1.92	1.78	1.03	1.18	1.41
29-03-2021	536.68	2.66	8.77	4.35	2.00	1.46	2.11	1.39	1.87	1.25	2.69	7.23	2.76	1.90	1.91	1.58	1.02	1.18	1.30

Table A2: Weekly observed rainfall in mm

2020	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Mukdahan	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
23-03-2021	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24-03-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25-03-2021	0	1.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0
26-03-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27-03-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28-03-2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29-03-2021	0	0	0	10.1	0.2	33.5	0	0	0	0	0	0	0	0	0	0	0	0	0



Mekong River Commission Secretariat

P. O. Box 6101, 184 Fa Ngoum Road, Unit 18 Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR
Tel: +856 21 263 263. Fax: +856 21 263 264 www.mrcmekong.org

© Mekong River Commission 2021