

# Weekly Dry Season Situation Report in the Lower Mekong River Basin 03-09 May 2022



#### Copyright © Mekong River Commission, 2020

First published (2020)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

**Title:** Weekly wet season situation report in the Lower Mekong River Basin for 03-09 May 2022.

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2020). Weekly dry season situation report in the Lower Mekong River Basin for 03-09 May 2022. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at http://www.mrcmekong.org/ publications/

#### All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

## Contents

Fi	igures		2
Ta	able		3
K	ey Mes	sages	4
1	Intr	oduction	6
2	Gen	neral Weather Patterns	7
3	Wat	ter Levels in the Lower Mekong River	11
4	Flas	h Flood in the Lower Mekong Basin	18
5	Dro	ught Monitoring in the Lower Mekong Basin	19
6	We	ather and Water Level Forecast and Flash Flood Information	22
	6.1	Weather and rainfall forecast	22
	6.2	Water level forecast	23
	6.3	Flash Flood Information	24
	6.4	Drought forecast	25
7	Sun	nmary and Possible Implications	28
	7.1	Rainfall and its forecast	28
	7.2	Water level and its forecast	28
	7.3	Flash flood and its trends	29
	7.4	Drought condition and its forecast	29

## **Figures**

Figure 1: Summary of weather conditions over the LMB.	7
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC	8
Figure 3: No tropical storm risk observed on 09 May 2022.	8
Figure 4: Weekly total rainfall at key stations in the LMB.	9
Figure 5: Weekly rainfall distribution over the LMB.	. 10
Figure 6: Key stations and model application for River Monitoring and Flood Forecasting	.11
Figure 7. Water level at the Jinghong hydrological station during 15 Oct 2021 to 09 May 2022.	
Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR	. 13
Figure 9. Water levels Vientiane and Paksane in Thailand and Lao PDR	. 14
Figure 10: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR	. 14
Figure 11: Water levels at Stung Treng and Kratie on the Mekong River	. 15
Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake	. 16
Figure 13. The seasonal change in monthly flow volume of Tonle Sap Lake	. 17
Figure 14: Weekly standardised precipitation index from May 1 to 7	. 19
Figure 15: Weekly Index of Soil Water Fraction from May 1 to 7	. 20
Figure 16: Weekly Combined Drought Index during May 1-7.	. 21
Figure 17: Accumulated rainfall forecast (24 hrs) of model GFS	. 23
Figure 18. Daily average of monthly rainfall anomaly forecast from May to July 2022	. 25

## **Table**

Table 1. The monthly change in the flow volume of Tonle Sap Lake	17
Table 2. Weekly River Monitoring Bulletin.	27

### **Key Messages**

Key messages for this weekly report are presented below.

#### Rainfall and its forecast

- This week, rainfall was observed from Chiang Saen in Thailand to Tan Chau in Viet Nam, varied from 1.20 mm to 131.90 mm over the Mekong region.
- There will be rainfall for the next 7 days over the Mekong region from 10 to 16 May 2022.

#### Water level and its forecast

- According to MRC's observed data, water level (WL) at Jinghong increased about 0.97 m from 536.12 m to 537.09 m during the weekly monitoring period from 03 to 09 May 2022.
- From 03 to 09 May 2022, water level of monitoring station at Chiang Saen in Thailand still decreased about 0.09 m and was 1.23 m higher than its long-term average (LTA), considered normal. Water level at Lao PDR's Luang Prabang decreased about 1.00 m and about 0.60 m lower than its historical maximum value. Water level at the monitoring stations of Chiang Khan and Vientiane decreased about 0.74 m and 0.41 m; at Vientiane it was about 0.08 m higher than its maximum value, considered abnormal. Water levels at Nong Khai in Thailand and Paksane in Lao PDR were staying about 1.40 m higher than their LTA level, which considered normal at this stage. Water levels from Thailand's Nakhon Phanom and Thakhek were staying close to their maximum value, while from Mukdahan to Pakse they were higher than their maximum value. The water levels at these stations were considered abnormal. Water levels from Cambodia's Stung Treng to Kompong Cham were staying higher than their maximum value. Water levels at Chaktomuk and Koh Khel on the Bassac River and Prekdam on the Tonle Sap River and also at Neak Luong on the Mekong were increasing about 0.50 m and staying higher than their LTA value.
- The water volume of the Tonle Sap Lake up to 09 May 2022 was close to LTA and higher than the levels in 2019, 2020 and 2021 during the report period, and considered normal.
- For the tidal stations at Viet Nam's Tan Chau and Chau Doc, WLs fluctuated between their LTA and Minimum levels due to daily tidal effects from the sea and considered critical.
- Over the next seven days, the water levels across the monitoring stations are expected to go up from Chiang Khan to downstream from Nakhon Phanom to Pakse and from Stung Treng to Kompong Cham in Cambodia.
- The current WLs which are higher than their maximum values are at Luang Prabang, Vientiane, Nakhon Phanom, Thakhek and Kratie while the rest of the key stations are higher than their LTA value.

#### **Drought condition and its forecast**

- Drought conditions of the LMB from 01 to 07 May 2022 were normal in all areas from the north to the south. There was no drought threat over the region.

- For the upcoming three months' forecast, the LMB is likely to receive ample amount of rainfall in May and below average rainfall in both June and July 2022 from the middle to the lower part of the region. Based on the weather forecast, May is likely to be much wetter than normal year especially in the north and central parts of the LMB.

### 1 Introduction

This Weekly Dry Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for **03-09 May 2022**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. Water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: http://ffw.mrcmekong.org/bulletin\_wet.php.

Drought monitoring and forecasting information is available at: http://droughtforecast.mrcmekong.org

Flash flood information is accessible at: http://ffw.mrcmekong.org/ffg.php

#### 2 General Weather Patterns

The weather outlook bulletins for three months (March April and May) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

Since the end of April 2022, the wet weather has come because the influentially high-pressure air mass areas prevailed over the LMB with gradually decreasing water levels in both mainstream and tributaries. The data from the TMD predict that low pressure of air-mass will bring warm and wet weather conditions to the upper and lower parts of LMB. From April to May, it is the period of summer when the high-pressure air mass areas prevailing over the Mekong region bring rainfalls for the transitional period between dry and wet seasons.

<u>Figure 1</u> presents the weather map of 09 May 2022, showing a low-pressure point dominating the Mekong region, which might have some rains for the next few days.




Figure 1: Summary of weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), the highest probability of wet condition is predicted over the lower part of the Mekong region during the 1<sup>st</sup>-3<sup>rd</sup> week of May 2022. Moreover, the Mekong region is likely dominated by wet condition, which may bring rainfall and warm temperatures in general to the lower part of the LMB. **Figure 2** shows the outlook of weather condition from 02 to 15 May 2022 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

#### Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was no tracking storm covering the LMB during 03-09 May 2022, meaning no movement of storm directed from the South Sea of Viet Nam to the Mekong region, as displayed in <u>Figure 3</u>.

## Active system as of 09 May 2022 10:41 GMT




Figure 3: No tropical storm risk observed on 09 May 2022.

#### Rainfall patterns over the LMB

This week from 03 to 09 May 2022, rainfall was observed from the upper to lower part starting from Chiang Saen in Thailand to Tan Chau and Chau Doc in Viet Nam of the Lower Mekong Basin, varied from 1.20 mm to 131.90 mm. The highest rainfall of this week report was focusing from Kratie in Cambodia to Tan Chau and Chau Doc in Viet Nam. The total rainfall of this week report, compared with last week rainfall occurred in the Mekong region, is shown in Figure 4.




Figure 4: Weekly total rainfall at key stations in the LMB.

To verify area rainfall distribution, <u>Figure 5</u> shows a map of the weekly accumulated rainfall based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 03 to 09 May 2022.




Figure 5: Weekly rainfall distribution over the LMB.

### 3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in <a href="Figure 6">Figure 6</a>. The hydrograph for each key station is available from the MRC's River Flood Forecasting: <a href="http://ffw.mrcmekong.org/overview.php">http://ffw.mrcmekong.org/overview.php</a>. The weekly water levels and rainfall at each key station are summarised in **Annex A**.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting.

According to MRC's observed water level at Jinghong, it showed a sudden increase of about 0.97 m from 536.12 m to 537.09 m during the weekly monitoring period from 03 to 09 May 2022 (recorded on 7:00 am), but still staying about 0.43 m lower than its two-year average (2020-2021) value. The Eyes on Earth (Mekong Dam Monitor) alerted that a sudden flow restriction from China's upstream dams will rise about 0.70 m of river level for downstream reaching up to Chiang Khan between May 8-10. The outflow at Jinghong station increased from 1,420.30 m³/s to 2,141.95 m³/s from 03 to 09 May 2022. Figure 7 below presents water level that increased at the Jinghong hydrological station¹, indicating the trend of fluctuating water level up to 09 May 2022.




Figure 7. Water level at the Jinghong hydrological station during 15 Oct 2021 to 09 May 2022.

Last week, from 03 to 09 May 2022, WL along the lower Mekong River in Thailand's Chiang Saen was decreasing about 0.09 m and staying about 1.23 m higher than its LTA level, which is considered normal. WL at Lao PDR's Luang Prabang decreased 1.00 m compared with last week and stayed 0.60 m lower than its historical maximum value. WL at the monitoring stations of Chiang Khan in Thailand and Vientiane in Lao PDR significantly decreased by about 0.74 m and 0.41 m respectively. The current WL at Vientiane is about 0.08 m higher than its maximum value, which considered abnormal. Water levels at Nong Khai and Paksane were also decreasing between 0.12 m and 0.38 m, and staying about 1.40 m higher than their LTA value. Moreover, WLs from Nakhon Phanom to Pakse in Lao PDR increased between 0.10 m and 0.52 m; WLs at these stations are currently slightly higher than their maximum level, except WL at Savannakhet which is still about 0.70 m higher than its LTA level. WLs from Cambodia's Stung Treng to Kompong Cham increased from 0.10 m to 1.00 m, making them higher than their maximum value. From Chaktomuk, Koh Khel on the Bassac River and Prek Kdam on the Tonle Sap River slightly increased about 0.50 m, staying higher their LTA value. For the tidal stations at Viet Nam's Tan Chau and Chau Doc, WLs fluctuated between their minimum and LTA levels due to daily tidal effects from the sea and considered as critical. The current WLs higher than their maximum values are found at Vientiane, from Nakhon Phanom

<sup>&</sup>lt;sup>1</sup> Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at <a href="https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry">https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry</a>.

# to Pakse and Stung Treng, Kratie, and Kompong Cham; while the rest of the key stations have WL higher than their LTA value.

Based on hydrological phenomenon, the contribution of inflow water from the upstream of Lancang-Mekong in China to the Mekong mainstream is about 16% in total during the wet season from June to October and about 25% in total during the dry season from November to May. The whole inflow of water into the LMB is influenced by rainfall at the Mekong mainstream and its tributaries during the wet season.

#### **Chiang Saen and Luang Prabang**

Water level during May 3-9 at Thailand's Chiang Saen decreased from 3.39 m to 3.09 m and stayed about 1.23 m higher than its Long-Term-Average (LTA), **which was considered normal**. When compared to last week, this week's water level is lower.

Water level at the Luang Prabang station in Lao PDR was down about 1.00 m during the reporting period. Compared to last week, the figure shows that water level this week is still about 0.60 m lower than its maximum value. The water levels at Chiang Saen and Luang Prabang are shown in Figure 8 below.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. Thus, the water level at this station can possibly change very rapidly during the early dry season.




Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR.

#### Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand (downstream of the Xayaburi dam) significantly decreased about 0.74 m while at Vientiane in Lao PDR it decreased about 0.41 m during the reporting week. Water level at Chiang Khan reached about 2.20 m higher than its LTA value while at Vientiane it was 0.08 m higher than its maximum during May 3-9, which **considered abnormal**. At Nong Khai station in Thailand and Paksane in Lao PDR, the water levels decreased about 0.38 m and 0.12 m respectively, during the reporting period. The water levels at these two stations were about 1.40 m higher than their LTA value. The recently decreased water levels from Chiang Khan to Nong Khai and Paksane were obviously fluctuating due to

hydropower operation and water released from upstream. The water levels at Vientiane and Paksane are shown in Figure 9 below.




Figure 9. Water levels Vientiane and Paksane in Thailand and Lao PDR.

#### **Nakhon Phanom to Pakse**

Water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR increased between 0.14 m and 0.64 m during the reporting period. Water levels from Nakhon Phanom to Pakse were staying higher and close to their maximum level, **considered abnormal**. However, water level at Savannkhet in Lao PDR remained higher than their LTA value, which considered normal. Figure 10 shows the water levels at Nakhon Phanom and Pakse stations.




Figure 10: Water levels at Nakhon Phanom and Pakse of Thailand and Lao PDR.

#### Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

With some contributed inflow from the upstream part of the Mekong River and the 3S river (Sekong, Se San, and Sre Pok), the water levels from Stung Treng to Kratie in Cambodia were increasing during 03-09 May 2022. This week water level from Stung Treng to Kompong Cham increased from 0.20 m to 1.00 m. The current water levels at Stung Treng, Kratie and Kompong Cham are staying higher than their maximum value, **considering abnormal**.

This week the water levels at Stung Treng and Kratie, compared with recent years and their Max, Min and LTA are shown in <u>Figure 11</u>.




Figure 11: Water levels at Stung Treng and Kratie on the Mekong River.

At Chaktomuk on the Bassac River, due to less rainfall and inflows from upstream catchment during the report period, the water level increased about 0.50 m and stayed 0.69 m higher than its LTA value; while at Koh Khel, water level increased about 0.45 m and stayed 0.75 m higher than its LTA value. The water level at Prek Kdam on the Tonle Sap Lake increased about 0.50 m and was about 0.78 m higher than its LTA value. The water level at the Tonle Sap Lake (observed at Kompong Luong) was similar to Prek Kdam station's water level. The recently decreased water level was due to less rainfall and inflow contributed from upstream of the Tonle Sap Lake area during the reporting period. The water level at the Tonle Sap Lake (observed at Kompong Luong) followed the same trend of Prek Kdam station's water level. Water levels at these stations were staying higher than their LTA level, which still considered normal.

#### Tidal stations at Tan Chau and Chau Doc

This week, the water levels from 03 to 09 May 2022 at Viet Nam's Tan Chau and Chau Doc were fluctuating between their LTA and maximum levels due to daily tidal effects from the sea. The fluctuation was between 0.22 m and 0.40 m. The current water levels at **Tan Chau and Chau Doc are higher than their LTA level, which considered normal**.

#### The Tonle Sap Flow

At the end of the wet season, when water levels along the Mekong River subside, the outflows of the Tonle Sap Lake return into the Mekong River and then to the Delta. This phenomenon normally takes place from end of September to October. Based on flow observation at Prek Kdam, the outflow of the Tonle Sap Lake was taking place since 10 October 2021.

Figure 12 shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2019 and 2020, and their LTA level (1997-2020). Up to May 9 of this reporting period, it was observed that the main outflow to Tonle Sap Lake slightly decreased due to less rainfall and inflows from upstream. This decreased outflow of Tonle Sap Lake was most likely caused by less inflows and rainfall from the catchment area. Up to present, the outflow from the Tonle Sap Lake condition in 2022 is higher than 2019, 2020, 2021 and even its its LTA (1997-2021) outflow conditions. For next

week, some rainfall is forecasted for the Tonle Sap area; thus, the outflow from the Tonle Sap Lake is likely continuing to slightly increase from the current level.

<u>Figure 13</u> shows seasonal changes in monthly flow volumes up to 09 May 2022 for the Lake compared with the volumes in 2019, 2020, 2021 and their LTA, and the fluctuation levels (1997–2021). It shows that up to May 9, the water volume of the Tonle Sap Lake was close to its LTA volume (about 100 %) and higher than 2019, 2020, 2021 during the same period. The figure is displayed in <u>Table 1</u>, which indicates that the Tonle Sap Lake has been affected by water levels from the tributaries and rainfall in the surrounding sub-catchments and *considered normal*.

This demonstrates the influence of the relationships of the reverse and out flows, water levels of the Mekong River, inflows from tributaries, and the flow direction in the complex hydraulic environment of the Tonle Sap Lake during the wet and dry seasons. The data show that about half of the annual inflow volume into the Tonle Sap Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impact on the Tonle Sap Lake water levels and on its hydrology.




Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake.




Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	Average Volume (97-21) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2018 [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Percentage of Volume in 2021 [%]
Jan	15523.23	26357.53	5906.80	13633.41	10285.31	5906.80	9923.80	11214.32	72.24
Feb	8837.89	15596.22	4198.60	7729.72	6019.30	4264.19	5832.97	6558.79	74.21
Mar	5654.18	9438.24	3347.07	5037.06	4354.62	3553.99	4264.88	4736.52	83.77
Apr	4346.65	8009.14	2866.91	3956.47	3667.47	2992.61	3556.68	4288.31	98.66
Мау	4030.23	9176.93	2417.81	3864.00	3266.43	2594.92	3240.78	4043.44	100.33
Jun	5708.30	13635.01	2468.70	5919.18	3517.06	2641.88	3798.29		
Jul	11493.25	28599.56	2925.86	12024.96	4001.99	2925.86	5346.73		
Aug	24666.69	39015.12	4433.46	22399.65	7622.71	5941.07	10547.80		
Sep	39634.03	65632.35	12105.31	53639.54	24194.19	12105.31	16382.34		
Oct	46873.44	73757.23	19705.50	48193.08	30358.38	20799.13	27318.21		
Nov	37823.16	60367.33	18534.61	31036.07	19112.65	27546.80	28982.93		
Dec	25126.11	38888.95	10563.49	18469.21	10577.29	18251.65	20170.76		
	Critical situation, co	mapred with his	storical Min val	ues					
	Normal condition, co	ompared with L	TA (Long term	average)				<u> </u>	
	Low volume situatio	n, comapred w	ith LTA values						
Unit: Million (	Cubic Meter (1 MCM=	= 0.001 Km <sup>3</sup> )							

### 4 Flash Flood in the Lower Mekong Basin

During May 3-9, the LMB was affected by three main weather factors. These include (i) The moderate high-pressure area from China extended its ridge to cover the upper part, (ii) the southerly and south-easterly winds prevailed over the mentioned area throughout the week accompanied by the passage of the westerly trough over the northern and upper parts during mid-week, and (iii) the strong easterly and north-easterly wind prevailed over the Gulf of Thailand and southern part during the weekend.

These conditions caused cool weather in several areas particularly the northeastern part which experienced cool weather in general during the first half of the week then the temperature increased until hot weather in several areas. Moderate rainfall was observed in upper part on the first day of the week and during the second half of the week

According to the MRC-Flash Flood Guidance System (MRC-FFGS) and analysis, flash flood events were not detected during the reporting period over the LMB.

## 5 Drought Monitoring in the Lower Mekong Basin

#### Weekly drought monitoring from 01 to 07 May 2022

Drought monitoring data for 2022 are available from Sunday to Saturday every week; thus, the reporting period is normally delayed by two days compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

#### Weekly Standardised Precipitation Index (SPI1)

Meteorological drought conditions of the LMB from May 1 to 7, as shown in <u>Figure 11</u>, were mostly normal all over the region. There was some moderate drought taking place in the northern part covering Lao's Luang Prabang, Xieng Khuang, Xayaburi, and Vientiane. The region did not face any serious meteorological drought.




Figure 14: Weekly standardised precipitation index from May 1 to 7.

#### Weekly Index of Soil Water Fraction (ISWF)

Unlike SPI conditions, the ISWF shows that from May 1 to 7, as displayed in <u>Figure 12</u>, the LMB was relatively wet in the south and normal in other areas. There was no agricultural drought during the monitoring week.

<u>Note:</u> The index of soil water fraction presents the current soil water fraction conditions compared with normal month; therefore, it normally shows extremely dry during dry season which is completely different from SPI that is standardized to its specific month of the years. However, this does not mean that the areas are threatened by agricultural drought as generally during transition period of wet and dry seasons and dry season only the irrigated areas are used for agricultural plantation.




Figure 15: Weekly Index of Soil Water Fraction from May 1 to 7.

#### Weekly Combined Drought Index (CDI)

The combined drought indicator, as displayed in <u>Figure 13</u>, reveals that during May 1-7 the LMB was in normal condition in all over the region. No drought threat was found.




Figure 16: Weekly Combined Drought Index during May 1-7.

More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: <a href="http://droughtforecast.mrcmekong.org/templates/view/our-product">http://droughtforecast.mrcmekong.org/templates/view/our-product</a>. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.


#### **6** Weather and Water Level Forecast and Flash Flood Information

#### 6.1 Weather and rainfall forecast

Based on the analysis of the synoptic meteorological information and result from the Global Forecast System (GFS) Model, in the coming week there may be two main factors affecting the LMB. They include (i) high pressure from China in the upper part and (ii) the prevailing weak Southwest Monsoon from the Gulf of Thailand to the lower part of the LMB.

During May 10-16, in general, small rainfall (5-20 mm/24h) or no rain may occur in some areas of the LMB. However, the moderate rainfall (20 -50 mm/24h) may occur in some areas in the middle part on 15 and 16 May.

Figure 14 shows accumulated rainfall forecast (24hrs) of the GFS model during May 10-16.






Figure 17: Accumulated rainfall forecast (24 hrs) of model GFS.

#### 6.2 Water level forecast

#### **Chiang Saen and Luang Prabang**

Based on May 9's weekly river monitoring bulletin, the weekly forecast water level at Chiang Saen in Thailand is expected to decrease about 0.16 m in the next seven days from 3.30 m to 3.14 m. The trend of water level at these stations will continue staying higher than its LTA. Rainfall is forecasted in the area in the next seven days.

For Luang Prabang in Lao PDR, the water level is likely to increase about 0.05 m in the next seven days. The water level will remain close to its maximum value. Rainfall is forecasted in the area in the next seven days.

#### Chiang Khan, Vientiane-Nong Khai and Paksane

Water level at Chiang Khan station in Thailand is forecasted to go up about 0.15 m for the next seven days. From Vientiane in Lao PDR to Nong Khai in Thailand, WLs will also increase about 0.05 m in the next seven days. At Paksane in Lao PDR, water level will decrease about 0.19 m due to less rainfall and inflows from the upper catchments and hydropower dam operation. Rainfall is forecasted in this area in the next seven days. The water levels at Nong Khai and Paksane will remain higher than their LTA level.

#### **Nakhon Phanom to Pakse**

Water levels from Nakhon Phanom to Mukdahan in Thailand will drop about 0.35 m in the next seven days. The water levels from Khong Chiam in Thailand to Pakse in Lao PDR will decrease about 0.20 m. Water levels at these stations will remain higher than their LTA level. Next week rainfall is forecasted in the area.

#### Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng to Kratie on the Mekong River in Cambodia, the water levels will go down about 0.45 m over the next seven days. Water level from Kompong Cham to downstream at Neak Luong will be up about 0.35 m. Rainfall is forecasted for the area between Stung Treng and Kompong Cham during next week.

The water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port as well as at Phnom Penh's Chaktomuk on the Bassac River will decrease about 0.25 m over the next seven days.

Water levels at these stations will continue to stay higher than their LTA value, particularly in the lower part of the region from the Bassac at Phnom Penh to Koh Khel as well as from Tonle Sap at Prek Kdam to Phnom Penh Port, including the Tonle Sap Lake. Rainfall is forecasted for the low-lying area of Cambodia next week.

#### Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be moving up and down between their Minimum and Maximum values following daily tidal effects from the sea.

<u>Table 3</u> shows the weekly River Monitoring Bulletin issued on May 09. Results of the started weekly river monitoring bulletin are also available at <a href="http://ffw.mrcmekong.org/bulletin">http://ffw.mrcmekong.org/bulletin</a> wet.php.

#### 6.3 Flash Flood Information

Flash flood events are not likely to happen in the LMB. However, local heavy rain in a short period of time might still be possible with unexpected short flash floods. During the dry season if extreme weather occurs, the information on flash flood guidance for the next one, three, and six hours is updated at <a href="http://ffw.mrcmekong.org/ffg.php">http://ffw.mrcmekong.org/ffg.php</a>.

Further detailed information on Flash Flood Information Warning, as well as on its explanation, is available for download <a href="https://example.com/here/">here</a>.

#### 6.4 Drought forecast

There are several climate-prediction models with different scenarios on the upcoming months until July 2022. The MRC's DFEWS adopts an ensemble model called the North America Multi-Model Ensemble (NMME), which averages all scenarios.

The global scale of rainfall prediction is used to see how the rain distribution looks like for the coming months. Figure 15 shows the ensemble mean of daily average precipitation (mm/day) each month from May to July 2022 produced by the NMME.




Figure 18. Daily average of monthly rainfall anomaly forecast from May to July 2022.

The ensemble prediction model based on the initial conditions in April 2022 reveals that the LMB is likely to receive ample amount of rainfall in May and below average rainfall in both June and July 2022 from the middle to the lower part of the region. Based on the weather forecast, May is likely to be much wetter than normal year especially in the north and central parts of the LMB.

The 2021 dry season is relatively wetter than that of 2020 and the monsoon rain in 2022 might come on time or even earlier than normal year.

#### **Table 2. Weekly River Monitoring Bulletin.**



## **Mekong Bulletin**

Mekong River Commission Secretariat (MRCS)
Regional Flood and Drought Management Centre (RFDMC)
P.O. Box 623 #576, National Road #2, Chak Angre Krom, Meanchey, Phnom Penh, Cambodia Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org
Forecast period from: 10 May to 16 May 2022

Date: 09 May 2022

LOCATION	Country	Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Min water level against zero gauge (m)	against zer	d W. level o gauge (m)								
Jinhong	*)	08-May 10.5	_	_	08-May 536.91	09-May 537.09	10-May	11-May	12-May	13-May	14-May	15-May	16-May	
Chiang Saen		5.9	357.110	0.00	3.46	3.30	3.20	3.31	3.39	3.25	3.13	3.00	3.14	
Luang Prabang	•	1.2	267.195	2.53	8.76	8.90	9.18	9.10	9.00	9.11	9.20	9.05	8.94	
Chiang Khan		1.0	194.118	1.91	6.17	5.96	6.05	6.22	6.12	6.02	6.11	6.19	6.10	
Vientiane	•	0.2	158.040	-0.28	3.90	3.70	3.50	3.60	3.79	3.68	3.57	3.66	3.73	
Nongkhai		0.0	153.648	0.33	3.56	3.32	3.12	3.22	3.42	3.30	3.19	3.28	3.36	
Paksane		0.4	142.125	0.10	4.61	4.52	4.35	4.20	4.28	4.44	4.35	4.27	4.33	
Nakhon Phanom		0.1	130.961	0.18	3.12	3.11	3.00	2.86	2.72	2.81	2.97	2.90	2.82	
Thakhek	•	nr	129.629	1.38	4.40	4.37	4.25	4.10	3.95	4.05	4.22	4.13	4.02	
Mukdahan		3.2	124.219	0.72	3.22	3.24	3.22	3.12	3.00	2.90	2.98	3.11	3.04	
Savannakhet	•	0.0	125.410	-0.65	1.31	1.40	1.41	1.35	1.26	1.19	1.25	1.33	1.30	
Khong Chiam		16.5	89.030	1.02	3.58	3.66	3.72	3.67	3.52	3.37	3.23	3.34	3.49	
Pakse	•	45.6	86.490	0.03	2.56	2.62	2.66	2.62	2.50	2.38	2.30	2.36	2.45	
Stung Treng	AAA.	5.0	36.790	0.32	3.53	3.43	3.51	3.56	3.52	3.4	3.3	3.23	3.3	
Kratie	AAA	nr	-1.080	3.06	9.58	9.29	9.09	9.19	9.26	9.20	9.06	8.94	8.85	
Kompong Cham	AAA.	22.0	-0.930	0.65	4.34	4.34	4.15	3.97	4.06	4.15	4.07	3.93	3.83	
Phnom Penh (Bassac)	John.	nr	-1.020	1.58	2.72	2.69	2.60	2.50	2.55	2.60	2.56	2.50	2.45	
Phnom Penh Port	Add	-	0.000	0.14	1.49	1.43	1.35	1.25	1.30	1.35	1.30	1.25	1.20	
Koh Khel	Adds.	4.6	-1.000	1.52	2.70	2.71	2.67	2.57	2.50	2.48	2.45	2.40	2.35	
Neak Luong	AAA	nr	-0.330	0.81	2.00	1.92	1.87	1.80	1.75	1.71	1.67	1.62	1.58	
Prek Kdam	ANAL	nr	0.080	0.58	1.82	1.78	1.70	1.60	1.54	1.50	1.46	1.42	1.38	
Tan Chau	*	10.6	0.000	-0.37	0.27	0.22	0.20	0.26	0.37	0.53	0.70	0.92	1.00	
Chau Doc	*	2.0	0.000	-0.60	0.32	0.29	0.27	0.33	0.44	0.60	0.78	1.00	1.06	

#### REMARKS:

-: not available.

\*: reference stations without forecast.

nr: no rain.

River Flood Forecaster

KHEM Sothea

NOTE: Discharge at Luang Prabang may be influenced by hydropower operations (at both upstream and downstream).

For more info, please refer to this link: http://www.mrcmekong.org/; http://ffw.mrcmekong.org/bulletin\_wet.php; http://ffw.mrcmekong.org/reportflood.php

### **7** Summary and Possible Implications

#### 7.1 Rainfall and its forecast

This week, rainfall was observed from Chiang Saen in Thailand from the upper part to Tan Chau and Chau Doc in Viet Nam at the lower part of the Mekong region. Compared with last week's amount, the rainfall this week roughly focussed from Kratie in Cambodia to Tan Chau and Chau Doc in Viet Nam of the LMB.

Based on the forecasted rainfall from satellite using GFS data, rainfall is likely to take place in the areas from the upper to the lower part of the Mekong region including the 3S area and Mekong Delta of Viet Nam during 10-16 May 2022, varying from 0.20 mm to 100.00 mm. This indicates that the early wet weather has started over the LMB.

#### 7.2 Water level and its forecast

According to MRC's observed water level (WL) at Jinghong, it showed a **rapid increase of about 0.97 m from 536.12 m to 537.09 m during the weekly monitoring period from 03 to 09 May 2022 (recorded on 7:00 am)**, but still staying about 0.43 m lower than its two-year average (2020-2021) value. The outflow at Jinghong station increased from 1,420.30 m<sup>3</sup>/s to 2,141.95 m<sup>3</sup>/s from 03 to 09 May 2022 at the same period.

Water levels in the lower part of the monitoring locations in the LMB, during this reporting week, were increasing at Chiang Saen, Nakhon Phanom and Pakse. Water levels at each key station along the Mekong mainstream from Chiang Saen to Pakse were rising and remaining higher than their LTA value. In Cambodia, water levels from Stung Treng to Kompong Cham increased higher than their maximum level. Water levels at Neak Luong, Bassac at Phnom Penh and Prek Kdam in Cambodia were higher than their LTA level. Water level at Koh Khel was also higher than its LTA level during this week. The decreased level in some specific stations (Chiang Khan to Paksane) was due to less inflows from upstream and below-average rainfall in the region from 03 to 09 May 2022. Generally, this week's water levels were relatively higher than those of last week in the middle and the lower parts in the LMB.

The current WLs that are higher than their maximum values are at Vientiane, Nakhon Phanom- Pakse and Stung Treng-Kompong Cham while the rest of the key stations have WL higher than their LTA value.

The flow volume of the Tonle Sap Lake was close to its LTA. From next week, the flow is expected to increase due to some rainfall forecasted in the inflow catchments of the Tonle Sap Lake.

From Stung Treng to Kompong Cham water levels will go down and from Chaktomuk in Phnom Penh the water levels will decrease for the next 7 days. The water levels – at Neak Luong on the Mekong River, from Prek Kdam to Phnom Penh Port on the Tonle Sap, and Koh Khel on the Bassac – are forecasted to continue staying higher than their LTA level.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain fluctuating. The current fluctuation of water level is in between their Minimum and Maximum levels, which considered critical.

Since the fourth week of October 2021, water levels across most monitoring stations in the LMB have significantly dropped to the level lower than their LTA (from upper to lower stretches within the LMB). For a more complete preliminary analysis of the hydrological conditions in the LMB over July–December 2020, November 2020 to May 2021 and June to October 2021 see this Situation Report.

The contribution to the Mekong River's flow from the UMB in China (Yunnan component) is about 16% by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

#### 7.3 Flash flood and its trends

With the predicted of rainfall for the coming week as mentioned earlier in <u>section 6.1</u>, major flash floods are not likely to happen in the LMB.

#### 7.4 Drought condition and its forecast

Drought conditions of the LMB from 01 to 07 May 2022 were normal in all areas from north to the south. There was no drought threat over the region.

For the upcoming three months' forecasts, the LMB is likely to receive ample amount of rainfall in May and below average rainfall in both June and July 2022 from the middle to the lower part of the region. Based on the weather forecast, May is likely to be much wetter than normal year especially in the north and central parts of the LMB.

Annex A: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2022	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Mukdahan	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
03-05-2022	536.12	3.39	9.90	6.70	4.11	3.70	4.64	2.97	2.97	2.10	3.25	8.25	3.35	2.19	2.26	1.38	1.28	0.40	0.33
04-05-2022	536.84	3.14	9.86	6.58	4.06	3.66	4.59	3.02	3.05	2.22	3.33	8.53	3.48	2.27	2.34	1.52	1.29	0.25	0.10
05-05-2022	537.55	2.55	9.68	6.80	3.97	3.55	4.55	3.05	3.07	2.34	3.46	8.72	3.62	2.42	2.42	1.60	1.28	0.15	0.08
06-05-2022	537.49	2.75	9.44	6.72	4.12	3.64	4.55	3.05	3.10	2.42	3.61	9.05	3.82	2.48	2.57	1.74	1.29	0.10	0.15
07-05-2022	537.10	3.27	8.94	6.42	4.06	3.68	4.56	3.07	3.17	2.44	3.68	9.42	4.12	2.60	2.62	1.82	1.68	0.15	0.23
08-05-2022	536.91	3.46	8.76	6.17	3.90	3.56	4.61	3.12	3.22	2.56	3.53	9.58	4.34	2.72	2.70	2.00	1.82	0.27	0.32
09-05-2022	537.09	3.30	8.90	5.96	3.70	3.32	4.52	3.11	3.24	2.62	3.43	9.29	4.34	2.69	2.71	1.92	1.78	0.22	0.29

Table A2: Weekly observed rainfall

2022	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Mukdahan	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
03-05-2022	0	0	0	0	0	0	0	16.5	0	4.8	3.5	24.5	1	8.1	0.1	0	0	6.5	2
04-05-2022	0	0	0	0	0	0	0	2.2	20	0	0	20.1	20.8	5.2	26	9.8	12.3	63.7	82.8
05-05-2022	0	0	0	0	0	0	0	0	0	0	0	36.8	34.5	0	0	6	0	25	0.5
06-05-2022	15	0	0	0	0	0	0	0	0	0	43	5.5	0	0	0	0	0	2.4	16
07-05-2022	0	0	0	0	1	0	3.4	0.1	0	11	31	45	15.8	0	0	0	0	0	6
08-05-2022	0	0	0	36.6	28.4	81.7	51.1	3.4	8.4	0	0	0	0	0	0	0	0	10.6	0
09-05-2022	10.5	5.9	1.2	1	0.2	0	0.4	0.1	3.2	45.6	5	0	22	0	4.6	0	0	10.6	2



## Mekong River Commission Secretariat