

Weekly Wet Season Situation Report in the Lower Mekong River Basin

08-14 August 2023

Prepared by The Regional Flood and Drought Management Centre 15 August 2023



Copyright © Mekong River Commission, 2021

First published (2021)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 8-14 August 2023

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2021). Weekly wet season situation report in the Lower Mekong River Basin for 8-14 August 2023. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at http://www.mrcmekong.org/ publications/

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Contents

Fi	igures .		v
T	able		vi
K	ey Me	ssages	1
1	Int	roduction	3
2	Ge	neral Weather Patterns	4
	2.1	Tropical depressions (TD), tropical storms (TS) and typhoons (TY)	5
	2.2	Rainfall patterns over the LMB	6
3	Wa	ater Levels in the Lower Mekong Basin	8
4	Fla	sh Flood in the Lower Mekong Basin	15
5	Dro	ought Monitoring in the Lower Mekong Basin	17
6	We	eather and Water Level Forecast and Flash Flood Information	21
	6.1	Weather and rainfall forecast	21
	6.2	Water level forecast	22
	6.3	Flash Flood Information	23
	6.4	Drought forecast	23
7	Sur	mmary and Possible Implications	26
	7.1	Rainfall and its forecast	26
	7.2	Water level and its forecast	26
	7.3	Flash flood and its trends	27
	7.4	Drought condition and its forecast	27
Α	nnex 1	L: Performance of the weekly flood forecasting	28

Figures

Figure 1. Summary of weather conditions over the LMB4
Figure 2. Outlook of wet and dry conditions over the Asian countries by ASMC5
Figure 3. A tropical depression risk observed on 14 August 20235
Figure 4. Weekly total rainfall at key stations in the LMB during 8-14 August 20236
Figure 5. Weekly rainfall distribution over the LMB during 8-14 August 20237
Figure 6. Key stations and model application for River Monitoring and Flood Forecasting8
Figure 7. Water level at the Jinghong hydrological station up to 14 August 20239
Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR10
Figure 9. Water levels Veintiane and Paksane in Lao PDR
Figure 10. Weekly water levels at Nakhon Phanom in Thailand and Pakse in Lao PDR11
Figure 11. Water levels at Stung Treng and Kratie on the Mekong River12
Figure 12. Seasonal change of inflows and outflows of Tonle Sap Lake13
Figure 13. The seasonal change in monthly flow volume of Tonle Sap Lake14
Figure 14. Flash Flood Guidance for the next 1-hr, 3-hr and 6-hr on August 1416
Figure 15. Weekly standardized precipitation index from 7 to 13 August 202318
Figure 16. Index of Soil Water Fraction from 7 to 13 August 202319
Figure 17. Weekly Combined Drought Index from 7 to 13 August 202320
Figure 18. Accumulated rainfall forecast (24 h) based on the forecasting model using CHIRPS-GEFS data
Figure 19. Monthly forecast of CDI for July, August, and September 202324

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake	14
Table 2. Weekly River Monitoring Bulletin	25

Key Messages

Key messages for this weekly report are presented below:

Rainfall and its forecast

- Rainfall focused in the areas from Chiang Saen in Thailand to Tan Chau and Chau Doc in Viet Nam, including the upper, middle and lower parts of the LMB covering Lao PDR and Cambodia, varying from 5.30 millimetres (mm) to 147.10 mm.
- There will be moderate and heavy rainfall for the next 5 days over the Mekong region from 15 to 21 August 2023 although there is no any movement of tropical storm moving towards the Mekong region.

Water level and its forecast

- According to MRC's observed water level at Jinghong, it showed fluctuating water levels from **535.20 m** and **536.75 m** during 8-14 August 2023. The current level is staying about 0.68 lower than its LTA value. The outflow at Jinghong station varied between 808.00 m³/s and 1,950.00 m³/s during 8-14 August 2023.
- With the fluctuated outflow from Jinghong upstream and rainfall at catchment inflow, water levels of monitoring stations at Chiang Saen in Thailand decreased about 2.40 m from 8 to 14 August 2023, staying about 2.71 m lower than its LTA level. WLs at Xieng Kok upstream of Chiang Saen decreased about 6.38 m.
- Water level at Chiang Khan in Thailand from 8 to 14 August 2023 decreased about 4.03 m and stayed about 1.76 m lower than its LTA value, while water level at Vientiane decreased about 2.98 m staying about 0.10 m lower than its LTA level. Water levels at Nong Khai decreased 1.77 m and stayed about 0.50 m lower than its LTA, while at Paksane it decreased about 0.85 m, staying about 0.15 m lower than its LTA value. Water levels at these stations are still considered low.
- Water levels from Nakhon Phanom to Pakse increased from 0.32 m to 1.24 m, due to the contribution of heavy rainfalls and inflows from upstream. The current WLs at Nakhon Phanom, Khong Chiam and Pakse stations are staying higher than their LTA value, considering normal.
- From the stretches of the river from Stung Treng, Kratie to Kompong Cham, water level decreased and stayed lower than their LTA value, which was also considered normal.
- The water volume of the Tonle Sap Lake was lower than its LTA (about 58%) during the same period from 8 to 14 August 2023, which is considered low.

- Water levels from downstream at Chaktomuk and Phnom Penh Port to Prek Kdam in Cambodia decreased, staying lower than their LTA level. WL at Koh Khel on the Bassac river is higher than its LTA value.
- The current water levels for stations are lower than their LTA value. WLs at the 2 tidal stations at Tan Chau and Chau Doc were fluctuating and lower than their LTA value, due to tidal effect during this monitoring period, considered critical.
- Over the next five days, the water levels at the upper, middle and lower parts from Chiang Saen to Khong Chiam are expected to go down due to less rainfall and dam operation upstream, while at downstream from Stung Treng down to the Mekong floodplain area are going to fall.

Drought condition and its forecast

- During Aug 7-13, some moderate droughts were detected in all four countries covering some areas of Preah Vihear, Battambang, Stung Treng, Kampong Thom, Phnom Penh, Kandal, Prey Veng, Takeo, Champasack, Sekong, Attapeu, Chiang Mai, Chiang Rai, Phayao Loei, Ubon Ratchathani, Tay Ninh, Long An, and Tien Giang. Droughts took place in Cambodia, the south of LMB, more than other areas.
- The three-month forecast shows that August is expected to be moderately dry in the upper north, severely and extremely dry in the west covering mainly Thailand, and extremely dry in the south-east covering southern Laos and 3S areas. In September, Xayaburi, Vientiane and Luang Prabang of northern Laos are likely to be hit by moderate drought, while central Laos in the eastern LMB is likely to be facing some moderate and severely droughts. In October, moderate and severe droughts are forecasted for the north-west, west, and south-west areas of the LMB covering some areas of northern Laos, Thailand, and north-western Cambodia. Most parts of Laos and Vietnam are likely not at any risk.

1 Introduction

This Weekly Wet Season Situation Report presents a preliminary analysis of the weekly hydrological and drought situation in the Lower Mekong River Basin (LMB) for the period from **08 to 14 August 2023**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries (MCs) – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. All the water levels indicated in this report refer to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap Lake
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: http://ffw.mrcmekong.org/bulletin_wet.php.

Drought monitoring and forecasting information is available at: http://droughtforecast.mrcmekong.org

Flash flood information is accessible at: http://ffw.mrcmekong.org/ffg.php

2 General Weather Patterns

The weather outlook bulletins for three months (August, September and October) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

Since the beginning of August 2023, moderate to heavy rainfall has dropped over the LMB with increasing trend of water levels in both mainstream and tributaries. The data from the TMD predict that between August and September 2023, moderate high-pressure system from China will extend to upper Thailand and the East-Sea of Viet Nam. Moderate to heavy rains, strong wind and increasing temperature are likely to take place in the upper part of LMB. Temperature will increase in the northeast and then move to other places of the region in August. The monsoon trough lies across the LMB throughout the period with rainfall and isolated heavy rains in the upper and middle parts from Chaing Saen to Pakse.

Figure 1 presents the weather map during 07 and 10 August 2023, indicating that a low-pressure cell was active in the East-Sea of Viet Nam, having rainfall impact on the LMB area. Generally, the Mekong region was influenced by the southwest monsoon and the ITCZ band located in northern LMB with an active low-pressure cell located over northern Viet Nam. Under this weather condition, moderate to heavy rainfall occurred over central to northern parts of LMB, while the southern part of LMB (southern Lao PDR, Cambodia, and southern Viet Nam) experienced no or light rain.




Figure 1. Summary of weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), the highest probability of warm and dry conditions is predicted over the lower part of the Mekong region from 07 to 20 August 2023. Therefore, the Mekong region is likely dominated by warm and dry conditions, which may bring less rainfall and warm temperatures in general to the upper and lower parts of the LMB. **Figure 2** shows the outlook of weather condition from 07 to 20 August 2023 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2. Outlook of wet and dry conditions over the Asian countries by ASMC.

2.1 Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was no movement of any storm from the sea to the LMB during 08-14 Aug 2023. No low-pressure line was observed over the Mekong region as shown in <u>Figure 1</u>. The active system for the LMB on August 14 is displayed in <u>Figure 3</u>.



Figure 3. A tropical depression risk observed on 14 August 2023.

2.2 Rainfall patterns over the LMB

This week from 08 to 14 August 2023, rainfall was observed at the key stations along the mainstream from Chiang Saen in Thailand to the lower part stations in Cambodia and Tan Chau and Chau Doc in Viet Nam of the Lower Mekong Basin, varied from 5.30 mm to 147.10 mm. The highest rainfall of this week report was recorded at Paksane in Lao PDR reaching 147.10 mm. The total rainfall of this week report in the Mekong region, compared with last week and its long-term-average (LTA) is showed in Figure 4. The total rainfall of this week rainfall in most of the stations.




Figure 4. Weekly total rainfall at key stations in the LMB during 8-14 August 2023.

To verify area rainfall distribution, <u>Figure 5</u> shows a map of the weekly accumulated rainfall based on observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 8 to 14 August 2023.




Figure 5. Weekly rainfall distribution over the LMB during 8-14 August 2023.

3 Water Levels in the Lower Mekong Basin

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen in Thailand to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane in Lao PDR to present flows generated by climate conditions in the upper part of the LMB; at Pakse in Lao PDR to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in Figure 6. The hydrograph for each key station is available from the MRC's River Flood Forecasting: http://ffw.mrcmekong.org/overview.php. The weekly water levels and rainfall at each key station are summarised in Annex A.




Figure 6. Key stations and model application for River Monitoring and Flood Forecasting.

According to MRC's observed water level at Jinghong, it showed fluctuated levels between **535.20 m** and **536.65 m** during 8-14 August 2023 (recorded on 7:00 am). The current level is staying about 0.68 m lower than its LTA value (max: 2015-2022). The outflow at Jinghong station varied from 808.00 m³/s to 1,950.00 m³/s between 8 and 14 August 2023. Figure 7 below presents water level that fluctuated at the Jinghong hydrological station¹, indicating the trend of fluctuating water level up to 14 August 2023.




Figure 7. Water level at the Jinghong hydrological station up to 14 August 2023.

With the fluctuated outflow from Jinghong upstream, water levels of monitoring stations at Xieng Kok in Lao PDR, upper of Chiang Saen, rapidly decreased about 6.38 m; while at Chiang Saen in Thailand it showed a decrease of about 2.20 m from 8 to 14 August 2023, staying about 2.71 m lower than its LTA level, considered low.

Water level at Chiang Khan in Thailand from 8 to 14 August 2023, moreover, significantly decreased about 2.19 m and stayed about 1.76 m lower than its LTA value; while water level at Vientiane station decreased about 2.08 m and stayed about 0.10 m lower than its LTA level, which was still **considered a normal water level**. Water levels at Nong Khai decreased 1.77 m, staying 0.50 m lower than its LTA value. And at Paksane it decreased 1.27 m, but still staying about 0.15 m lower than their LTA value, **which was considered normal**.

Water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR significantly increased between 0.32 m and 1.24 m. The current WLs at Nakhon Phanom, Thakhek, Mukdahan and Pakse are staying higher than their LTA level, **considered normal**. From the stretches of the river at Stung Treng, WL decreased 0.22 m and stayed about 0.52 m lower than its LTA, while at Kratie water level was down about 0.81 m, staying 0.82 m lower than its LTA level, **considered low.**

9

¹ Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry.

Water level at Kompong Cham was down about 0.72 m and stayed 1.55 m lower than its LTA value. Water levels at Chaktomuk, Koh Khel, Phnom Penh Port and Prek Kdam in Cambodia were down between 0.32 m and 0.50 m, but WLs at these stations were lower than their LTA level, **considered low**.

Water levels at 5 out of 22 stations along the Mekong River were staying higher than their LTA value, during this week report. The tidal stations at Chau Doc had WL lower than their LTA value, due to tidal effect during this monitoring period.

Based on hydrological phenomenon, the contribution of inflow water from the upstream of Lancang-Mekong in China to the Mekong mainstream is from 16% to 18% in total during the wet season from June to October. The whole inflow of water into the LMB is influenced by rainfall at the Mekong mainstream and its tributaries during the wet season.

Chiang Saen and Luang Prabang

The water level from 8 to 14 August 2023 at Thailand's Chiang Saen station decreased from 5.62 m to 3.22 m, showing 2.71 m lower than its Long-Term-Average (LTA) value, which considered low. The water level at Luang Prabang station in Lao PDR was down about 3.80 m from 15.18 m to 11.38 m during the reporting period. This level shows 2.79 m lower than its LTA. The trend – sometimes higher or lower to its historical maximum and LTA values – has been observed since early of 2022. The phenomenon was potentially caused by upstream dam operations, downstream Xayaburi dam, and heavy rainfall in the surrounding areas. The water levels at Chiang Saen and Luang Prabang are shown in Figure 8 below.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. Thus, the water level at this station can possibly change very rapidly during the early of wet and dry season.




Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand (downstream of the Xayaburi dam) rapidly decreased about 4.03 m staying about 1.76 m lower than its LTA value. At Vientiane in Lao PDR it significantly decreased about 2.08 m and showed about 0.10 m lower than its LTA during the reporting week of 8-14 August 2023. At Nong Khai station in Thailand, the water

level was down about 1.77 m from 10.22 m to 8.45 m, staying about 0.50 m lower than its LTA value, during the reporting period. At Paksane in Lao PDR, water level decreased about 1.27 m from 11.48 m to 10.21 m. The water level at this station was about 0.15 m lower than its LTA value. The recently rapidly decreased water levels from Chiang Khan to Paksane were obviously due to the less rainfall contributed from the sub-catchment area along with the inflows and reservoir operation in the upstream part. The water levels at Vientiane and Paksane are shown in Figure 9 below.




Figure 9. Water levels Veintiane and Paksane in Lao PDR.

Nakhon Phanom to Pakse

The water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR significantly increased between 0.32 m and 1.24 m. Consequently, water levels at Nakhon Phanom, Thakhek and Mukdahan stations are rising higher than their LTA value, which is a **normal situation**. <u>Figure</u> 10 shows the water levels at Nakhon Phanom and Pakse stations.




Figure 10. Weekly water levels at Nakhon Phanom in Thailand and Pakse in Lao PDR

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong/Prek Kdam

Following the same trend from the upstream part of the Mekong River and the 3S river (Sekong, Se San, and Sre Pok), the water levels from Stung Treng to Kratie in Cambodia were

decreasing during 8-14 August 2023. The water levels at Stung Treng decreased about 0.22 m and stayed about 0.52 m lower than its LTA, while at Kratie it decreased about 0.81 m, staying about 0.82 m lower than its LTA (as showed in <u>Figure 11</u>). The water level at Kompong Cham station decreased about 0.77 m and was about 1.55 m lower than its LTA. The water levels at these stations were influenced by rainfall in their catchment areas, including Sekong, Se San and Srepok river basins.




Figure 11. Water levels at Stung Treng and Kratie on the Mekong River.

At Chaktomuk on the Bassac River, due to less rainfall and contributed flows from upstream catchment, the water level significantly decreased by about 0.50 m and stayed 1.42 m lower than its LTA value; while at Koh Khel, water level decreased about 0.43 m, staying 0.43 m lower than its LTA value. The water level at Prek Kdam on the Tonle Sap Lake decreased about 0.32 m and was about 1.42 m lower than its LTA value. The water level at the Tonle Sap Lake (observed at Kampong Luong) was similar to Prek Kdam station's water level. The recently increased water level at Prek Kdam was due to rainfall and inflow contributed from upstream of the Tonle Sap Lake area during the reporting period. The water level at the Tonle Sap Lake (observed at Kampong Luong) followed the same trend of Prek Kdam station's water level. From next week, water levels at most of the stations will rise and is considered normal.

Tidal stations at Tan Chau and Chau Doc

Like last week, the water levels from 8 to 14 August 2023 at Viet Nam's Tan Chau and Chau Doc were fluctuating due to daily tidal effects from the sea. The fluctuation levels were between 1.51 m and 1.93 m; they were below the range of their LTA level and were **considered normal**.

The Tonle Sap Flow

At the end of the dry season, when water levels along the Mekong River rise then the inflows of the Mekong River return to the Tonle Sap Lake. This phenomenon normally takes place from end of May to July. Based on flow observation at Prek Kdam, the reversed flow from the Mekong River into the Tonle Sap began between 06 and 10 July 2023.

The flows of the Tonle Sap Lake were calculated based on a formula of rating-curves by different water levels at Kompong Luong and Phnom Penh Port for slop and Prek Kdam as cross-section of the Lake. The formula of flows at the Tonle Sap Lake is as follows:

Flows = (WL at Prek Kdam)^1.2*SQRT (WL difference between PP port and Kampong Luong)

Where, WL is water level in m (msl).

Figure 12 shows the seasonal changes of the outflow and the inflow/reversed flow of the TSL at Prek Kdam in comparison with the flows of 2020, 2011, 2022 and their LTA level (1997-2022). Up to August 14 of this reporting period, it was observed that the main outflow from the Tonle Sap Lake slightly decreased due to less rainfall and inflows from upstream. This increased inflow into the Tonle Sap Lake was most likely caused by inflows and rainfall from the catchment area. Up to present, the inflow from the Tonle Sap Lake condition in 2023 is higher than 2020, 2021 but lower than 2022 and its LTA (1997-2022) inflow conditions. For next week, moderate rainfall is forecasted for the Tonle Sap area; and the inflow into the Tonle Sap Lake is likely expected to go up from the current level.




Figure 12. Seasonal change of inflows and outflows of Tonle Sap Lake

<u>Figure 13</u> shows seasonal changes in monthly flow volumes up to 7 August 2023 for the Lake compared with the volumes in 2020, 2021, 2022 and their LTA, and the fluctuation levels (1997–2022). It shows that up to August 14, the water volume of the Tonle Sap Lake was higher than 2020, 2021 but lower than 2022 and its LTA (about 58%), during the same period. The figure is displayed in <u>Table 1</u>, which indicates that the Tonle Sap Lake has been affected by water levels from the tributaries and rainfall in the surrounding sub-catchments and considered normal situation.

This demonstrates the influence of the relationships of the reverse and out flows, water levels of the Mekong River, inflows from tributaries, and the flow direction in the complex hydraulic environment of the Tonle Sap Lake during the wet and dry seasons. The data show that about half of the annual inflow volume into the Tonle Sap Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impact on the Tonle Sap Lake water levels and on its hydrology.





Table 1. The monthly change in the flow volume of Tonle Sap Lake.


Month	LTA (97-22) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume 2023 [MCM]	Volume in 2023 [%], compared with its LTA
Jan	15523.23	26357.53	5906.80	10285.31	5906.80	9923.80	11214.32	14422.11	92.91
Feb	8837.89	15596.22	4198.60	6019.30	4264.19	5832.97	6558.79	8069.29	91.30
Mar	5654.18	9438.24	3347.07	4354.62	3553.99	4264.88	4736.52	5080.64	89.86
Apr	4346.65	8009.14	2866.91	3667.47	2992.61	3556.68	4288.31	3884.16	89.36
May	4030.23	9176.93	2417.81	3266.43	2594.92	3240.78	4556.83	3438.66	85.32
Jun	5708.30	13635.01	2468.70	3517.06	2641.88	3798.29	7489.04	3689.97	64.64
Jul	11493.25	28599.56	2925.86	4001.99	2925.86	5346.73	9703.79	6713.33	58.41
Aug	24666.69	39015.12	4433.46	7622.71	5941.07	10547.80	19554.70		
Sep	39634.03	65632.35	12105.31	24194.19	12105.31	16382.34	32860.34		
Oct	46873.44	73757.23	19705.50	30358.38	20799.13	27318.21	48199.12		
Nov	37823.16	60367.33	18534.61	19112.65	27546.80	28982.93	39452.53		
Dec	25126.11	38888.95	10563.49	10577.29	18251.65	20170.76	25346.65		
	Critical situation, con	napred with hist	orical Min value	es					
	Normal condition, co	mpared with LT	A (Long term a	verage)					
	Low volume situation	n, comapred wit	h LTA values						
llion C	Cubic Meter (1 MCM=	0.001 Km ³)				LTA:	Long-Term-Ave	rage	

4 Flash Flood in the Lower Mekong Basin

During the weekly monitoring period from August 08 to 14, the LMB received from moderate to heavy rain and isolated thundershowers in some areas, especially in the northern and central part of Lao PDR.

According to the MRC-Flash Flood Guidance System (MRC-FFGS) and analysis, low to hight risk of flash flood events were detected during the reporting period in northern and central parts of Lao PDR, some areas of Thailand, and in the northern part of Viet Nam as shown in <u>Figure 14</u> and <u>Table 2</u>.








Figure 14. Flash Flood Guidance for the next 1-hr, 3-hr and 6-hr on August 14

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from 07 to 13 6 August 2023

Drought monitoring data in 2023 are available from Monday to Sunday every week; thus, the reporting period is normally delayed by two days compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

Weekly Standardised Precipitation Index (SPI1)

The meteorological drought indicator of SPI from Aug 7 to 13, as displayed in <u>Figure 15</u>, shows that the LMB was at moderately and severely dry over mainly the northern and southern parts of the LMB. The impacted areas are listed in the table below.

NI -	C	Province	Dro	ought stat	us	No.	Country	Province	Dre	ought stat	us
No.	Country	Province	Moderate	Severe	Extreme	NO.	Country		Moderate	Severe	Extreme
1	AMA	Battambang	Yes			1	AMA	Battambang	Yes		
2	AAA	Phnom Penh	Yes	Yes		2	AMA	Phnom Penh	Yes	Yes	
3	AMA	<u>Pursat</u>	Yes			3	AMA	Pursat	Yes		
4	Add	Preah Vihear	Yes	Yes		4	AMA	Preah Vihear	Yes	Yes	
5	Add	Stung <u>Treng</u>	Yes			5	AMA	Stung <u>Treng</u>	Yes		
6	Add	Kampot	Yes	Yes		6	AMA	Kampot	Yes	Yes	
7	AMA	Kampong Thom	Yes			7	AMA	Kampong Thom	Yes		
8	Add	Kampong Speu	Yes	Yes		8	AMA	Kampong Speu	Yes	Yes	
9	Add	Prey Veng	Yes			9	AMA	Prey Veng	Yes		
10	AMA	Kandal	Yes	Yes		10	AMA	Kandal	Yes	Yes	
11	Add	Takeo	Yes	Yes		11	Add	Takeo	Yes	Yes	
12	Add	Kampong Cham	Yes			12	Add	Kampong Cham	Yes		
13	AMA	Mondul Kiri	Yes			13	. Add.	Mondul Kiri	Yes		
14	Add	Ratana Kiri	Yes			14	AMA	Ratana Kiri	Yes		
15	Add	Kampong Chhnang	Yes	Yes		15	Add	Kampong Chhnang	Yes	Yes	
12		Luangnamtha	Yes	Yes	Yes	12		Luangnamtha	Yes	Yes	Yes
13		Oudomxay	Yes			13		Oudomxay	Yes		
14		Bokeo	Yes	Yes		14		Bokeo	Yes	Yes	
15		Luang Prabang	Yes	Yes		15		Luang Prabang	Yes	Yes	
16		Xiengkhuang	Yes			16		Xiengkhuang	Yes		
17		Xayaburi	Yes	Yes		17		Xayaburi	Yes	Yes	




Figure 15. Weekly standardized precipitation index from 7 to 13 August 2023.

Weekly Index of Soil Water Fraction (ISWF)

For the agricultural indicator, the nowcast this week from Aug 7 to 13 indicates that the LMB was facing some moderate and severe agricultural droughts in the eastern and southern parts of the region covering Laos, Cambodia and Vietnam. <u>Figure 16</u> displays weekly ISWF for the LMB.

No.	Country	Province	Dro	ought stat	us	11		Champasa	ck	Yes		
140.	Country	Province	Moderate	Severe	Extreme			••••••••••	•••			
1	AÁL	Preah Vihear	Yes	Yes		12		Attapeu		Yes	Yes	
2	Alle	Stung <u>Treng</u>				13		Si Saket		Yes		
3	AMA	Ratana Kiri	Yes	14 Ubon Ratchath		hathani	Yes		+			
4	Add	Kratie	Yes	Yes		15	*	Kon Tum		Yes		+
5	AMA	Kampong Thom	Yes			16		Gia Lai		Yes		+
6	Add	Kompong Cham	Yes			17	*	Dak Lak		Yes	Yes	
7	Alle	Prey Veng	Yes				*			163		
8	AMA	Svai Rieng	Yes			18	*	Tay Ning			Yes	
9		Savannakhet	Yes			19	Long An			Yes		
10		Sekong	Yes			Drought	Legend	:				
							Moder	ate	Severe		Extreme	9




Figure 16. Index of Soil Water Fraction from 7 to 13 August 2023.

• Weekly Combined Drought Index (CDI)

The combined drought indicator from the meteorological and agricultural indices August 7 to 13, as displayed in <u>Figure 17</u>, shows that some moderate droughts were detected in the north of Thailand, Laos, and Cambodia and Viet Nam in the south.

No.	Country	Province	Moderate		nt status	F
-		Preah Vihear		Yes	Extreme	Except.
1	Add	Prean vinear	Yes	res		
2	AMA	Battambang	Yes			
3	Add	Stung Treng	Yes			
4	, ala	Kampong Thom	Yes			
5		Phnom Penh	Yes	Yes		
	MAL.					
6	alds.	Kandal	Yes			
7	ala.	Prey Veng	Yes			
8		Takeo	Yes			
9		Champasack	Yes			
10		Sekong	Yes	Yes		




Figure 17. Weekly Combined Drought Index from 7 to 13 August 2023.


More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: http://droughtforecast.mrcmekong.org/templates/view/our-product. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.

6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

During August 15-21, based on result from the CHIRPS-GEFS, which merges observations from the Climate Hazards Group Infrared Precipitation with Stations (CHIRPS) data set with the Global Ensemble Forecast System (GEFS), small to heavy rain (5-85 mm/24h) is forecasted for the LMB area.

<u>Figure 18</u> shows accumulated rainfall forecast (24h) of the forecasting model using CHIRPS-GEFS data from August 15 to 21.






Figure 18. Accumulated rainfall forecast (24 h) based on the forecasting model using CHIRPS-GEFS data.

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on August 14's daily flood forecasting bulletin, the daily forecasted water level at Chiang Saen in Thailand shows an increase of water level from 3.22 m to 3.55 m over the next five days. The trend will keep the water level at this station lower than its LTA.

For Luang Prabang in Lao PDR, the water level will increase about 0.06 m during the next five days. The current water level is lower than its LTA. Precipitation is forecasted for the area between Chiang Saen and Luang Prabang next week.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand is forecasted to go down approximately 0.47 m, while water level at Vientiane in Lao PDR will decrease about 1.61 m. Furthermore, in Nong Khai of Thailand the water level will decrease about 1.10 m over the next five days; at Paksane in Lao PDR water level will decrease about 0.54 m due to lower moderate rainfalls and dam operation in the upper catchments. Rainfall is forecasted for the area of Paksane next week. The water levels at these stations will stay higher than their LTA value.

Nakhon Phanom to Pakse

The water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR are forecasted to go down between 0.05 m and 0.52 m, because of average rainfall predicted and less inflows from upstream into these areas. Consequently, water level at these stations will stay lower than their LTA level. Moderate rainfall is forecasted for the area next week.

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

WL at Stung Treng and Kratie in Cambodia will go down between 0.18 m and 0.26 m, while at Kompong Cham along the Mekong River the water level will go down about 0.10 m over the

next five days. Precipitation is forecasted for the area between Stung Treng and Kompong Cham during next week.

The water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port as well as at Phnom Penh's Chaktomuk on the Bassac River will go down between 0.14 m and 0.40 m over the next five days.

Water levels at most of the stations will go down during next week. WLs at most stations will be still staying lower than their LTA value. From Vientiane to Luang Prabang, Chiang Khan, Vientiane, Nong Khai, Paksane and from Nakhon Phanom to Pakse, the water level will drop and WLs at most stations will be staying lower than their LTA value. Precipitation is forecasted for the low-lying area of Cambodia next week.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, the water levels will be staying lower than their LTA level, following daily tidal effects from the sea. Rainfall is forecasted for the Mekong Delta area next week.

The performance of the weekly flood forecast, with an accuracy and data input evaluation from 8 to 14 August 2023, is presented in **Annex 1**.

<u>Table 2</u> shows the daily flood forecasting Bulletin issued on 14 August 2023. Results of the weekly river monitoring bulletin are also available at http://ffw.mrcmekong.org/bulletin_wet.php.

6.3 Flash Flood Information

With small to heavy rain for next week, flash floods might be detected in some areas in the LMB. And local heavy rain in a short period of time is possible with unpredictable short flash floods.

Detailed information on Flash Flood Warning Information as well as its explanation is available for download <u>here</u>.

6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months until August 2023. The MRC's DFEWS adopts an ensemble model called the North America Multi-Model Ensemble (NMME), which averages all scenarios, and downscales the forecasts to the regional level. The Variable Infiltration Capability (VIC) is then used to generate soil moisture and runoff for the whole basin.

<u>Figure 19</u> below shows the Combine Drought Indicator (CDI) forecast for August, September, and October 2023. CDI is a combination of meteorological and agricultural indicators.




Figure 19. Monthly forecast of CDI for July, August, and September 2023.

<u>Figure 19</u> above shows that **August** is expected to be moderately dry in the upper north, severely and extremely dry in the west covering mainly Thailand, and extremely dry in the south-east covering southern Laos and 3S areas. In **September**, Xayaburi, Vientiane and Luang Prabang of northern Laos are likely to be hit by moderate drought, while central Laos in the eastern LMB is likely to be facing some moderate and severely droughts. In **October**, moderate and severe droughts are forecasted for the north-west, west, and south-west areas of the LMB covering some areas of northern Laos, Thailand, and north-western Cambodia. Most parts of Laos and Vietnam are likely not at any risk.

Table 2. Weekly River Monitoring Bulletin.



Mekong Bulletin

Mekong River Commission Secretariat (MRCS)

Regional Flood and Drought Management Centre (RFDMC)

P.O. Box 623 #576, National Road #2, Chaik Angre Krom, Meanchey, Phnom Penh, Cambodia
Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org

River Flood Forecast: 15 Aug - 19 Aug 2023

Date: 14 August 2023

Location	Country	24-hr Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Flood level (m)	Alarm level (m)	against z	d W. level ero gauge m)	Fo	recasted	l Water I	_evels (r	n)	flo	od w	itori	urrer ing i ng s ekon	n pla	ace
		13-Aug				13-Aug	14-Aug	15-Aug	16-Aug	17-Aug	18-Aug	19-Aug	14	15	16	17	18	19
Jinghong	*3:	0.0				535.22	535.20							×	×	×	×	×
Chiang Saen		0.1	357.110	12.80	11.50	3.34	3.22	3.15	3.20	3.30	3.43	3,55	+				•	1
Luang Prabang		3.2	267.195	18.00	17.50	12.02	11.38	11.21	11.10	11.15	11.28	11.44	+	+	+		•	1
Chiang Khan		0.0	194.118	16.00	14.50	10.90	10.07	9.67	9.55	9.47	9.50	9.60	+	+	+			
Vientiane		2.0	158.040	12.50	11.50	9.22	8.46	7.50	7.05	6.91	6.80	6.85	+	+	+	+	+	
Nongkhai		3.5	153.648	12.20	11.40	8.97	8.45	7.80	7.46	7.38	7.32	7.35	+	+	+			
Paksane	•	60.9	142.125	14.50	13.50	10.66	10.21	10.10	9.89	9.74	9.70	9.67	+	+	+	+		
Nakhon Phanom		45.5	130.961	12.00	11.50	10.91	10.70	10.70	10.85	10.75	10.68	10.70	+		4			
Thakhek		89.1	129.629	14.00	13.00	11.20	10.98	11.03	11.23	11.10	11.01	11.05	+		1	+		
Mukdahan		4.5	124.219	12.50	12.00	9.93	9.72	9.55	9.56	9.67	9.60	9.55	+	+		•		
Savannakhet		3.4	125.410	13.00	12.00	8.35	8.14	8.03	8.00	8.02	7.99	7.96	+	+		-		
Khong Chiam		5.4	89.030	14.50	13.50	11.11	10.92	10.66	10.43	10.40	10.51	10.40	+	+	+		•	+
Pakse		0.6	86.490	12.00	11.00	9.03	8.98	8.83	8.70	8.68	8.73	8.70		+	+		•	
Stung Treng	AMA	8.5	36.790	12.00	10.70	7.78	7.78	7.75	7.66	7.57	7.57	7.60			+	+		
Kratie	aht	7.5	-0.101	23.00	22.00	17.35	17.42	17.45	17.40	17.29	17.18	17.16	•	1	+	+	+	
Kompong Cham	AMA	26.5	-0.930	16.20	15.20	10.94	11.00	11.10	11.15	11.10	11.00	10.90	•	1	1	+	+	+
Phnom Penh (Bassac)	AMA	20.3	-1.020	12.00	10.50	6.51	6.55	6.60	6.63	6.60	6.55	6.50	•	1	1	+	+	+
Phnom Penh Port	AMA	-	0.070	11.00	9.50	5.32	5.35	5.39	5.41	5.39	5.35	5.32	•	4			+	+
Koh Khel (Bassac)	AMA	nr	-1.000	8.40	7.90	5.99	5.99	6.01	6.02	6.04	6.02	6.00						
Neak Luong	AMA	2.7	-0.330	8.00	7.50	4.56	4.58	4.61	4.65	4.67	4.64	4.59		1	•		+	+
Prek Kdam	AM	nr	0.080	10.00	9.50	5.35	5.36	5.38	5.40	5.39	5.36	5.35					+	
Tan Chau	*	0.0	0.000	4.50	3.50	1.93	1.93	1.95	1.97	1.98	1.98	1.96						
Chau Doc	+	nr	0.000	4.00	3.00	1.79	1.81	1.84	1.86	1,87	1.88	1.86						

REMARKS:

-: not available.

nr: no rain.

LEGEND		
rising water level	1	Note: Stable water level is defined as a daily change of less than 10cm
stable water level		from Chiang Saen to Savannakhet; less than 5cm at Pakse and Stung
falling water level	*	Treng; and no more than 3cm cm from Kratie downstream. Flood stage is when the flood level exceeds. A flood level is determined
alarm stage		by each Member Country.
alarm situation		Alarm stage is when the water level ranges between alarm and flood
flood stage		levels.
no data available	×	Alarm situation is when the water level is forecasted to reach the flood stage within the next three days.

River Flood Forecaster

KHEM Sothea

7 Summary and Possible Implications

7.1 Rainfall and its forecast

Rain was observed from Chiang Saen in Thailand to Tan Chau and Chau Doc in Viet Nam during August 8-14, including the lower part in Lao PDR and Cambodia, varying from 5.30 mm to 147.10 mm due to the low pressure covered the LMB during the report period. This week rainfall was considered high in the LMB compared with last week rainfall.

Based on the forecasted satellite data, rainfall is forecasted for some areas of the LMB with the value range from 30.00 mm to 140.00 mm for the next seven days. The forecasting model using CHIRPS-GEFS data, moreover, shows significant rainfall (>150 mm) is likely to take place in the Mekong region from 15 to 21 August 2023.

7.2 Water level and its forecast

According to MRC's observed water level at Jinghong, it showed fluctuated water levels from 535.20 m to 536.75 m during 8-14 August 2023. The current level is staying about 0.68 m lower than its LTA value. The outflow at Jinghong station varied between 808.00m³/s and 1,950.00 m³/s between 8 and 14 August 2023.

With the fluctuated outflow from Jinghong upstream, water levels of monitoring stations at Chiang Saen decreased 2.40 m from 8 to 14 August 2023. Moreover, at Chiang Khan the water level decreased about 4.03 m, while at Valentine and Nong Khai it decreased between 1.77 m and 2.08 m due to the influence of dam operation upstream and less rainfall. Water levels from Nakhon Phanom to Pakse still increasing between 0.32 m and 1.24 m. The current WLs at these stations at Nakhon Phanom, Thakhek and Mukdahan are staying higher than their LTA level, **considered normal**. From the stretches of the river at Stung Treng, WL decreased 0.22 m and stayed about 0.52 m lower than its LTA, while at Kratie water level was down about 0.81 m, staying 0.82 m lower than its LTA level, due to the contributed less rainfall from upstream part including Pakse and reservoir operation of the 3S area in Viet Nam.

The flow volume of the Tonle Sap Lake is lower than its LTA (about 58%) up to August 14. From next week, the flow is expected to increase due to average rainfall forecasted in the inflow catchments of the Tonle Sap Lake.

From Stung Treng to Kratie and Kompong Cham on the Mekong River, the water levels are expected to decrease between 0.15 m and 0.26 m and will still remaining lower than their LTA value for the next 5 days. The water levels – at Prek Kdam to Phnom Penh Port on the Tonle Sap, and Chaktomuk to Koh Khel on the Bassac – are forecasted to increase but still stay lower than their LTA value.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain unchanged.

Since the third week of September 2022, water levels across most monitoring stations in the LMB have increased due to the above-average rainfall but still staying lower than their LTA

value (from middle to lower stretches within the LMB). The preliminary analysis of the hydrological conditions in the LMB over July–December 2020 and November 2020 to May 2021 was done as <u>Situation Report</u>, which can be used as reference for the trend of water level and flows of the Mekong River Basin.

The contribution to the Mekong River's flow from the UMB in China (Yunnan component) is about 16% by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the predicted amount of rainfall for the coming week as mentioned earlier in <u>section 6.1</u>, flash floods are likely to be detected in some areas of the LMB during next week.

7.4 Drought condition and its forecast

During Aug 7-13, some moderate droughts were detected in all member countries covering some areas of Preah Vihear, Battambang, Stung Treng, Kampong Thom, Phnom Penh, Kandal, Prey Veng, Takeo, Champasack, Sekong, Attapeu, Chiang Mai, Chiang Rai, Phayao Loei, Ubon Ratchathani, Tay Ninh, Long An, and Tien Giang. Droughts took place in Cambodia, the south of LMB, more than other areas.

The three-month forecast shows that **August** is expected to be moderately dry in the upper north, severely and extremely dry in the west covering mainly Thailand, and extremely dry in the south-east covering southern Laos and 3S areas. In **September**, Xayaburi, Vientiane and Luang Prabang of northern Laos are likely to be hit by moderate drought, while central Laos in the eastern LMB is likely to be facing some moderate and severely droughts. In **October**, moderate and severe droughts are forecasted for the north-west, west, and south-west areas of the LMB covering some areas of northern Laos, Thailand, and north-western Cambodia. Most parts of Laos and Vietnam are likely not at any risk.


Annex 1: Performance of the weekly flood forecasting

Accuracy

"Accuracy" here refers to the state where data recorded in the MRC's Mekong River Flood Forecasting System are cleaned and verified.

The adjustment of flood forecasting outcomes from the flood forecasting system requires flood forecasters to have extensive knowledge in hydrology and statistical modelling for estimating the relationships between stations upstream and downstream in the Mekong River Basin. Flood forecasting performance presented in the graph below shows the average flood forecasting accuracy at each key station along the Mekong mainstream from 8 to 14 August 2023.

The forecasting values from 8 to 14 August 2023 show that the overall accuracy is fair for a four-day to five-day forecast in lead time (less than 250 cm) for most of the stations from the upper to the middle parts of the Mekong River with combine information of rainfall and reservoirs' operation in this area during the report period.



Note: The higher percentage of flood forecasting accuracy is due to several key factors as follows:

- Missing rainfall in Cambodia (DOM) data and data input are not sufficient to be used for inputting into the flood forecasting model system.
- Chiang Saen station is influencing by hydropower upstream operation from China.
- Luang Prabang to Chiang Khan and Paksane to Stung Treng to Kratie have been influenced by hydropower operations upstream, tributaries inflows.

- The influence of heavy rainfall caused by storms and hydropower operations from upstream, tributaries inflows and the lower part of the Mekong floodplain, including the 3S (Stung Treng and Kratie).
- Fluctuations of the water levels at Tan Chau and Chau Doc stations were due to daily tidal effects of the sea in the Mekong Delta.
- Satellite rainfall data were not representative of the actual rainfall at ground stations in some areas of the Mekong region.

Performance based on data from the Member Countries

Flood forecasting performance is based on the hydro-met data received from the Member Countries. The flood forecasting achievement indicated in (%) and (cm) from 1 day to 5 days at each key station, against with Old Benchmark are presented in Table B1 and Table B2.

The evaluation of performance indicators, missing data and completion time for flood forecasting are presented in Table B3 and Figures B4, B5 and B6, respectively from 8 to 14 August 2023.

Table B1: The Mean Absolute Difference (Error) of Flood Forecasting base on old defined Benchmark from 8 to 14 August 2023 in cm

Lead-time Forecasted	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
1-day	22	44	42	19	13	12	24	11	2	0	6	5	0	13	4	2	3	5	4	4	7	9
2-day	60	60	57	48	31	30	<u>50</u>	41	12	7	2	4	7	19	6	4	6	2	1	4	6	11
3-day	96	81	111	58	41	33	54	49	18	0	3	17	2	35	22	11	14	3	5	10	7	16
4-day	163	138	171	150	116	67	109	76	49	23	38	9	23	17	10	18	7	7	5	3	8	17
5-day	191	199	251	252	200	109	155	101	74	34	63	9	15	28	16	12	10	5	1	7	<u>25</u>	39


Table B2: The Mean Absolute Difference (Error) of Flood Forecasting base on old defined Benchmark from 8 to 14 August 2023 in %


Lead-time Forecasted	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	Average
1-day	57.1	57.1	71.4	28.6	28.6	28.6	71.4	28.6	14.3	0.0	42.9	42.9	0.0	100.0	57.1	85.7	71.4	100.0	100.0	71.4	100.0	85.7	56.5
2-day	66.7	66.7	66.7	50.0	50.0	50.0	33.3	50.0	33.3	0.0	0.0	16.7	16.7	100.0	50.0	83.3	100.0	16.7	0.0	66.7	33.3	50.0	45.5
3-day	40.0	20.0	40.0	40.0	40.0	40.0	40.0	40.0	20.0	0.0	0.0	80.0	0.0	100.0	100.0	80.0	100.0	0.0	20.0	100.0	60.0	20.0	44.5
4-day	75.0	50.0	25.0	25.0	25.0	25.0	50.0	50.0	50.0	75.0	50.0	25.0	50.0	25.0	75.0	100.0	100.0	100.0	0.0	50.0	25.0	<u>25.0</u>	48.9
5-day	100.0	66.7	0.0	0.0	0.0	33.3	0.0	33.3	33.3	33.3	66.7	0.0	33.3	33.3	66.7	100.0	66.7	33.3	0.0	66.7	100.0	33.3	40.9

Table B3: Overview of performance indicators for the past 7 days from 8 to 14 August 2023

		FF 1	time sen	t			Arr	rival time	of input	data				Miss	ing data	(number	-mainstro	eam and	trib.st.)	
2023	FF completed and sent (time) Stations without forecast AF2 completed and sent (time) Weather data available (time)					China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - SRHMC	Viet Nam - HMS	NOAA data/2dataset	China/2	Cambodia - DHRW/15	Cambodia - DOM/34	Lao PDR - DMH/25	Thailand - DWR/13	Viet Nam - SRHMC/6	Viet Nam - HMS/39
week	10:51	#DIV/0!	-	-	08:15	07:10	07:08	09:27	08:39	08:38	07:05	08:25	0	0	136	8	8	3	0	0
month	10:40	#DIV/0!	-	-	08:15	07:10	07:26	09:58	08:43	08:31	07:12	08:12	0	0	238	36	34	0	0	61

Fig. B4: Data delivery times for the past 7 days from 8 to 14 August 2023








Fig. B6: Flood forecast completion time, stations without forecasts, and second forecasts need from 8 to 14 August 2023



Mekong River Commission Secretariat