

Weekly Wet Season Situation Report in the Lower Mekong River Basin

01 - 07 October 2024

Prepared by
The Regional Flood and Drought Management Centre
08 October 2024



Copyright © Mekong River Commission, 2024

First published (2020)

Some rights reserved.

This work is the product of the Mekong River Commission Secretariat. While all efforts are made

to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on

any map in this work do not imply any judgement on the part of the MRC concerning the legal

status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges

and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-

profit purposes without special permission from the copyright holder, provided acknowledgement

of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for

sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 01 – 07 October

2024.

ISSN: 1728-3248

Keywords: Monitoring/forecasting/weather/the Mekong/the Tonle Sap Lake

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2024). Weekly wet season situation report in the Lower Mekong River

Basin for 01 – 07 October 2024. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at

http://www.mrcmekong.org/ publications/

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Content

Co	ontent	t	i
Lis	st of F	igures	ii
Li	st of T	ables	iii
Κe	ey Me	ssages	iv
1	Int	roduction	22
2	Ge	neral Weather Patterns	23
3.	Rai	infall and Water Level Monitoring	24
	3.1.	Rainfall monitoring	24
	3.2.	Water level monitoring	26
4.	Fla	sh Flood in the Lower Mekong Basin	30
5.	Dro	ought Monitoring in the Lower Mekong Basin	31
	5.2.	Weekly drought monitoring from 01 – 07 October 2024	31
6	We	eather and Water Level Forecast and Flash Flood information	34
	6.1	Rainfall forecast	34
	6.2	Water level forecast	36
	6.3	Flash Flood Information	39
	6.4	Drought forecast	39
7	Sui	mmary and Possible Implications	40
	7.1.	Rainfall and its forecast	40
	7.2.	Water level and its forecast	40
	7.3.	Flash flood and its trends	
	7.4.	Drought condition and its forecast	
Αı	nnex A	A: Weekly water level monitoring at the 22 key stations	22
Αı	nnex E	3: Tables for weekly updated water levels and rainfall at the Key Stations	25
Αı	nex (• Performance of the weekly flood forecasting	29

List of Figures

Figure 1: Weather conditions over the LMB from 08 - 14 October	23
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC	24
Figure 3: One tropical storm risk observed on 08 October 2024	24
Figure 4: Weekly rainfall distribution over the LMB during 01 – 07 October 2024	26
Figure 5: The key stations along LMB for river flood forecasting	27
Figure 6. Water level at the Jinghong hydrological station up to 07 October 2024	28
Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake	29
Figure 8. The seasonal change in monthly volume of Tonle Sap Lake	29
Figure 9. Flash Flood risk for the next 12-hr and 24-hr on 01 October	31
Figure 10: Weekly standardized precipitation index from 01 – 07 October	32
Figure 11: Weekly Index of Soil Water Fraction from 01 – 07 October	33
Figure 12: Weekly Combined Drought Index from 01 – 07 October	34
Figure 13: Accumulated rainfall forecast from CHIRPS-GEFS (08 – 12 October 2024)	35
Figure 14. Monthly forecasts of combined drought indicator for a) October, b) November and c) December 2024	

List of Tables

Table 1. The monthly change in the flow volume of Tonle Sap Lake	30
Table 2. Detected moderate to high-risk flash flood in Lao PDR on 01 October	30
Table 3. River Monitoring and Forecasting Bulletin	37

Key Messages

Key messages for this weekly report are presented below.

Rainfall monitoring and forecast

- In the period of 01 07 October 2024, light to heavy rainfall has been observed over the LMB. Especially, heavy to very heavy rain occurred in some areas in Chiang Rai, Moung Namtha, Chiang Saen, Vang Vieng, Luang Prabang, Xiengkhouang, Mukdahan, Savannakhet, Pursat, Kompong Chhnang, Bassac Chaktomuk, Prek Kdam, Chau Doc, My Thuan.
- From 08 14 October 2024, Light to moderate rain is expected over the Lower Mekong Basin. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta during this period.

Water level monitoring and forecast

- At 22 key monitoring stations along the Mekong mainstream from 01 07 October 2024, water levels at all stations along the Mekong mainstream have. However, water levels are in normal conditions. The total accumulated volume of the reverse flow to Tonle Sap Lake remains 25.49 Km3. This value has remained constant since 01 October 2024
- In the period of 08 12 October 2024, water levels at upstream stations along Mekong mainstream from are likely expected to drop. At the upper part of the basin, water levels are expected to drop between -0.35 m to -1.05 m, while in the downstream stations, it dropped between -1.82 m to -0.09 m.

Drought condition and forecast

- From 01 07 October 2024, the LMB is experiencing normal to wet conditions. The observed drought was caused primarily by meteorological indicator.
- From 08 14 October, the LMB is likely at normal conditions. No drought is forecasted for the whole region.

1 Introduction

This Weekly Wet Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for 01 - 07 October 2024. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. The water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB.
- Water levels in the LMB, including in the Tonle Sap Lake.
- Flash flood and drought situation in the LMB.
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: http://ffw.mrcmekong.org/bulletin.php.

Drought monitoring and forecasting information is available at: http://droughtforecast.mrcmekong.org

Flash flood information is accessible at: http://ffw.mrcmekong.org/ffg.php

2 General Weather Patterns

During last week, the moderate high-pressure system will impact on the upper part of the LMB while the moderate southwest monsoon prevails over the lower part of the LMB. Isolated heavy rain may occur in some areas in the upper and central part of the Lower Mekong Basin (include some provinces in the upper and central part of Lao PDR and Thailand) from 01 - 02 October; and the lower part include the Cambodia during this period.

Next week from 08 - 14 October 2024, the high-pressure system covering upper the Lower Mekong will weaken. Light to moderate rain is expected over the Lower Mekong Basin. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta during this period.




Figure 1: Weather conditions over the LMB from 08 - 14 October

According to the ASEAN Specialised Meteorological Centre (ASMC, http://asmc.asean.org/home/), the subseasonal weather outlook (30 September – 13 October 2024) indicates that drier conditions is expected for the lower to central parts of the LMB, while warmer conditions are predicted at the lower. In addition, the cooler conditions are predicted to be in the norther-eastern parts of the LMB. **Figure 2** shows the outlook of weather condition from 30

September – 13 October 2024 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

Based on the tropical storm risk (TS) (https://www.jma.go.jp/jma/jma-eng/jma-center/rsmc-hp-pub-eg/RSMC_HP.htm), there one active storms at NW pacific system as of 08 October 2024 as displayed in **Figure 3.** These tropical storms may not affect central LMB.




Figure 3: One tropical storm risk observed on 08 October 2024

3. Rainfall and Water Level Monitoring

3.1. Rainfall monitoring

The weekly accumulated rainfall is based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 01 – 07 October 2024 (**Figure**

), light to heavy rainfall has been observed over the LMB. Especially, heavy to very heavy rain occurred in some areas in Chiang Rai, Moung Namtha, Chiang Saen, Vang Vieng, Luang Prabang, Xiengkhouang, Mukdahan, Savannakhet, Pursat, Kompong Chhnang, Bassac Chaktomuk, Prek Kdam, Chau Doc, My Thuan.




Figure 4: Weekly rainfall distribution over the LMB during 01 - 07 October 2024

3.2. Water level monitoring

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in **Figure 5**. The hydrograph for each key station is available from the MRC's River Flood Forecasting: http://ffw.mrcmekong.org/overview.php.

During 01 – 07 October 2024, the observed water level (WL) at Jinghong hydrological station¹, was almost constant and ranges between 535.24 m and 536.10 m, which are corresponding to the outflow between 835.00 m³/s to 1,440.00 m³/s (recorded on 7:00 am), respectively (**Figure 6**). The water level in Chiang Saen station increased from 3.60 m to 4.62 m. At the same period, the water level in Luang Prabang station also increased with an approximate value of 0.54 m from 11.76 m to 12.30 m as compared to the previous week. Water levels at Chiang Khan, Vientiane and Nongkhai have increased from 9.76 m to 10.36 m, 7.28 m to 7.68 m, and 8.20 m to 8.25 m, respectively. Moving downward at Paksane, Nakhon Phanom, Thakhek, Mukdahan, Savannakhet, Khong Chiam and Pakse stations, water levels have also been decreasing from10.09 m, to 9.39 m, 10.09 m to 8.57 m, 11.05 m to 9.56 m, 10.38 m to 8.06 m, 8.37 m to 6.44 m, 12.13 m, 9.57 m, and 10.02 m to 7.69 m, respectively.

At Stung Treng, Kratie, and Kampong Cham, Phnom Penh Bassac, Phnom Penh Port, Koh Khel Neak Luong and Preak Kdam stations water levels have also decreased from 8.70 m to 7.2 m, 20.00 m to 17.20 m, 13.60 m to 11.66 m, 8.84 m to 8.35 m, 7.48 m to 6.98 m, 7.56 m to 7.18 m, 6.39 m to 6.13 m, and 7.76 m to 7.48 m, respectively.

From to the previous week, the water levels from 01 to 07 October 2024 at Viet Nam's Tan Chau and Chau Doc, water levels have increase from 3.27 m to 3.13 m and from 2.94 m to 2.86 m, respectively.

¹ Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry.




Figure 5: The key stations along LMB for river flood forecasting

The water levels in key monitoring stations on 07 October, water levels at all stations along Mekong mainstream are in normal conditions with decreasing trends. Moreover, all stations with available PMFM (Article 6C) thresholds are in normal conditions. The graphics of water level monitoring in all key stations are presented in **Annex A** and the weekly water levels and rainfall at each key station are summarised in **Annex B**.




Figure 6. Water level at the Jinghong hydrological station up to 07 October 2024.

At the end of the wet season, when water levels along the Mekong River subside, the outflow of the Tonle Sap Lake (TSL) returns to the Mekong River and then to the Delta. This phenomenon normally takes place between September and October. Based on flow observation at Prek Kdam monitoring station, the inflow/reverse of the Tonle Sap Lake took place since 29 June 2024.

The outflow flow is calculated based on a formula of rating-curves using by difference of water levels at Kompong Luong and Phnom Penh Port stations for slop and Prek Kdam as cross-section of the Lake. The formula of flow is as follows:

$$Flow = WL_{Prek\ Kdam}^{1.2} \times \sqrt{|WL_{Phnom\ Penh\ Port} - WL_{Kampong\ Luong}|}$$

Where, WL is water level in m (msl).

The seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2020, 2021 and 2022, 2023 and their LTA level (1997-2023) are illustrated in **Figure 7**. The reversed flow to the lake has accumulated volume of 25.49 Km³. This value has remained constant since 01 October 2024.

The seasonal changes in monthly flow volumes up to 07 October 2024 for the TSL compared with that in 2020, 2021, 2022, 2023 and their LTAs, and the fluctuation levels (1997–2023) are presented in **Table 8**. The mean monthly water volume of the Tonle Sap Lake in August 2024 is lower than its LTA (about 78.39 %), 2023 but higher than 2019, 2020, 2021 and 2022 during

the same period (Figure 8 and Table 1). However, updated until 07 October 2024, the volume of the lake is approximately 88.08% of its LTA in October.




Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake.




Figure 8. The seasonal change in monthly volume of Tonle Sap Lake.

Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	LTA Max (97-22) Volume [MCM] [MCM]		Min Volume [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume 2023 [MCM]	Volume 2024 [MCM]	Volume in 2024 [%], compared with its LTA
Jan	11487.13	20039.88	4796.69	7998.69	4796.69	7405.81	7998.69	10700.62	8610.88	74.96
Feb	6697.79	12266.87	3757.30	4954.90	3757.30	4671.15	5405.65	6309.00	5211.05	77.80
Mar	4822.51	8340.62	3030.40	3936.30	3259.79	4147.46	4330.50	4299.86	3936.30	81.62
Apr	4033.80	9203.09	2552.38	3317.61	2635.83	3259.79	4026.48	3609.52	3580.11	88.75
May	4376.15	9938.04	2441.69	3317.61	2469.30	3462.96	5668.52	3404.68	3609.52	82.48
Jun	7357.50	18344.65	2775.77	3580.11	2832.04	4765.22	7886.07	3936.30	3698.04	50.26
Jul	16001.18	40825.01	3230.96	4269.27	3230.96	7333.01	13751.91	7260.51	11671.87	72.94
Aug	31847.52	54529.13	10021.39	12266.87	10021.39	12453.19	27226.87	18168.63	21440.19	67.32
Sep	45088.00	72427.44	14251.59	35070.22	14251.59	22430.63	39624.67	30811.08	35343.56	78.39
Oct	44317.53	72124.19	22296.87	25074.27	28782.41	32331.33	48230.13	38255.90	39033.91	88.08
Nov	31391.74	49030.83	14302.12	14302.12	23867.31	25218.90	31989.11	28075.12		
Dec	19550.90	31734.10	7886.07	7886.07	13900.73	15599.94	19545.75	16466.19		
	Critical situa	ation: lower t	han long-ter	m minimum	values (LTM	IN)				
	Normal con	dition: within	the range o	f long-term r	min (LTMIN)	and max (L	ΓMAX) value	S		
	Low volume									
Unit: Millior	Cubic Mete	er (1 MCM= 0	0.001 Km ³)							

Remarks: the monthly volume of Tonle Sap Lake in 2024 is updated untill 07 October 2024.

4. Flash Flood in the Lower Mekong Basin

During the weekly monitoring period from 01 - 07 October 2024, the LMB received light to very heavy rain in some areas over the LMB.

According to the Southeast Asian Flash Flood Guidance System (SEAFFGS) and analysis, flash flood guidance was detected high level in the next 1, 3, and 6 hours in some areas of Lao PDR the reporting period as shown in <u>Figure 14</u> and <u>Table 2</u>.

Table 2. Detected moderate to high-risk flash flood in Lao PDR on 01 October

FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN														
In the	e next 1hr	s	In t	he next 3	nrs	In the next 6hrs								
Provinces	Districts	Level	Provinces	Districts	Level	Provinces	Districts	Level						
Bokeo	Huoixai	Moderate	Khammuane	Xaybouath	Moderate	Khammuane	Xaybouath	Moderate						
Bokeo	Meung	Moderate	Luangnamtha	Sing	Moderate	Luangnamtha	Sing	Moderate						
Khammuane	Xaybouath	High	Luangnamtha	Viengphou	Moderate	Luangnamtha	Viengphou	Moderate						
Luangnamtha	Sing	Moderate	Oudomxay	Beng	Moderate	Oudomxay	Beng	Moderate						
Luangnamtha	Viengphou	Moderate	Oudomxay	Hoon	Moderate	Oudomxay	Hoon	Moderate						
Oudomxay	Beng	Moderate	Xiengkhuang	Pek	Moderate	Xiengkhuang	Pek	Moderate						

	FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN														
In the	e next 1hı	rs	In t	he next 3h	ırs	In the next 6hrs									
Provinces	Districts	Level	Provinces	Districts	Level	Provinces	Districts	Level							
Oudomxay	Hoon	High													
Vientiane	Met	Moderate													
Xiengkhuang	Pek	High													




Figure 9. Flash Flood risk for the next 12-hr and 24-hr on 01 October

5. Drought Monitoring in the Lower Mekong Basin

5.2. Weekly drought monitoring from 01 – 07 October 2024

Drought monitoring data for 2024 are available from Monday to Sunday every week; thus, the reporting period is normally delayed by one day compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

• Weekly Standardised Precipitation Index (SPI1)

As indicated in **Figure 10** below, during 01 - 07 October, the LMB is experiencing the LMB was facing normal to wet conditions.




Figure 10: Weekly standardized precipitation index from 01 – 07 October

Weekly Index of Soil Water Fraction (ISWF)

The LMB was facing a moderate to severely dry over the central and lower part including the southern part of Lao PDR and the Northeastern part of Cambodia during the monitoring week from 01 - 07 October 2024, see **Figure 10**.




Figure 11: Weekly Index of Soil Water Fraction from 01 – 07 October.

Weekly Combined Drought Index (CDI)

The combined drought indicator, **Figure 11**, shows that No drought in most parts of the region. However, some small parts of provinces experienced moderate drought such as Preah Vihear, Karatie, and Ratana Kiri (Cambodia); Champasak (Lao PDR); Udon Thani (Thailand). The impacted areas are listed below:

Number	Country	Province	Mderate	Severe	Extreme	Exceptional	Number	Country	Province	Mderate	Severe	Extreme	Exceptional	Number	Country	Province	Mderate	Severe	Extreme	Exceptional
1	Cambodia	Battamabang					24	Lao PDR	Oudomxai					47	Thailand	Udon Thani				
2		Banteay Meancher	,				25	Lao PDR	Loungprabang					48	Thailand	Sakon Nakhon				
3	Cambodia	Kampong Cham					26	Lao PDR	Xayaburi					49	Thailand	Bueng Kan				
4	Cambodia	Pursat					27	Lao PDR	Xiengkhouang					50	Thailand	Nakhon Phanom				
5	Cambodia	Kampong Chhnang					28	Lao PDR	Vientiane					51	Thailand	Kalasin				
6	Cambodia	Otdar Meanchey					29	Lao PDR	Vientiane Capital					52	Thailand	Mukdahan				
7	Cambodia	Preah Vihear					30	Lao PDR	Xaisomboun					53	Thailand	Roi Et				
8	Cambodia	Kampong Thom					31	Lao PDR	Borikhamxai					54	Thailand	Yasothon				
9	Cambodia	Kratie					32	Lao PDR	Khammouan					55	Thailand	Amnat Charoen				
10	Cambodia	Mondulkiri					33	Lao PDR	Savanakhet					56	Thailand	Ubon Ratchathani				
11	Cambodia	Ratanakiri					34	Lao PDR	Salavan					57	Thailand	Si Sa Ket				
12	Cambodia	Tbong Khmum					35	Lao PDR	Xekong					58	Thailand	Surin				
13	Cambodia	Prey Veng					36	Lao PDR	Attapu					59	Thailand	Buri Ram				
14	Cambodia	Kampot					37	Lao PDR	Champasack					60	Thailand	Nakhon Ratchasima				
15	Cambodia	Takeo					38	Thailand	Chiang Mai					61	Viet Nam	Kon Tum				
16	Cambodia	Svai Rieng					39	Thailand	Chiang Rai					62	Viet Nam	Gia Lai				
17	Cambodia	Stung Treng					40	Thailand	Payao					63	Viet Nam	Dak Nong				
18	Cambodia	Kampong Speu					41	Thailand	Loei					64	Viet Nam	Dak Lak				
19	Cambodia	Kandal					42	Thailand	Nong Bua Lam Phu	,				65	Viet Nam	Dong Thap				
20	Cambodia	Siem Reap					43	Thailand	Khon Kaen					66	Viet Nam	Tien Giang				
21	Lao PDR	Bokeo					44	Thailand	Nong Khai					67	Viet Nam	An Giang				
22	Lao PDR	Luangnamtha					45	Thailand	Chaiyaphum						Other pro	vinces of the Mekon	g Delta of V	/iet Nam h	ave no dat	a
23	Lao PDR	Phongsali					46		Maha Sarakham							Moderate		Severe		
																Extreme		xceptiona	1	

Note: S: short-term drought, less than 1 months; L: long-term drought, more than 1 month




Figure 12: Weekly Combined Drought Index from 01 – 07 October.

More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: http://droughtforecast.mrcmekong.org/templates/view/our-product. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.

6 Weather and Water Level Forecast and Flash Flood information

6.1 Rainfall forecast

From 08 - 12 October 2024, the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to moderate rain based on CHIRPS-GFS (**Figure 12**). The accumulated rainfall over the entire Lower Mekong Basin is distributed with light to moderate rain is expected over the Lower Mekong Basin. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta during this period.




Figure 13: Accumulated rainfall forecast from CHIRPS-GEFS (08 – 12 October 2024)

6.2 Water level forecast

The five-day forecast is carried out from 08 to 12 October 2024 for 22 forecasting stations along the Mekong mainstream. Overall, water levels at all stations along the Mekong mainstream are expected to decrease. At Chiang Saen, water level is expected to drop approximately -0.35 m.

At Luang Prabang, Chiang Khan, Vientiane, Nongkhai, Paksane, Nakhon Phanom, and Mukdahan stations, water levels are expected to drop with approximated value of -0.67 m, -0.16 m, -0.81 m, -0.90 m, -0.77 m, -0.64 m, and -0.95 m, respectively. Moreover, Khong Chiam, Pakse, Stung Treng, Kratie, Kompong Cham, Phnom Penh (Bassac), Phnom Penh Port, Koh Khel, Neak Luong, and Prek Kdam, water levels are expected to drop approximately -0.84 m, -1.26 m, -0.60 m, -1.82 m, -1.14 m, -0.28 m, -0.23 m, -0.25 m, -0.19 m, and -0.09 m, respectively.

For the Tan Chau station on the Mekong River and Chau Doc station on the Bassac River, water levels are also expected to be rise as well. At Tan Chau, water level will decrease approximately -0.15 m, while at Chau Doc -0.09 m.

The weekly River Monitoring Bulletin and forecasting issued on 07 October 2024 can be found in **Table 2.** Results of the weekly river monitoring and forecasting bulletin are also available at http://ffw.mrcmekong.org/bulletin.php



MEKONG RIVER MONITORING AND FORECASTING BULLETIN

Monitoring on 07 October 2024, 7:00 (UTC+7)

Highlights: Water levels at all stations along the Mekong mainstream have decreased. The **total volume of accumulated reverse flow** to **Tonle Sap Lake** has remained constant **(25.49 Km³)** since 01 October 2024.

THE FORECASTING HYDROLOGICAL STATION MAP **CURRENT WATER LEVEL STATUS** OF THE LOWER MEKONG BASIN (LMB) Monitoring Station Water Level (PMFM*6C) The river flood forecast bulletin is produced at 22 main stations along the mainstream and is issued daily during the flood season, which is between 1st June to 31 October. This bulletin provides current water status and a five-day forecast on a daily basis. Jinghong Normal Chiang Saen Normal Luang Prabang* Normal Chiang Khan Normal Vientiane Normal Normal Nongkhai Normal Paksane Normal Nakhon Phanom Normal Thakhek Normal Mukdahan Normal avannakhet Normal Khong Chiam Normal Normal Pakse Stung Treng Normal Normal Kompong Cham Oh Khe Neak Luong Prek Kdam Norma Tan Chau Normal * Procedures for Maintenance of Flows on the Mainstream ** Luang Probang station is influenced by hydropowers at its upstream and downstream **REVERSE FLOW VOLUME PREK KDAM (PMFM*6B)** No Rain 1 - 50 50 - 100 100 - 150 150 - 200 >200 Max-Min (1996-2005) Average (1996-2005) 50 2023 40 **Current Water Level Status** 07 October 2024: 25.49 km³ Normal: Normal water level 30 Alarm: Water level ranges between alarm and flood levels Flood: Water level exceed flood level. 200 100 Remarks: The river flood forecast bulletin is produced at 22 main stations along the mainstream and is issued daily during the flood season, which runs from 1st June to 31st October. This bulletin provides information on the current water level status and a five-day forecast on a daily basis. Accumulated reverse flow volume at Prek Kdam WATER LEVEL STATUS DEFINITIONS Flow volumes on 07 October 2024: Normal Normal water level. Minimum reverse flow volume (1996-2005): 23.848 Km³ Alarm when the water level ranges between alarm and Average reverse flow volume (1996-2005): 42.84 Km³ Alarm flood levels. Maximum reverse flow volume (1996-2005): Flood is when the flood level exceeds. A flood level is Flood determined by member countries. *Procedures for Maintenance of Flows on the Mainstream MRC Secretariat, Vientiane, Lao PDR | E: mrcs@mrcmekong.org | T: +856 21 263 263 MRC Regional Flood and Drought Management Centre, Phnom Penh, Cambodia | E: floodforecast@mrcmekong.org | T: +855 23 425 353 http://ffw.mramekong.org/bulletin_wet.php http://ffw.mramekong.org/reportflood.php



MEKONG RIVER MONITORING AND FORECASTING BULLETIN

Forecasting from 08 to 12 October 2024

Highlights: Light to moderate rain is expected over the LMB. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta. Water Levels at all stations along the Mekong mainstream are expected to gradually drop.

Forecasting Station	24 h Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Observed Water Level againt zero gauge (m)		1						Flood Level (m)	Forecasted Water Levels Change in 5 days (m)	Max. Water levels change within next 5	Min. distance to alarm level within next 5	Min. distance to flood level within next 5	
	06-Oct		06-Oct	07-Oct	08-Oct	09-Oct	10-Oct	11-Oct	12-Oct				days (m)	days (m)	days (m)	
Jinghong	0.0	4	536.07	→ 536.10		-	-	1.5		3	381	-	-	-	(4)	
Chiang Saen	0.0	357.110	4.58	→ 4.62	↑ 4.76	↑ 4.87	↓ 4.61	↓ 4.48	↓ 4.27	11.50	12.80	↓ -0.35	-0.35	6.63	7.93	
Luang Prabang	0.0	267.195	12.62	↓ 12.30	↓ 12.10	↓ 11.94	→11.89	↓ 11.75	↓ 11.64	17.50	18.00	↓ -0.67	-0.67	5.40	5.90	
Chiang Khan	0.0	194.118	10.58	↓ 10.36	↓ 10.19	↓ 9.96	→ 9.89	↑ 10.09	↑ 10.20	14.50	16.00	→ -0.16	-0.47	4.30	5.80	
Vientiane Vientiane	0.0	158.040	7.81	↓ 7.68	↓ 7.41	↓ 7.10	↓ 6.86	↓ 6.73	↑ 6.87	11.50	12.50	→ -0.81	-0.95	4.09	5.09	
Nongkhai	0.0	153.648	8.53	↓ 8.35	₩ 8.03	↓ 7.71	↓ 7.42	→ 7.30	↑ 7.45	11.40	12.20	↓ -0.90	-1.05	3.38	4.18	
Paksane Paksane	0.0	142.125	9.64	↓ 9.39	↓ 9.20	↓ 9.05	↓ 8.92	↓ 8.75	↓ 8.62	13.50	14.50	→ -0.77	-0.77	4.30	5.30	
Nakhon Phanom	0.0	130.961	8.69	↓ 8.57	↓ 8.40	♦ 8.25	→8.18	→ 8.09	↓ 7.93	11.50	12.00	→ -0.64	-0.64	3.10	3.60	
Thakhek	0.0	129.629	9.69	↓ 9.56	↓ 9.38	♦ 9.21	→9.14	→ 9.06	↓ 8.92	13.00	14.00	→ -0.64	-0.64	3.62	4.62	
Mukdahan	0.0	124.219	8.13	↓ 8.06	↓ 7.92	↓ 7.68	↓ 7.55	↓ 7.31	→ 7.11	12.00	12.50	↓ -0.95	-0.95	4.08	4.58	
Savannakhet	0.0	124.219	6.52	↓ 6.44	↓ 6.32	♦ 6.10	↓ 5.88	↓ 5.69	↓ 5.49	12.00	13.00	→ -0.95	-0.95	5.68	6.68	
Khong Chiam	0.0	89.030	9.76	↓ 9.57	↓ 9.28	↓ 8.93	↓ 8.77	→ 8.79	→ 8.73	13.50	14.50	↓ -0.84	-0.84	4.22	5.22	
Pakse Pakse	0.0	86.490	7.90	↓ 7.69	↓ 7.37	↓ 6.95	↓ 6.65	↓ 6.57	↓ 6.44	11.00	12.00	J -1.26	-1.26	3.63	4.63	
Stung Treng	0.0	36.790	7.35	↓ 7.20	↓ 7.09	↓ 6.93	↓ 6.85	↓ 6.71	↓ 6.60	10.70	12.00	↓ -0.60	-0.60	3.61	4.91	
Kratie	0.0	-0.101	17.61	↓ 17.20	↓ 16.93	↓ 16.50	↓ 15.93	↓ 15.62	↓ 15.38	22.00	23.00	J -1.82	-1.82	5.07	6.07	
Kompong Cham	0.0	-0.930	11.96	↓ 11.66	↓ 11.42	↓ 11.24	↓ 11.02	↓ 10.76	↓ 10.52	15.20	16.20	↓ -1.14	-1.14	3.78	4.78	
Phnom Penh (Bassac)	29.0	-1.020	8.39	♦ 8.35	↓ 8.30	↓ 8.26	↓ 8.21	↓ 8.14	↓ 8.07	10.50	12.00	→ -0.28	-0.28	2.20	3.70	
Phnom Penh Port	nr	0.070	6.93	↑ 6.98	→ 6.96	↓ 6.93	↓ 6.89	↓ 6.82	↓ 6.75	9.50	11.00	↓ -0.23	-0.23	2.54	4.04	
Koh Khel	22.0	-1.000	7.21	↓ 7.18	↓ 7.11	↓ 7.04	↓ 6.98	↓ 6.95	→ 6.93	7.90	8.40	→ -0.25	-0.25	0.79	1.29	
Meak Luong	3.1	-0.330	6.14	↓ 6.13	↓ 6.10	↓ 6.06	↓ 6.02	↓ 5.98	↓ 5.94	7.50	8.00	↓ -0.19	-0.19	1.40	1.90	
Prek Kdam	37.3	0.080	7.48	→ 7.48	→ 7.47	→ 7.46	→ 7.45	→ 7.42	↓ 7.39	9.50	10.00	↓ -0.09	-0.09	2.03	2.53	
Tan Chau	12.5	0.000	3.16	↓ 3.13	→ 3.10	↓ 3.07	→ 3.04	↓ 3.01	→ 2.98	3.50	4.50	↓ -0.15	-0.15	0.40	1.40	
Chau Doc	94.0	0.000	2.89	↓ 2.86	→ 2.84	→ 2.83	→ 2.81	→ 2.79	→ 2.77	3.00	4.00	↓ -0.09	-0.09	0.16	1.16	

WATER LEVEL FORECASTING DEFINITIONS

1	Rising water level.
→	Stable water level: stable water level is defined as a daily change of less than 10cm from Chaing Saen to Savannakhet; less than 5cm at Pakse and Stung Treng; and no more than 3cm from Kratie downstream.
\downarrow	Falling water level.
Х	No data available.
Alarm stage	Alarm stage is when the water level ranges between alarm and flood levels.
Flood stage	Flood stage is when the flood level exceeds. A flood level is determined by member countries.

NOTES

- On 07 October, water levels at all stations along the Mekong mainstream are in normal condition. Water levels at all stations have dropped. The total volume of accumulated reverse flow to Tonle Sap Lake has remained constant (25.49 Km³) since 01 October 2024.
- For 08-12 October, light to moderate rain is expected over the LMB. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta.
- For **08-12 October**, water Levels at all stations at of Mekong mainstream are expected to drop. Water levels at downstream stations from Stung Treng downward are likely decreasing.

MRC Secretariat, Vientiane, Lao PDR | E: mrcs@mrcmekong.org | T: +856 21 263 263 MRC Regional Flood and Drought Management Centre, Phnom Penh, Cambodia | E: floodforecast@mrcmekong.org | T: +855 23 425 353

http://www.mrcmekong.org/ http://ffw.mrcmekong.org/bulletin_wet.php http://ffw.mrcmekong.org/reportflood.php https://pmfm.mrcmekong.org/ DISCLAIMER
This information is supplied

This information is supplied as a service to the governments of the MRC Member Countries so that it may be used as a tool within existing national disaster forecast and warning systems.

6.3 Flash Flood Information

With the predicted rainfall for the coming week, flash floods might be detected in some areas in the LMB. Local heavy rain in a short period of time is possible with unpredictable short flash floods.

Further detailed information on Flash Flood Guidance Information, as well as its explanation, is available for download <u>here</u>.

6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months. The MRC's DFEWS adopts the global scale of North America Multi-Model Ensemble (NMME) for the seasonal outlook of rainfall.

Figure 13 below shows the monthly forecasts of combined drought indicator from October to Deccember 2024 over the LMB area.




Figure 14. Monthly forecasts of combined drought indicator for a) October, b) November and c)

December 2024.

Figure 14 illustrates the monthly drought forecast for the upcoming three months using the Combined Drought Indicator (CDI). The forecast indicates that no significant drought conditions are expected across the entire LMB during this period. However, in November 2024, the upper part of the LMB, including Xayabouly province, is anticipated to experience moderate drought conditions; and in December, Luang Namtha province, is anticipated to experience moderate drought conditions.

7 Summary and Possible Implications

7.1. Rainfall and its forecast

In the period of 01 – 07 October 2024, light to heavy rainfall has been observed over the LMB. Especially, heavy to very heavy rain occurred in some areas in Chiang Rai, Moung Namtha, Chiang Saen, Vang Vieng, Luang Prabang, Xiengkhouang, Mukdahan, Savannakhet, Pursat, Kompong Chhnang, Bassac Chaktomuk, Prek Kdam, Chau Doc, My Thuan.

From 08 – 14 October 2024, Light to moderate rain is expected over the Lower Mekong Basin. However, isolated heavy rain may occur in some areas in the lower part of the LMB include Cambodia and the Mekong Delta during this period.

7.2. Water level and its forecast

At 22 key monitoring stations along the Mekong mainstream from 01 - 07 October 2024, water levels at all stations along the Mekong mainstream have. However, water levels are in normal conditions. The total accumulated volume of the reverse flow to Tonle Sap Lake remains 25.49 Km³. This value has remained constant since 01 October 2024

In the period of 08 - 12 October 2024, water levels at upstream stations along Mekong mainstream from are likely expected to drop. At the upper part of the basin, water levels are expected to drop between -0.35 m to -1.05 m, while in the downstream stations, it dropped between -1.82 m to -0.09 m.

7.3. Flash flood and its trends


With the predicted of rainfall for the coming week as mentioned earlier in part 2, the flash flood guidance at a low to high level will likely be detected in some areas of the LMB.


7.4. Drought condition and its forecast


From 01 - 07 October 2024, the LMB is experiencing normal to wet conditions. From 08 - 14 October 2024, the LMB is likely at normal conditions. No drought is forecasted for the whole region.

From October to December 2024, the forecast indicates that no significant drought conditions are expected across the entire LMB during this period. However, in November 2024, the upper part of the LMB, including Xayabouly province, is anticipated to experience moderate drought conditions; and in December, Luang Namtha province, is anticipated to experience moderate drought conditions.

Annex A: Weekly water level monitoring at the 22 key stations







Annex B: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
04-06-2024	535.51	1.89	9.08	4.10	2.21	1.76	2.90	2.52	3.74	2.85	1.28	3.33	2.20	3.26	8.41	3.22	1.79	0.80	2.00	1.72	1.02	1.09	1.27
05-06-2024	536.16	1.91	9.14	4.48	1.98	1.58	2.95	2.45	3.65	2.79	1.26	3.50	2.30	3.31	8.50	3.28	1.85	0.86	1.90	1.55	1.12	1.11	1.27
06-06-2024	536.85	1.93	8.98	4.78	2.07	1.53	2.98	2.42	3.64	2.79	1.22	3.45	2.30	3.35	8.58	3.34	2.00	0.98	2.00	1.32	1.17	0.97	1.16
07-06-2024	536.75	2.30	9.06	4.82	2.35	1.80	2.99	2.52	3.74	2.83	1.27	3.29	2.23	3.40	8.69	3.38	2.03	0.95	2.08	1.24	1.18	0.73	0.94
08-06-2024	536.64	3.07	9.12	4.80	2.40	1.92	3.05	2.55	3.76	2.87	1.35	3.45	2.28	3.36	8.74	3.50	2.10	0.99	2.22	1.30	1.26	0.38	0.63
09-06-2024	536.48	3.22	9.08	4.88	2.38	1.92	3.00	2.62	3.83	2.87	1.35	3.51	2.34	3.32	8.74	3.52	2.15	0.99	2.28	1.38	1.31	0.04	-0.13
10-06-2024	536.49	3.16	9.25	5.27	2.40	1.92	3.10	2.68	3.90	2.89	1.34	3.35	2.39	3.41	8.74	3.52	2.13	1.00	2.46	1.44	1.36	-0.35	-0.34
Flood level		12.80	18.00	16.00	12.50	12.00	14.50	12.50	14.00	12.50	13.00	14.50	12.00	12.00	23.00	16.20	12.00	11.00	7.90	8.00	10.00	4.50	4.00


Table A2: Weekly observed rainfall

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
04-06-2024	22	71.2	0	1.3	11	35.4	8.2	39.1	34.1	0	2.8	0	0	0	0	0	0		0	0	0	0	11
05-06-2024	0	0	0	0	0	0	9.1	14	23	6.5	0	16.1	0	0	0	0	0		0	0	0	0	0
06-06-2024	0.5	6.8	1.4	8.4	23.1	31	35.5	6.9	2.6	24.3	21	0	30.2	5	53.2	17.6	23		0	0	16.4	0	0
07-06-2024	0	0.4	0	0	0	6.1	4.5	0.3	0	0	0	0	0	0	0	0	0		0	0	0	0	0
08-06-2024	15	0	0	0	0.5	0	20	0	0	0	0	45.7	63.2	0	12	1.5	8.7		0	10	18.3	0	0
09-06-2024	0.5	2.4	0	1.3	8.9	13.5	0.9	18.6	16.4	7.5	18.2	20.6	17.7	2.5	2	0	10.2		1	4.8	15.2	30.4	46
10-06-2024	14.5	0	19.2	9	15.9	7.5	30.2	0.4	0.5	1.4	0	0	0	9	18.1	0	0		0	0	0	0	0
Sum	52.5	80.8	20.6	20.0	59.4	93.5	108.4	79.3	76.6	39.7	42.0	82.4	111.1	16.5	85.3	19.1	41.9	0.0	1.0	14.8	49.9	30.4	57.0

Annex C: Performance of the weekly flood forecasting

"Accuracy" here refers to the state where data recorded in the MRC's Mekong River Flood Forecasting System are cleaned and verified.

The adjustment of flood forecasting outcomes from the flood forecasting system requires flood forecasters to have extensive knowledge in hydrology and statistical modelling for estimating the relationships between stations upstream and downstream in the Mekong River Basin. Flood forecasting performance presented in the graph below shows the average flood forecasting accuracy at each key station along the Mekong mainstream from 01 to 07 October 2024.



The forecasting values from 01 to 07 October 2024 show that the overall accuracy is fair for a four-day to five-day forecast in lead time (less than 250 cm) for all forecasting stations.

Note: The higher percentage of flood forecasting accuracy is due to several key factors as follows:

- Missing rainfall in Cambodia (DOM) data and data input are not sufficient to be used for inputting into the flood forecasting model system.
- Chiang Saen station is influencing by hydropower upstream operation from China.
- Luang Prabang to Chiang Khan and Paksane to Stung Treng to Kratie have been influenced by hydropower operations upstream, tributaries inflows.
- The influence of heavy rainfall caused by storms and hydropower operations from upstream, tributaries inflows and the lower part of the Mekong floodplain, including the 3S (Stung Treng and Kratie).
- Fluctuations of the water levels at Tan Chau and Chau Doc stations were due to daily tidal effects of the sea in the Mekong Delta.
- Satellite rainfall data were not representative of the actual rainfall at ground stations in some areas of the Mekong region.



Mekong River Commission Secretariat