

Weekly Wet Season Situation Report in the Lower Mekong River Basin

27 August - 02 September 2024

Prepared by
The Regional Flood and Drought Management Centre
03 September 2024



Copyright © Mekong River Commission, 2024

First published (2020)

Some rights reserved.

This work is the product of the Mekong River Commission Secretariat. While all efforts are made

to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on

any map in this work do not imply any judgement on the part of the MRC concerning the legal

status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges

and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-

profit purposes without special permission from the copyright holder, provided acknowledgement

of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for

sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 27 August – 02

September 2024.

ISSN: 1728-3248

Keywords: Monitoring/forecasting/weather/the Mekong/the Tonle Sap Lake

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2024). Weekly wet season situation report in the Lower Mekong River

Basin for 27 August – 02 September 2024. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at

http://www.mrcmekong.org/ publications/

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Content

Co	ontent.		i
Li	st of Fig	gures	ii
Li	st of Ta	bles	iii
Κe	ey Mess	sages	iv
1	Intro	oduction	1
2	Gen	eral Weather Patterns	2
3.	Rain	Ifall and Water Level Monitoring	3
	3.1.	Rainfall monitoring	3
	3.2.	Water level monitoring	5
4.	Flas	h Flood in the Lower Mekong Basin	9
5.	Droi	ught Monitoring in the Lower Mekong Basin	10
	5.2.	Weekly drought monitoring from 27 August to 02 September 2024	10
6	Wea	ather and Water Level Forecast and Flash Flood information	13
	6.1	Rainfall forecast	13
	6.2	Water level forecast	15
	6.3	Flash Flood Information	18
	6.4	Drought forecast	18
7	Sum	mary and Possible Implications	19
	7.1.	Rainfall and its forecast	19
	7.2.	Water level and its forecast	19
	7.3.	Flash flood and its trends	19
	7.4.	Drought condition and its forecast	19
Αı	nnex A:	Weekly water level monitoring at the 22 key stations	22
Αı	nnex B:	Tables for weekly updated water levels and rainfall at the Key Stations	25
Αı	nnex C:	Performance of the weekly flood forecasting	29

List of Figures

Figure 1: Weather conditions over the LMB	2
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC	3
Figure 3: One tropical storm risk observed on 02 September 2024	3
Figure 4: Weekly rainfall distribution over the LMB during 27 August – 02 August 2024	4
Figure 5: The key stations along LMB for river flood forecasting	6
Figure 6. Water level at the Jinghong hydrological station up to 02 September 2024	7
Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake	8
Figure 8. The seasonal change in monthly volume of Tonle Sap Lake	8
Figure 9. Flash Flood risk for the next 12-hr and 24-hr on 27 August	.0
Figure 10: Weekly standardized precipitation index from 27 August to 02 September 1	.1
Figure 11: Weekly Index of Soil Water Fraction from 27 August to 02 September 1	.2
Figure 12: Weekly Combined Drought Index from 27 August to 02 September	.3
Figure 13: Accumulated rainfall forecast from CHIRPS-GEFS (03 – 07 September 2024) 1	.4
Figure 14. Monthly forecasts of combined drought indicator for a) September, b) October and c) November 2024 1	L8

List of Tables

Table 1. The monthly change in the flow volume of Tonle Sap Lake	<u>c</u>
, ,	
Table 2. Detected moderate to high-risk flash flood in Cambodia PDR on 27 August	<u>S</u>
Table 3. River Monitoring and Forecasting Bulletin	. 16

Key Messages

Key messages for this weekly report are presented below.

Rainfall monitoring and forecast

- In the period of 27 02 September 2024, light to heavy rainfall has been observed over the LMB. Especially, heavy rain occurred in some areas in Chiang Saen, Pak Beng, Sayaboury, Nong Khai, Vientiane, Khong Chiam, Stung Treng, Kratie, Basssac Chaktomuk, Koh Khel, Vam Nao.
- From 03 09 September 2024, moderate to heavy rainfall is expected to occur in Cambodia and the 3S Basin of Sekong, Sesan, and Srepok. Moreover, heavy rain is expected to happen in the upper part of the LMB on 08 September 2024.

Water level monitoring and forecast

- At 22 key monitoring stations along the Mekong mainstream from 27 August 02 September 2024, the water levels at other stations are in normal conditions, which do not reach alarm and flood levels. The total accumulated volume of the reverse flow to Tonle Sap Lake remains 16.85 Km3 since 17 August 2024.
- In the period of 03 07 August 2024, water levels at upstream stations along Mekong mainstream from are likely expected to rise from Chiang Saen to Chiang Khan. However, from Vientiane to Savannakhet, it is likely dropping. From Khong Chiam station downward, the water levels are expected to rise. Other stations are expected in normal conditions, which do not neither reach alarm nor flood levels.

Drought condition and forecast

- From 27 August to 02 September 2024, the LMB was experiencing moderate and severe droughts in the central part covering mainly Lao PDR and Cambodia. Severe drought was taking place in Kampong Cham, Kampong Thom, Kratie, and Preah Vihear of Cambodia; Khammouan and Savanakhet of Lao PDR. The observed drought was caused primarily by meteorological indicator.
- From 03 09 September: the Lower Mekong Basin is likely at normal conditions. No drought is forecasted for the whole region.

1 Introduction

This Weekly Wet Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for **27 August** – **02 September 2024**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. The water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB.
- Water levels in the LMB, including in the Tonle Sap Lake.
- Flash flood and drought situation in the LMB.
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: http://ffw.mrcmekong.org/bulletin.php.

Drought monitoring and forecasting information is available at: http://droughtforecast.mrcmekong.org

Flash flood information is accessible at: http://ffw.mrcmekong.org/ffg.php

2 General Weather Patterns

During 27 August – 02 September 2024, light to heavy rainfall has been observed over the LMB. Especially, heavy rain occurred in some areas in Chiang Saen, Pak Beng, Sayaboury, Nong Khai, Vientiane, Khong Chiam, Stung Treng, Kratie, Basssac Chaktomuk, Koh Khel, Vam Nao.

Figure 1 presents the mean sea level pressure over the region. A tropical storm, namely YAGI entered the Northeast Sea. At 7 AM 03 September, the center of the storm was at about 18.4 degrees North latitude; and 119.8 degrees East longitude; with maximum sustained winds of 62-74 km/h. This storm is moving in the West-Northwest direction, around 20-25 km/h, and the intensity of this storm is likely to get stronger. In the next 72 hours (on 06 September), this tropical storm will be in the sea of Hainan Island (China). It is forecasted that some areas in the Northern part of Laos are likely to have heavy rain from 08 to 09 Sep due to the impact of this storm.




Figure 1: Weather conditions over the LMB

According to the ASEAN Specialised Meteorological Centre (ASMC, http://asmc.asean.org/home/), the subseasonal weather outlook (19 August – 01 September 2024) indicates that wetter and warmer conditions are predicted from lower to central parts of Lower Mekong. **Figure 2** shows the outlook of weather condition from 19 August – 01 September 2024 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

Based on the tropical storm risk (TS) (https://www.tropicalstormrisk.com/), there is one active NW pacific system as of 02 September 2024 as displayed in **Figure 3.** However, this tropical storm may not affect the LMB.




Figure 3: One tropical storm risk observed on 02 September 2024

3. Rainfall and Water Level Monitoring

3.1. Rainfall monitoring

The weekly accumulated rainfall is based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 27 August – 02 September 2024 (**Figure 4**). Light to very heavy rainfall has been observed over the LMB. Especially in the period from 27 August to 02 September, due to the monsoon trough laying across the upper part of Laos into the low-pressure cell over upper Viet Nam, heavy to very heavy rain occurred in the Northern part of Laos and Thai land, including Chiang Rai, Chiang Saen, Nong Khai, Thoeng, Pklay, Vang Vieng, Vientiane, Muong Mai, Muong Kao.




Figure 4: Weekly rainfall distribution over the LMB during 27 August – 02 August 2024

3.2. Water level monitoring

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in **Figure 5**. The hydrograph for each key station is available from the MRC's River Flood Forecasting: http://ffw.mrcmekong.org/overview.php.

During 27 August – 02 September 2024, the observed water level (WL) at Jinghong hydrological station¹, was almost constant and ranges between 536.92 m and 536.61 m, which are corresponding to the outflow between 2,090.00 m³/s to 1,840.00 m³/s (recorded on 7:00 am), respectively (**Figure 6**). The water level in Chiang Saen station also indicated a fluctuation ranging from 7.85 m to 5.31 m. At the same period, the water level in Luang Prabang station also decreased with an approximate value of 2.04 m from 15.98 m to 13.94 m as compared to the previous week.

During the same period, the water levels observed at stations from Chiang Khan to Paksane have been decreasing. At Chiang Khan, Vientiane, Nongkhai, and Paksane, water levels have decreased from 14.20 m to 12.13 m, 11.01 m to 9.70 m, 11.73 m to 10.67 m, and 12.06 m to 11.66 m, respectively. Moreover, from Nakhon Phanom downward, water levels have been increasing. At Nakhon Phanom, Thakhek, Mukdahan, Savannakhet, Khong Chiam, Pakse, Stung Treng and Kratie, the water levels have increased from 10.17 m to 10.58 m, 11.12 m to 11.73 m, 9.37 m to 10.02 m, 7.77 m to 8.55 m, 10.1 m to 10.99 m, 8.12 m to 8.88 m, 7.16 m to 7.97 m and 16.30 m to 17.98 m, respectively. Moreover, in the floodplain areas, at Kampong Cham, Phnom Penh Port, Phnom Penh Bassac, Neak Luong, Koh Khel, and Prek Kdam, water levels have also increased from 9.9 m to 11 m, 6.3 m to 6.84 m, 5.22 m to 5.63 m, 5.76 m to 6.19 m, 4.48 m to 4.76 m, and 5.38 m to 5.87 m, respectively.

From to the previous week, the water levels from 27 August to 02 September 2024 at Viet Nam's Tan Chau and Chau Doc, water levels have decrease from 1.77 m to 2.18 m and from 1.65 m to 2.16 m, respectively.

¹ Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry.




Figure 5: The key stations along LMB for river flood forecasting

The water levels in key monitoring stations on 02 September, water levels at all stations have returned to normal conditions, which do not neither reach alarm nor flood levels. However, Chiang Khan and Vientiane stations reached alarm levels on 28 August, while Nongkhai reached flood level on 29 August. However, at other stations, the water levels are in normal conditions, which do not reach alarm and flood levels. Moreover, all stations with available PMFM (Article 6C) thresholds are in normal conditions. The graphics of water level monitoring in all key stations are presented in **Annex A** and the weekly water levels and rainfall at each key station are summarised in **Annex B**.

Figure 6. Water level at the Jinghong hydrological station up to 02 September 2024.

At the end of the wet season, when water levels along the Mekong River subside, the outflow of the Tonle Sap Lake (TSL) returns to the Mekong River and then to the Delta. This phenomenon normally takes place between September and October. Based on flow observation at Prek Kdam monitoring station, the inflow/reverse of the Tonle Sap Lake took place since 29 June 2024.

The outflow flow is calculated based on a formula of rating-curves using by difference of water levels at Kompong Luong and Phnom Penh Port stations for slop and Prek Kdam as cross-section of the Lake. The formula of flow is as follows:

$$Flow = WL_{Prek\ Kdam}^{1.2} \times \sqrt{|WL_{Phnom\ Penh\ Port} - WL_{Kampong\ Luong}|}$$

Where, WL is water level in m (msl).

The seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2020, 2021 and 2022, 2023 and their LTA level (1997-2023) are

illustrated in **Figure 7**. The reversed flow to the lake has returned since 30 August 2024 with accumulated volume of 16.85 Km³. This may be resulted from high water contribution from upstream part of the LMB due to high rainfall in the past weeks.

The seasonal changes in monthly flow volumes up to 02 September 2024 for the TSL compared with that in 2020, 2021, 2022, 2023 and their LTAs, and the fluctuation levels (1997–2023) are presented in **Table 8**. The mean monthly water volume of the Tonle Sap Lake in August 2024 is lower than its LTA (about 67.32 %), 2019, 2021, 2022 and 2023 but higher than only that in 2020 during the same period **(Figure 8 and Table 1)**. However, updated until 02 September 2024, the volume of the lake is approximately 49.16% of its LTA in September.

Inflow and Outflow of the Tonle Sap Lake 12000 TSL Outflow 2024 TSL Inflow 2024 TSL Outflow 2023 started 9000 Inflow and outflow, [cumecs] 6000 3000 0 Ave 96-23 (Outflow) -3000 Ave 96-23 (Inflow/Reverse flow) Ave 96-23 2020 2021 -6000 2022 2024 inflow 2023 2024 -9000 May Jul Dec Jan Feb Mar Apr

Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake.




Figure 8. The seasonal change in monthly volume of Tonle Sap Lake.

Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	LTA Max (97-22) Volume [MCM] [MCM]		Min Volume [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume 2023 [MCM]	Volume 2024 [MCM]	Volume in 2024 [%], compared with its LTA
Jan	11487.13	20039.88	4796.69	7998.69	4796.69	7405.81	7998.69	10700.62	8610.88	74.96
Feb	6697.79	12266.87	3757.30	4954.90	3757.30	4671.15	5405.65	6309.00	5211.05	77.80
Mar	4822.51	8340.62	3030.40	3936.30	3259.79	4147.46	4330.50	4299.86	3936.30	81.62
Apr	4033.80	9203.09	2552.38	3317.61	2635.83	3259.79	4026.48	3609.52	3580.11	88.75
May	4376.15	9938.04	2441.69	3317.61	2469.30	3462.96	5668.52	3404.68	3609.52	82.48
Jun	7357.50	18344.65	2775.77	3580.11	2832.04	4765.22	7886.07	3936.30	3698.04	50.26
Jul	16001.18	40825.01	3230.96	4269.27	3230.96	7333.01	13751.91	7260.51	11671.87	72.94
Aug	31847.52	54529.13	10021.39	12266.87	10021.39	12453.19	27226.87	18168.63	21440.19	67.32
Sep	45088.00	72427.44	14251.59	35070.22	14251.59	22430.63	39624.67	30811.08	22163.64	49.16
Oct	44317.53	72124.19	22296.87	25074.27	28782.41	32331.33	48230.13	38255.90		
Nov	31391.74	49030.83	14302.12	14302.12	23867.31	25218.90	31989.11	28075.12		
Dec	19550.90	31734.10	7886.07	7886.07	13900.73	15599.94	19545.75	16466.19		
	Critical situ	ation: lower	than long-t	erm minimu	ım values (L	.TMIN)				
	Normal cor	ndition: with	in the range	of long-ter	m min (LTM	IN) and max	x (LTMAX) v	/alues		
	Low volum	e situation:	lower than I	ong-term av	verage (LTA	١)				
Unit: Million	n Cubic Met	er (1 MCM=	0.001 Km ³)						

Remarks: the monthly volume of Tonle Sap Lake in 2024 is updated untill 02 Sept 2024.

4. Flash Flood in the Lower Mekong Basin

During the weekly monitoring period from 27 August to 02 September 2024, the LMB received light to heavy rain in some areas in the upper and central parts of the LMB.

According to the Southeast Asian Flash Flood Guidance System (SEAFFGS) and analysis, flash flood guidance was detected high level in the next 1, 3, and 6 hours in some areas of Cambodia during this period, the reporting period as shown in <u>Figure 14</u> and <u>Table 2</u>.

Table 2. Detected moderate to high-risk flash flood in Cambodia PDR on 27 August

FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN														
In the n	ext 1hrs		In the ne	xt 3hrs		In the next 6hrs								
Provinces	Districts	Level	Provinces	Districts	Level	Provinces	Districts	Level						
Kampong Cham	Stueng Trang	High	Kampong Cham	Stueng Trang	Moderate	Kampong Cham	Stueng Trang	Moderate						
Kratie	Preaek Prasab	Moderate	Mondul Kiri	Kaoh Nheaek	Moderate	Mondul Kiri	Kaoh Nheaek	Moderate						
Mondul Kiri	Kaoh Nheaek	High	Mondul Kiri	Ou Reang	Moderate	Mondul Kiri	Ou Reang	Moderate						
Mondul Kiri	Ou Reang	Moderate	Mondul Kiri	Pechr Chenda	High	Mondul Kiri	Pechr Chenda	High						
Mondul Kiri	Pechr Chenda	High	Ratana Kiri	Andoung Meas	Moderate	Ratana Kiri	Andoung Meas	Moderate						
Ratana Kiri	Andoung Meas	Moderate	Ratana Kiri	Koun Mom	High	Ratana Kiri	Koun Mom	High						
Ratana Kiri	Koun Mom	High	Ratana Kiri	Ou Chum	Moderate	Ratana Kiri	Ou Chum	Moderate						

FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN														
In the n	ext 1hrs	In the next 6hrs												
Provinces	Districts	Level	Provinces	Districts	Level	Provinces	Districts	Level						
Ratana Kiri	Ou Chum	Moderate	Ratana Kiri	Ta Veaeng	High	Ratana Kiri	Ta Veaeng	High						
Ratana Kiri	Ta Veaeng	High	Ratana Kiri	Veun Sai	Moderate	Ratana Kiri	Veun Sai	Moderate						
Ratana Kiri	Veun Sai	Moderate	Stung Treng	Sesan	Moderate	Stung Treng	Sesan	Moderate						
Stung Treng	Sesan	High	Stung Treng	Siem Pang	Moderate	Stung Treng	Siem Pang	Moderate						
Stung Treng	Siem Pang	High												




Figure 9. Flash Flood risk for the next 12-hr and 24-hr on 27 August

5. Drought Monitoring in the Lower Mekong Basin

5.2. Weekly drought monitoring from 27 August to 02 September 2024

Drought monitoring data for 2024 are available from Monday to Sunday every week; thus, the reporting period is normally delayed by one day compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

Weekly Standardised Precipitation Index (SPI1)

As indicated in **Figure 10** below, during 27 August to 02 September, the LMB was facing some moderate and severe meteorological droughts in southern Lao PDR and eastern Cambodia. Severe drought was taking place over Siem Reap, Preah Vihear, Kampong Thom, Kampong Cham, Kratie, Kandal, Mondulkiri, Ratanakiri, Khammouan, and Savanakhet.




Figure 10: Weekly standardized precipitation index from 27 August to 02 September.

Weekly Index of Soil Water Fraction (ISWF)

There were some moderate and severe agricultural droughts taking place during the monitoring week from 27 August to 02 September 2024 and mainly mainly in southern Lao PDR and eastern Cambodia, see **Figure 10**.




Figure 11: Weekly Index of Soil Water Fraction from 27 August to 02 September.

Weekly Combined Drought Index (CDI)

The combined drought indicator, **Figure 11**, shows that the LMB was experiencing moderate and severe droughts over the southern part. Severe drought was taking place in Kampong Thom, Kratie, and Stung Treng of Cambodia; Champasack, Khammouan, and Savanakhet of Lao PDR. The observed drought was caused primarily by meteorological indicator.

The impacted areas are listed below:

Number	Country	Province	Mderate	Severe	Extreme	Exceptional	Number	Country	Province	Mderate	Severe	Extreme	xceptiona	Number	Country	Province	Mderate	Severe	Extreme	Exceptional
1	Cambodia	Battamabang					24	Lao PDR	Oudomxai					47	Thailand	Udon Thani				
2	Cambodia	Banteay Meanchey					25	Lao PDR	Loungprabang					48	Thailand	Sakon Nakhon				
3	Cambodia	Kampong Cham					26	Lao PDR	Xayaburi					49	Thailand	Bueng Kan				
4	Cambodia	Pursat					27	Lao PDR	Xiengkhouang					50	Thailand	Nakhon Phanom				
5	Cambodia	Kampong Chhnang					28	Lao PDR	Vientiane					51	Thailand	Kalasin				
6	Cambodia	Otdar Meanchey					29	Lao PDR	Vientiane Capital					52	Thailand	Mukdahan				
7	Cambodia	Preah Vihear		S			30	Lao PDR	Xaisomboun					53	Thailand	Roi Et				
8	Cambodia	Kampong Thom		S			31	Lao PDR	Borikhamxai					54	Thailand	Yasothon				
9	Cambodia	Kratie					32	Lao PDR	Khammouan		S	S		55	Thailand	Amnat Charoen				
10	Cambodia	Mondulkiri					33	Lao PDR	Savanakhet		S			56	Thailand	Ubon Ratchathani				
11	Cambodia	Ratanakiri					34	Lao PDR	Salavan		S			57	Thailand	Si Sa Ket				
12	Cambodia	Tbong Khmum					35	Lao PDR	Xekong					58	Thailand	Surin				
13	Cambodia	Prey Veng					36	Lao PDR	Attapu					59	Thailand	Buri Ram				
14	Cambodia	Kampot					37	Lao PDR	Champasack		S			60	Thailand	Nakhon Ratchasima				
15	Cambodia	Takeo					38	Thailand	Chiang Mai					61	Viet Nam	Kon Tum				
16	Cambodia	Svai Rieng					39	Thailand	Chiang Rai					62	Viet Nam	Gia Lai				
17	Cambodia	Stung Treng		S			40	Thailand	Payao					63	Viet Nam	Dak Nong				
18	Cambodia	Kampong Speu					41	Thailand	Loei					64	Viet Nam	Dak Lak				
19	Cambodia	Kandal					42	Thailand	Nong Bua Lam Phu					65	Viet Nam	Dong Thap				
20	Cambodia	Siem Reap					43	Thailand	Khon Kaen					66	Viet Nam	Tien Giang				
21	Lao PDR	Bokeo					44	Thailand	Nong Khai					67	Viet Nam	An Giang				
22	Lao PDR	Luangnamtha					45	Thailand	Chaiyaphum						Other pro	vinces of the Mekong	Delta of Vie	t Nam ha	ve no data	
23	Lao PDR	Phongsali					46	Thailand	Maha Sarakham							Moderate		Severe		
																Extreme		xceptiona	I	

Note: S: short-term drought, less than 1 months; L: long-term drought, more than 1 month




Figure 12: Weekly Combined Drought Index from 27 August to 02 September.

More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: http://droughtforecast.mrcmekong.org/templates/view/our-product. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.

6 Weather and Water Level Forecast and Flash Flood information

6.1 Rainfall forecast

From 03 – 07 September 2024, the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain based on CHIRPS-GFS (**Figure 12**). The accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain and thunderstorms. Moderate to heavy rainfall is expected to occur in Cambodia and the 3S Basin of Sekong, Sesan, and Srepok. Moreover, heavy rain is expected to happen in the upper part of the LMB on 08 September 2024.




Figure 13: Accumulated rainfall forecast from CHIRPS-GEFS (03 – 07 September 2024)

6.2 Water level forecast

The five-day forecast is carried out from 03 to 07 September 2024 for 22 forecasting station along the Mekong mainstream. Overall, water levels at upstream stations from Chiang Saen to Chiang Khan are expected to increase, while from Vientiane to Savannakhet are expected to decrease. Moreover, from Khong Chiam downward, the water levels are likely rise.

At Chiang Saen, Luang Prabang, and Chiang Khan stations, water levels are expected to rise with approximated value of 0.38 m, 0.32 m, and 0.08 m, respectively. Moreover, at Vientiane, Nongkhai, Paksane, Nakhon Phanom, Thakhek, Mukdahan, and Savannakhet, the water levels are expected to drop with approximated value of -0.58 m, -0.65 m, -0.75 m, -0.47 m, -0.41 m, -0.50 m, and -0.48 m, respectively.

Moving downstream at Khong Chiam, Pakse, Stung Treng, Kratie, Kampong Cham, Phnom Penh Port, Phnom Penh Bassac, Neak Luong, Koh Khel and Prek Kdam, water levels are also expected to rise with value of 0.86 m, 0.76 m, 0.66m, 1.07m, 0.74m, 0.31m, 0.30m, 0.17m, and 0.23m, respectively.

For the Tan Chau station on the Mekong River and Chau Doc station on the Bassac River, water levels are also expected to increase approximately 0.15 m and 0.11 m, respectively.

The weekly River Monitoring Bulletin and forecasting issued on 02 September 2024 can be found in **Table 2.** Results of the weekly river monitoring and forecasting bulletin are also available at http://ffw.mrcmekong.org/bulletin.php



MEKONG RIVER MONITORING AND FORECASTING BULLETIN

Monitoring on 02 September 2024

Highlights: Water levels at all stations along mainstream has turned to normal conditions, which do not neither reached alarm nor flood levels. The total accumulated volume of reverse flow to Tonle Sap Lake is **16.65 Km³**.

THE FORECASTING HYDROLOGICAL STATION MAP **CURRENT WATER LEVEL STATUS** Flow Threshold OF THE LOWER MEKONG BASIN (LMB) **Monitoring Station** Water Level (PMFM*6C) The river flood forecast bulletin is produced at 22 main stations along the mainstream and is issued daily during the flood season, which is between 1st June to 31 October. This bulletin provides current water status and a five-day forecast on a daily basis. Jinghong Chiang Saen Normal Normal Luang Prabang** Normal Chiang Khan Normal Vientiane Normal Normal Nongkhai Normal Paksane Normal Nakhon Phanom Normal Thakhek Mukdahan Normal Savannakhet Normal Khong Chiam Pakse Stung Treng Normal Normal Kratie Compong Cham Phnom Penh (Bassac) Normal Phnom Penh Port Normal Koh Khel Normal Neak Luong Normal Prek Kdam Normal Tan Chau Normal Chau Doc Normal ocedures for Maintenance of Flows on the Mainstrean ** Luang Prabang station is influenced by hydropowers at its upstream and downstream REVERSE FLOW VOLUME PREK KDAM (PMFM*6B) Monitoring thresholds for Article 6B for accumulated reverse flows at Prek Kdam No Rain 1.0 - 50 50 - 100 100 - 150 Max-Min (1996-2005) Average (1996-2005) -2022 150 - 200 2023 **Current Water Level Status** 2024 Normal: Normal water level. Alarm: Water level ranges between alarm and flood levels 02 September 2024: 16.65 km³ Flood: Water level exceed flood level. 200 100 Remarks: The river flood forecast bulletin is produced at 22 main stations along the mainstream and is issued daily during the flood season, which runs from 1st June to 31st October. This bulletin provides information on the current water level status and a five-day forecast on a daily basis. Accumulated reverse flow volume at Prek Kdam WATER LEVEL STATUS DEFINITIONS Flow volumes on 02 September 2024: Normal Normal water level. Minimum reverse flow volume (1996-2005): 23.848 Km3 Alarm when the water level ranges between alarm and Average reverse flow volume (1996-2005): 42.84 Km³ Alarm flood levels. Maximum reverse flow volume (1996-2005): 54.046 Km³ Flood is when the flood level exceeds. A flood level is Flood determined by member countries. *Procedures for Maintenance of Flows on the Mainstream MRC Secretariat, Vientiane, Lao PDR | E: mrcs@mrcmekong.org | T: +856 21 263 263 MRC Regional Flood and Drought Management Centre, Phnom Penh, Cambodia | http://ffw.mramekong.org/bulletin_wet.php http://ffw.mramekong.org/reportflood.php



MEKONG RIVER MONITORING AND FORECASTING BULLETIN

Forecasting from 03 to 07 September 2024

Highlights: In the next five days, water levels at all upstream stations will stay in normal conditions and continue to drop from Chaing Khan to Savannakhet stations. The forecast is not expected to have any stations reaching alarm and flood levels.

Forecasting Station		Zero gauge above M.S.L (m)	Level a	red Water gaint zero ge (m)		precaste		•		Alarm Level (m)	Flood Level (m)	Forecasted Water Levels Change in 5 days (m)	Max. Water levels change within next 5	Min. distance to alarm level within next 5	Min. distance to flood level within next 5
	01-Sep		01-Sep	02-Sep	03-Sep	04-Sep	05-Sep	06-Sep	07-Sep				days (m)	days (m)	days (m)
Jinghong	0.0	-	7110177171101	→ 536.61	-	-	-	-	-		*	-		-	-
Chiang Saen	0.0	357.110	5.40	↓ 5.13		→ 4.88	↑ 5.12	↑ 5.34	↑ 5.51		12.80		0.38	5.99	7.29
Luang Prabang	0.0	267.195		↓ 13.94	-	↓ 13.63	↑13.83	↑ 13.97			18.00		0.32	3.24	3.74
Chiang Khan	12.0	194.118	0.0000000000000000000000000000000000000	↓ 12.13	↓ 11.90	▶ 11.71	→ 11.80	↑ 11.99	↑ 12.21	histochestyre.	16.00	200 2000000	-0.42	2.29	3.79
Vientiane	13.3	158.040	10.42	↓ 9.70	→ 9.47	↓ 9.21	↓ 9.01	→ 8.97	↑ 9.12	200000000000000000000000000000000000000	12.50		-0.73	2.03	3.03
Nongkhai	24.0	153.648	11.32	↓ 10.67	↓ 10.38	↓ 10.16	↓ 9.92	→ 9.88	↑ 10.02	11.40	12.20	→ -0.65	-0.79	1.02	1.82
Paksane	0.0	142.125	12.10	↓ 11.66	↓ 11.35	▶ 11.08	→ 11.02	→ 10.98	→ 10.91	13.50	14.50	→ -0.75	-0.75	2.15	3.15
Nakhon Phanom	22.4	130.961	10.80	↓ 10.58	↓ 10.37	↓ 10.25	↓ 10.09	→ 10.09	→ 10.11	11.50	12.00	↓ -0.47	-0.49	1.13	1.63
Thakhek	15.0	129.629	11.72	→ 11.73	→ 11.63	↓ 11.48	↓ 11.34	→ 11.34	→ 11.32	13.00	14.00	↓ -0.41	-0.41	1.37	2.37
Mukdahan	14.7	124.219	10.10	↓ 10.02	↓ 9.87	↓ 9.69	↓ 9.52	→ 9.48	→ 9.52	12.00	12.50	→ -0.50	-0.54	2.13	2.63
Savannakhet	9.2	124.219	8.49	→ 8.55	↓ 8.41	↓ 8.23	↓ 8.05	→ 8.01	→ 8.07	12.00	13.00	↓ -0.48	-0.54	3.59	4.59
Khong Chiam	60.0	89.030	10.85	↑ 10.99	→ 11.07	→ 11.10	↑11.20	↑ 11.54	↑ 11.85	13.50	14.50	↑ 0.86	0.86	1.65	2.65
Pakse Pakse	33.2	86.490	8.76	↑ 8.88	→ 8.91	→ 8.92	↑ 9.07	↑ 9.30	↑ 9.64	11.00	12.00	↑ 0.76	0.76	1.36	2.36
Stung Treng	52.0	36.790	7.70	↑ 7.97	↑ 8.17	↑ 8.27	↑ 8.34	↑ 8.43	↑ 8.63	10.70	12.00	↑ 0.66	0.66	2.07	3.37
Kratie Kratie	39.5	-0.101	17.80	↑ 17.98	↑ 18.27	↑ 18.48	↑ 18.59	1 18.77	↑ 19.05	22.00	23.00	↑ 1.07	1.07	2.95	3.95
Kompong Cham	22.0	-0.930	10.90	1 1.00	↑ 11.19	↑ 11.37	↑11.51	↑ 11.62	↑ 11.74	15.20	16.20	↑ 0.74	0.74	3.46	4.46
Phnom Penh (Bassac)	72.0	-1.020	6.75	↑ 6.84	↑ 6.90	↑ 6.98	↑ 7.04	↑ 7.10	↑ 7.15	10.50	12.00	↑ 0.31	0.31	3.35	4.85
Phnom Penh Port	nr	0.070	5.53	↑ 5.63	↑ 5.68	↑ 5.76	↑ 5.82	↑ 5.88	↑ 5.93	9.50	11.00	↑ 0.30	0.30	3.57	5.07
Koh Khel	59.8	-1.000	6.10	↑ 6.19	↑ 6.24	↑ 6.28	→6.31	↑ 6.34	→ 6.36	7.90	8.40	↑ 0.17	0.17	1.54	2.04
Meak Luong	42.2	-0.330	4.66	↑ 4.76	↑ 4.83	↑ 4.88	↑ 4.92	↑ 4.96	↑ 4.99	7.50	8.00	↑ 0.23	0.23	2.51	3.01
Prek Kdam	5.3	0.080	5.77	↑ 5.87	↑ 5.94	↑ 6.01	↑ 6.08	↑ 6.13	↑ 6.18	9.50	10.00	↑ 0.31	0.31	3.32	3.82
Tan Chau	30.3	0.000	2.14	↑ 2.18	→ 2.21	→ 2.23	↑ 2.27	→ 2.30	↑ 2.33	3.50	4.50	↑ 0.15	0.15	1.17	2.17
Chau Doc	28.0	0.000	2.11	↑ 2.16	→ 2.17	→ 2.19	→ 2.21	↑ 2.24	→ 2.27	3.00	4.00	↑ 0.11	0.11	0.73	1.73

WATER LEVEL FORECASTING DEFINITIONS

1	Rising water level.
\rightarrow	Stable water level: stable water level is defined as a daily change of less than 10cm from Chaing Saen to Savannakhet; less than 5cm at Pakse and Stung Treng; and no more than 3cm from Kratie downstream.
1	Falling water level.
Х	No data available.
Alarm stage	Alarm stage is when the water level ranges between alarm and flood levels.
Flood stage	Flood stage is when the flood level exceeds. A flood level is determined by member countries.

NOTES

- On 02 September, water levels at all stations, particularly upstream stations are in normal conditions. The total accumulated reverse flow to Tonle Sap Lake is 16.65 Km³.
- For **03-07 September**, moderate to heavy rainfall is expected to occur in Cambodia and the 35 basins.
- For 03-07 September, water levels at Chiang Saen and Luang Prabang are expected to increase. However, the water levels from Chiang Khan to Savannakhet stations are expected to drop. It is not expected have any stations reaching alarm and flood levels. From Khong Chiam downward, the water levels are expected to rise.
- The forecast is expected that water levels from Chiang Khan to Kampong Cham stations are staying above their Long-term averages (LTAs).

MRC Secretariat, Vientiane, Lao PDR | E: mrcs@mrcmekong.org | T: +856 21 263 263 MRC Regional Flood and Drought Management Centre, Phnom Penh, Cambodia | E: floodforecast@mrcmekong.org | T: +855 23 425 353

http://www.mrcmekong.org/ http://ffw.mrcmekong.org/bulletin_wet.ph http://ffw.mrcmekong.org/reportflood.php https://pmfm.mrcmekong.org/ DISCLAIMER
This information is supplied as a service to t

This information is supplied as a service to the governments of the MRC Member Countries so that it may be used as a tool within existing national disaster forecast and warning systems.

6.3 Flash Flood Information

With the predicted rainfall for the coming week, flash floods might be detected in some areas in the LMB. Local heavy rain in a short period of time is possible with unpredictable short flash floods.

Further detailed information on Flash Flood Guidance Information, as well as its explanation, is available for download here.

6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months. The MRC's DFEWS adopts the global scale of North America Multi-Model Ensemble (NMME) for the seasonal outlook of rainfall.

Figure 13 below shows the monthly forecasts of combined drought indicator from September to November 2024 over the LMB area.




Figure 14. Monthly forecasts of combined drought indicator for a) September, b) October and c)

November 2024.

Figure 14 illustrates the monthly drought forecast for the upcoming three months using the Combined Drought Indicator (CDI). The forecast indicates that no significant drought conditions are expected across the entire LMB during this period. However, in October 2024, the upper part of the LMB, including Phongsaly province, is anticipated to experience moderate to severe drought conditions.

7 Summary and Possible Implications

7.1. Rainfall and its forecast

In the period of 27 – 02 September 2024, light to heavy rainfall has been observed over the LMB. Especially, heavy rain occurred in some areas in Chiang Saen, Pak Beng, Sayaboury, Nong Khai, Vientiane, Khong Chiam, Stung Treng, Kratie, Basssac Chaktomuk, Koh Khel, Vam Nao.

From 03 - 09 September 2024, moderate to heavy rainfall is expected to occur in Cambodia and the 3S Basin of Sekong, Sesan, and Srepok. Moreover, heavy rain is expected to happen in the upper part of the LMB on 08 September 2024.

7.2. Water level and its forecast

At 22 key monitoring stations along the Mekong mainstream from 27 August – 02 September 2024, the water levels at other stations are in normal conditions, which do not reach alarm and flood levels. The total accumulated volume of the reverse flow to Tonle Sap Lake remains 16.85 Km³ since 17 August 2024.

In the period of 03 – 07 August 2024, water levels at upstream stations along Mekong mainstream from are likely expected to rise from Chiang Saen to Chiang Khan. However, from Vientiane to Savannakhet, it is likely dropping. From Khong Chiam station downward, the water levels are expected to rise. Other stations are expected in normal conditions, which do not neither reach alarm nor flood levels.

7.3. Flash flood and its trends

With the predicted of rainfall for the coming week as mentioned earlier in part 2, the flash flood guidance at a low to high level will likely be detected in some areas of the LMB.


7.4. Drought condition and its forecast


From 27 August to 02 September 2024, the LMB experienced moderate and severe droughts over the southern part of Lao PDR and the Eastern part of Cambodia.


From 03 to 09 September 2024, the LMB is likely at normal conditions. No drought is forecasted for the whole region.


From September to October 2024, the forecast indicates that no significant drought conditions are expected across the entire LMB during this period. However, in October 2024, the upper part of the LMB, including Phongsaly province, is anticipated to experience moderate to severe drought conditions.

Annex A: Weekly water level monitoring at the 22 key stations









Annex B: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
27-08-2024	536.92	7.29	16.32	14.39	11.19	11.93	12.10	10.35	11.28	9.56	7.95	10.28	8.20	7.18	16.39	9.94	6.30	5.21	5.75	4.48	5.39	1.76	1.68
28-08-2024	537.10	6.98	16.34	14.91	11.55	12.18	12.15	10.44	11.38	9.72	8.12	10.53	8.44	7.25	16.62	10.05	6.33	5.25	5.77	4.46	5.41	1.86	1.78
29-08-2024	537.09	6.85	15.36	15.03	12.11	12.69	12.30	10.50	11.43	9.80	8.21	10.76	8.68	7.47	16.86	10.20	6.39	5.31	5.82	4.52	5.45	2.01	1.96
30-08-2024	536.48	6.41	14.58	14.18	11.80	12.57	12.47	10.60	11.55	9.86	8.27	10.79	8.80	7.68	17.20	10.40	6.47	5.41	5.89	4.53	5.55	2.09	2.06
31-08-2024	536.51	5.97	14.12	13.32	11.49	11.98	12.42	10.77	11.72	9.94	8.30	10.78	8.74	7.72	17.59	10.70	6.62	5.49	6.00	4.59	5.66	2.10	2.06
01-09-2024	536.58	5.40	13.96	12.59	10.42	11.32	12.10	10.80	11.72	10.10	8.49	10.85	8.76	7.70	17.80	10.90	6.75	5.57	6.10	4.66	5.77	2.14	2.11
02-09-2024	536.61	5.13	13.94	12.13	9.70	10.67	11.66	10.58	11.73	10.02	8.55	10.99	8.88	7.97	17.98	11.00	6.84	5.66	6.19	4.76	5.87	2.18	2.16
Flood level		12.80	18.00	16.00	12.50	12.00	14.50	12.50	14.00	12.50	13.00	14.50	12.00	12.00	23.00	16.20	12.00	11.00	7.90	8.00	10.00	4.50	4.00


Table A2: Weekly observed rainfall

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
27-08-2024	0	30.5	16.2	24.8	23.5	30	2	0	0	42.4	8.8	0	0	5	79.5	21.5	0		0	1.6	8.3	7.2	9
28-08-2024	7.5	1	0	53.5	54.6	7.4	4.4	0	3.5	0	0	12	53.8	0	0	21.5	0.5		0	18.2	0	4.2	7.2
29-08-2024	6.5	0	0	0	0	0	0	0	12.4	2.3	2.2	37.8	69.4	9	0	1	15		0	0	32.4	9.2	5
30-08-2024	0	0	0	0	0	0	21.8	15.4	17.4	41	5.4	0.7	9.6	82	8.6	0	0		0	0	0	0	0
31-08-2024	0	0.5	0	0	18.8	31.3	34.3	47	42.4	0	0	0	0	12	4	7	0		0	4.6	5.2	0	4
01-09-2024	3.5	36	34.5	43.5	2	27.8	0.2	3.8	4.2	2	7.4	0	0	24	58.5	11	0		0	0.6	12.3	0	0.2
02-09-2024	0	0	13.94	12	13.3	24	0	22.4	15	14.7	9.2	60	33.2	52	39.5	22	72		59.8	42.2	5.3	30.3	28
Sum	17.5	68.0	64.6	133.8	112.2	120.5	62.7	88.6	94.9	102.4	33.0	110.5	166.0	184.0	190.1	84.0	87.5	0.0	59.8	67.2	63.5	50.9	53.4

Annex C: Performance of the weekly flood forecasting

"Accuracy" here refers to the state where data recorded in the MRC's Mekong River Flood Forecasting System are cleaned and verified.

The adjustment of flood forecasting outcomes from the flood forecasting system requires flood forecasters to have extensive knowledge in hydrology and statistical modelling for estimating the relationships between stations upstream and downstream in the Mekong River Basin. Flood forecasting performance presented in the graph below shows the average flood forecasting accuracy at each key station along the Mekong mainstream from 27 to 02 August 2024.



The forecasting values from 27 to 02 August 2024 show that the overall accuracy is fair for a four-day to five-day forecast in lead time (less than 250 cm) for all forecasting stations.

Note: The higher percentage of flood forecasting accuracy is due to several key factors as follows:

- Missing rainfall in Cambodia (DOM) data and data input are not sufficient to be used for inputting into the flood forecasting model system.
- Chiang Saen station is influencing by hydropower upstream operation from China.
- Luang Prabang to Chiang Khan and Paksane to Stung Treng to Kratie have been influenced by hydropower operations upstream, tributaries inflows.
- The influence of heavy rainfall caused by storms and hydropower operations from upstream, tributaries inflows and the lower part of the Mekong floodplain, including the 3S (Stung Treng and Kratie).
- Fluctuations of the water levels at Tan Chau and Chau Doc stations were due to daily tidal effects of the sea in the Mekong Delta.
- Satellite rainfall data were not representative of the actual rainfall at ground stations in some areas of the Mekong region.



Mekong River Commission Secretariat