



Mekong River Commission

Weekly Dry Season Situation Report in the Lower Mekong River Basin

09-15 January 2024

Prepared by
The Regional Flood and Drought Management Centre
16 January 2024

The MRC is funded by contributions from its Member Countries and Development Partners, including Australia, Belgium, the European Union, Finland, France, Germany, Japan, Luxembourg, the Netherlands, Sweden, Switzerland, the United States and the World Bank.

Copyright © Mekong River Commission, 2020

First published (2020)

Some rights reserved.

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly Dry Season situation report in the Lower Mekong River Basin for 09-15 January 2024.

ISSN: 1728-3248

Keywords: River monitoring/drought/weather/the Mekong/the Tonle Sap Lake

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2020). *Weekly dry season situation report in the Lower Mekong River Basin for 09-15 January 2024*. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at
<http://www.mrcmekong.org/publications/>

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrccs@mrcmekong.org | www.mrcmekong.org

Contents

Figures	2
Table.....	3
Key Messages	4
1 Introduction	6
2 General Weather Patterns.....	7
3 Water Levels in the Lower Mekong River	11
4 Flash Flood in the Lower Mekong Basin.....	18
5 Drought Monitoring in the Lower Mekong Basin.....	19
6 Weather and Water Level Forecast and Flash Flood Information	22
6.1 Weather and rainfall forecast	22
6.2 Water level forecast.....	23
6.3 Flash Flood Information	24
6.4 Drought forecast.....	24
7 Summary and Possible Implications	27
7.1 Rainfall and its forecast	27
7.2 Water level and its forecast	27
7.3 Flash flood and its trends	28
7.4 Drought condition and its forecast	28

Figures

Figure 1: Summary of weather conditions over the LMB.	7
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.....	8
Figure 3: No tropical storm risk observed on 08 January 2024.....	8
Figure 4: No rainfall at key stations in the LMB during 09-15 January 2024	9
Figure 5: Weekly rainfall distribution over the LMB during 09-15 January 2024	10
Figure 6: Key stations and model application for River Monitoring and Flood Forecasting	11
Figure 7. Water level at the Jinghong hydrological station up to 15 January 2024.....	12
Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR.	13
Figure 9. Water levels Vientiane and Paksane in Thailand and Lao PDR.....	14
Figure 10: Water levels at Nakhon Phanom and Savannakhet of Thailand and Lao PDR. ...	14
Figure 11: Water levels at Stung Treng and Kratie on the Mekong River.....	15
Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake.....	16
Figure 13. The seasonal change in monthly flow volume of Tonle Sap Lake.....	17
Figure 14: Weekly standardised precipitation index from Jan 2 to 8.	19
Figure 15: Weekly Index of Soil Water Fraction from Jan 2 to 8.....	20
Figure 16: Weekly Combined Drought Index duing Jan 2-8.	21
Figure 17: Accumulated rainfall forecast (24 h) based on the result from the Global Forecast System (GFS)	23
Figure 18. Monthly forecast of CDI for Jan, Feb and mar 2024.....	25

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake.....	17
Table 2. Weekly River Monitoring Bulletin.	26

Key Messages

Key messages for this weekly report are presented below.

Rainfall and its forecast

- During January 09-15, no rainfall at the key stations along the Mekong River.
- The Mekong region was influenced by north-easterly monsoon wind and the high-pressure push from China. There will be no rainfall for the next 7 days over the lower part of the Mekong region from 16 to 21 January 2024.

Water level and its forecast

- The MRC's observed water level (WL) at Jinghong showed fluctuated level between 535.20 m and 535.65 during 09 and 15 January 2024. The outflow varied from 808.00 m³/s to 1,110.00 m³/s between 09 and 15 January 2024.
- Regardless the fluctuated outflow at Jinghong upstream, water level of monitoring station at Chiang Saen in Thailand went down about 0.08 m during the reporting period and stayed 0.64 m below its LTA, considered low. Water levels at the monitoring stations at Chiang Khan in Thailand increased about 0.02 m, staying 2.12 m below its LTA value, while at Vientiane in Lao PDR it decreased 0.04 m and stayed about 1.20 m lower than its LTA value. The current WL at Nong Khai in Thailand decreased 0.17 m and stay about 2.27 m lower than its LTA value, while at Paksane in Lao PDR it was down about 0.34 m and stayed 1.53 m lower than its LTA level, which considered low level. Water levels from Thailand's Nakhon Phanom to Pakse decreased between 0.10 m and 0.22 m. Water levels at these stations are staying lower than their LTA values. Water levels from the stretches of the river at Stung Treng is about 0.02 m higher than its LTA value, while at Kratie in Cambodia, moreover, is 0.08 m also higher than its LTA value due to some contributed inflows from the upstream part (at Pakse and 3S area in Viet Nam). WL at Kompong Cham is about 0.82 m lower than its LTA value.
- The flow volume of the Tonle Sap Lake was lower than its LTA (about 90%) up to 15 January 2024, considered normal.
- The current water levels for most of the stations are below their LTA value, except at Luang Prabang. Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams.
- Water levels at the 2 tidal stations at Tan Chau and Chau Doc fluctuated between their LTA, maximum and minimum values, during this monitoring period.
- Over the next seven days, the water levels across most monitoring stations are expected to go down and will continue lower than their long-term average value in most stations.

Drought condition and its forecast

- During Jan 9-15, the LMB was facing from moderate to severe drought over the middle and southern parts covering Vientiane, Xaisomboun, Vantiane Capital, Bueng Kan, Xiangkhouang, Bolikhamxai, Khammouan, Nakhon Phanom, Sakon Nakhon, Mukdahan, Savannakhet, Salavan, Xekong, Champasak, Attapu, Roi Et, Yasothon, Amnat Charoen, Ubon Ratchathani, Si Sa Ket, Surin, Buri Ram, Sa Kaeo, Kon Tum, Gia Lai, Dak Lak, Dak Nong, Long An, and all provinces of Cambodia. The drought phenomenon was caused by over dried soil moisture which is considered normal during dry season.
- In January and February, the LMB is likely normal in most parts of the region. While in March some moderate drought is likely taking place in Loei, Chaiyaphum, Nakhon Ratchasima, Kratie, and Ratanakiri provinces.

1 Introduction

This Weekly Dry Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for **09-15 January 2024**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. Water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB.
- Water levels in the LMB, including in the Tonle Sap Lake.
- Flash flood and drought situation in the LMB.
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from:
http://ffw.mrcmekong.org/bulletin_wet.php.

Drought monitoring and forecasting information is available at:
<http://droughtforecast.mrcmekong.org>

Flash flood information is accessible at: <http://ffw.mrcmekong.org/ffg.php>

2 General Weather Patterns

The weather outlook bulletins for three months (January-March) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

Since the end of December 2023, warm weather has appeared because the influentially high-pressure air mass areas prevail over the LMB, with gradually decreasing water levels in both mainstream and tributaries. From the data of TMD, the moderate high-pressure system covers the Northeast of Thailand. As a result, the temperature in the upper part of Thailand will be warm and cold weather, specifically in the upper portion of the northern and northeastern parts together with cold weather in mountainous areas (within the Mekong region).

[Figure 1](#) presents the weather map indicating no high- or low-pressure cells active in the South Sea of Viet Nam and the LMB. Generally, the Mekong region was influenced by north-easterly monsoon wind and the high-pressure push from China. Under this weather condition, no rainfall occurred in most parts of LMB, except for localized light rainfall over the delta area.




Figure 1: Weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), a highest probability of warm condition is predicted over the lower part of the Mekong region covering Lao PDR and Thailand from 08 to 21 January 2024. **Figure 2** shows the outlook of weather condition from 08 to 21 Jan 2024 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was a tracking storm covering the LMB during 09-15 January 2024, showing no low or high-pressure line over the LMB. No movement of storm was detected over South-Sea of Viet Nam as displayed in [Figure 3](#).




Figure 3: No tropical storm risk observed on 15 January 2024.

Rainfall patterns over the LMB

This week from 09 to 15 January 2024, low rainfall was focused at stations from Chiang Saen in Thailand to Paksane in Lao PDR along the Mekong River of the Lower Mekong Basin (LMB). This week was considered no rainfall in the upper and low-lying area of the Mekong River. No rainfall is predicted over in the Mekong region, which indicated the sign of hot weather process. The total rainfall of this week report in the Mekong region compared with last week and its long-term-average (LTA) is showed in [Figure 4](#).




Figure 4: No rainfall at key stations in the LMB during 09-15 January 2024

To verify area rainfall distribution, [Figure 5](#) shows a map of the weekly accumulated rainfall based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 09 to 15 January 2024.

Absence of rain this week at some parts in the LMB is an indication of the nearly end of the rainy season in the LMB.




Figure 5: Weekly rainfall distribution over the LMB during 09-15 January 2024

3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in [Figure 6](#). The hydrograph for each key station is available from the MRC's River Flood Forecasting: <http://ffw.mrcmekong.org/overview.php>. The weekly water levels and rainfall at each key station are summarised in **Annex A**.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting

The MRC's observed water level (WL) at Jinghong showed the low fluctuated values between 535.20 m and 535.65 m from 09 to 15 January 2024 (recorded on 7:00 am). The outflow varied from 808.00 m³/s to 1,110.00 m³/s between 09 and 15 January 2024.

[Figure 7](#) below presents water level that decreased at the Jinghong hydrological station¹, indicating the trend of fluctuating water level up to 15 January 2024.




Figure 7. Water level at the Jinghong hydrological station up to 15 January 2024.

Regardless the fluctuated outflow from Jinghong upstream, water level of monitoring station at Chiang Saen in Thailand decreased 0.08 m from 09 to 15 Jan 2024 and stayed about 0.64 m lower than its long-term average (LTA), which considered low. Water levels at the monitoring station at Chiang Khan in Thailand increased about 0.02 m and stayed 2.12 m lower than its LTA, while at Vientiane in Lao PDR the water levels decreased about 0.04 m and stayed about 1.20 m lower its LTA value, considered low water levels. The current water levels at Nong Khai in Thailand, however, decreased about 0.17 m and stayed 2.27 m lower than its LTA, while at Paksane in Lao PDR it decreased about 0.34 m and stayed 1.53 m lower than its LTA value. WLs at these stations were considered low water levels. Water levels from Nakhon Phanom to Pakse decreased between 0.10 m and 0.22 m, during the report period from 09 to 15 Jan 2024. Water levels at these stations are staying below their LTA values. Water levels in Cambodia from the stretches of the river at Stung Treng decreased 0.13 m and at Kratie decreased about 0.26 m. The water levels at Kompong Cham decreased about 0.10 m due to low inflow and no rainfall from the upstream part. However, water levels at Stung Treng and at Kratie stayed about 0.02 m and 0.08 m higher than their LTA value, respectively. WL at Kompong Cham was about 0.82 m lower than its LTA value.

Based on hydrological phenomenon, the contribution of inflow water from the upstream of Lancang-Mekong in China to the Mekong mainstream is about 16% in total during the wet

¹ Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at <https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry>.

season from June to October and about 25% in total during the dry season from November to May. The whole inflow of water into the LMB is influenced by rainfall at the Mekong mainstream and its tributaries during the wet season.

Chiang Saen and Luang Prabang

Water level during 09-15 Jan 2024 at Thailand's Chiang Saen decreased in between 1.57 m to 1.65 m, staying about 0.64 m lower than its Long-Term-Average (LTA) during the report period. This value is considered low. When compared to last week, this week's water level is relatively lower.

Water level at the Luang Prabang station in Lao PDR was decreased about 0.04 m, during the reporting period. Compared to last week, the water level shows about 2.03 m higher than its LTA value and staying about 0.98 m below its historical maximum value. The water levels at Chiang Saen and Luang Prabang are shown in [Figure 8](#) below.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. **Thus, the water level at this station can possibly change very rapidly during the early dry season.**




Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand (downstream of the Xayaburi dam) increased about 0.02 m, during the reporting week. It showed 2.12 m below its LTA. Moreover, the water level downstream at Vientiane in Lao PDR decreased about 0.04 m and stayed about 1.20 m lower than its LTA during 09-15 Jan 2024. At Nong Khai station in Thailand, the water level was decreased about 0.17 m during the reporting period. It showed 2.27 m lower than its LTA value, but still considered low water level. At Paksane in Lao PDR, water level decreased about 0.34 m staying about 1.53 m lower than its LTA value. The recently decreased water levels were obviously due to no rainfall and low inflow from upstream and water operation from upstream in the sub-catchment area. The water levels at Vientiane and Paksane are shown in [Figure 9](#) below.




Figure 9. Water levels Vientiane and Paksane in Thailand and Lao PDR.

Nakhon Phanom to Pakse

Further downstream, water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR decreased between 0.10 m and 0.22 m, during the report period. Water levels for these stations are staying lower than their LTA levels, considering low. [Figure 10](#) shows the water levels at Nakhon Phanom and Pakse stations.




Figure 10: Water levels at Nakhon Phanom and Savannakhet of Thailand and Lao PDR.

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

Due to the fact that there was no rainfall from the upstream part of the Mekong River and the 3S river (Sekong, Se San, and Sre Pok), the water levels from Stung Treng to Kratie in Cambodia decreasing during 09-15 January 2024, respectively. The water level at Stung Treng decreased 0.13 m, while at Kratie it decreased about 0.26 m. Water levels at Stung Treng is staying about 0.02 m higher than its LTA value and at Kratie is about 0.08 m higher than its LTA value. Water levels at these two stations were considered normal during the starting dry season (as showed in [Figure 11](#)).

This week, the water levels at Kompong Cham were down about 0.10 m and stayed 0.82 m below its LTA value, which considered low.




Figure 11: Water levels at Stung Treng and Kratie on the Mekong River.

At Chaktomuk on the Bassac River, the water level was down by about 0.08 m and stayed 0.37 m lower than its LTA value; while at Koh Khel, water level increased about 0.12 m, staying 0.43 m lower than its LTA value. It was observed that the WLs at Koh Khel and Neak Luong were affected by tidal from downstream stations of Tan Chau and Chau Doc in Viet Nam, during the dry season period. Moreover, water level at Prek Kdam on the Tonle Sap Lake decreased about 0.17 m and stayed about 0.85 m lower than its LTA value. The water level at the Tonle Sap Lake (observed at Kompong Luong) was similar to Prek Kdam station's water level. The recently decreased water level was due to no rain and inflow contributed from upstream of the Tonle Sap Lake area during the reporting period. The water level at the Tonle Sap Lake (observed at Kompong Luong) followed the same trend of Prek Kdam station's water level. Water levels at these stations (Chaktommuk, Phnom Penh Port and Neak Luong) were mostly staying lower than their LTA level, which are considered low water levels.

Tidal stations at Tan Chau and Chau Doc

Like last week, the water levels from 09 to 15 January 2024 at Viet Nam's Tan Chau and Chau Doc were fluctuating between their LTA values due to daily tidal effects from the sea. The fluctuated levels were between 1.12 m and 1.32 m, which were slightly lower than their LTA level, which considered normal at this stage. The current water level Chau Doc is higher than their LTA values.

The Tonle Sap Flow

At the end of the wet season, when water levels along the Mekong River subside, the outflows of the Tonle Sap Lake return to the Mekong River and then to the Delta. This phenomenon normally takes place between September and October. Based on flow observation at Prek Kdam, the outflow of the Tonle Sap Lake took place since 23 October 2023.

The flows of the Tonle Sap Lake were calculated based on a formula of rating-curves using by different water levels at Kompong Luong and Phnom Penh Port for slop and Prek Kdam as cross-section of the Lake. The formula of flows at the Tonle Sap Lake is as follows:

$$\text{Flows} = (\text{WL at Prek Kdam})^{1.2} \cdot \text{SQRT} (\text{WL difference between PP port and Kampong Luong})$$

Where, WL is water level in m (msl).

[Figure 12](#) shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2019, 2021 and 2022, and their LTA level (1997-2022). Up to January 15 of this reporting period, **it was observed that the main outflow to Tonle Sap Lake decreased due to no rainfall and less inflows from upstream**. This decreased outflow of Tonle Sap Lake was most likely caused by low inflows and no rainfall from the catchment area. Up to this date, the outflow from the Tonle Sap Lake condition in 2023 is higher than 2020, 2021 and 2022 outflow conditions. It is noted that the outflow in 2023 is lower than its LTA up to 15 January 2024. For next week, low rainfall is forecasted for the Tonle Sap area; thus, the outflow into the Tonle Sap Lake is likely to decrease from the current level. [Figure 13](#) shows seasonal changes in monthly flow volumes up to 15 January 2024 for the Lake compared with the volumes in 2020, 2021, 2022 and their LTA, and the fluctuation levels (1997–2022). It shows that up to 15 January 2024, **the water volume of the Tonle Sap Lake was staying lower than its LTA (about 90 %) and 2022 but higher than 2020 and 2021 during the same period**. The figure is displayed in [Table 1](#), which indicates that the Tonle Sap Lake has been affected by water levels at the Mekong River and its tributaries and rainfall in the surrounding sub-catchments and ***considered normal***.

This demonstrates the influence of the relationships between the reverse flows, water levels of the Mekong River, inflows from tributaries, and the flow direction in the complex hydraulic environment of the Tonle Sap Lake during the wet and dry seasons. The data show that about half of the annual inflow volume into the Tonle Sap Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impact on the Tonle Sap Lake water levels and on its hydrology.




Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake.




Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	LTA (97-22) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume 2023 [MCM]	Volume 2024 [MCM]	Volume in 2024 [%], compared with its LTA
Dec	25009.52	38888.95	10563.49	18251.65	20170.76	25346.65	21757.70	21757.70	
Jan	15322.86	26357.53	5906.80	5906.80	9923.80	11214.32	14422.11	13757.11	89.78
Feb	8723.39	15596.22	4198.60	4264.19	5832.97	6558.79	8069.29		
Mar	5602.68	9438.24	3347.07	3553.99	4264.88	4736.52	5080.64		
Apr	4327.36	8009.14	2866.91	2992.61	3556.68	4288.31	3884.16		
May	4027.82	9176.93	2417.81	2594.92	3240.78	4556.83	3438.66		
Jun	5699.50	13635.01	2468.70	2641.88	3798.29	7489.04	3689.97		
Jul	11188.79	28599.56	2925.86	2925.86	5346.73	9703.79	9953.41		
Aug	24070.98	39015.12	4433.46	5941.07	10547.80	19554.70	13694.57		
Sep	38787.47	65632.35	12105.31	12105.31	16382.34	32860.34	23550.60		
Oct	46562.09	73757.23	19705.50	20799.13	27318.21	48199.12	37141.40		
Nov	37739.30	60367.33	18534.61	27546.80	28982.93	39452.53	33929.52		
Dec	25009.52	38888.95	10563.49	18251.65	20170.76	25346.65	21757.70		
	Critical situation, compared with historical Min values								
	Normal condition, compared with LTA (Long term average)								
	Low volume situation, compared with LTA values								
Unit: Million Cubic Meter (1 MCM= 0.001 Km³)			LTA: Long-Term-Average						

4 Flash Flood in the Lower Mekong Basin

During the weekly monitoring period from 09 - 15 January, the LMB received no rain to light rain in some areas.

According to the MRC-Flash Flood Guidance System (MRC-FFGS) and analysis, flash flood events were not detected during the reporting period over the LMB.

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from Jan 9 to 15

Drought monitoring data for 2024 are available from Monday to Sunday every week; thus, the reporting period is normally delayed by one day compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

- **Weekly Standardised Precipitation Index (SPI1)**

Meteorological drought conditions of the LMB from Jan 9 to 15, as shown in [Figure 11](#), were normal in all parts of the region, except severe dry over some area of Savanakheth and moderate spot in some area of Battambang, Siem Reap, and Kampong Speu provinces. The conditions were relatively better than the previous week from Jan 1 to 8.




Figure 14: Weekly standardised precipitation index from Jan 9 to 15.

- **Weekly Index of Soil Water Fraction (ISWF)**

Soil moisture conditions from Jan 9 to 15, as displayed in [Figure 12](#), were severely dry from the north to the south due to absence of rainfall. The conditions were even worse than those of the previous week from Jan 1 to 8.

Note: The index of soil water fraction presents the current soil water fraction conditions compared with normal month; therefore, it normally shows extremely dry during dry season

which is completely different from SPI that is standardized to its specific month of the years. However, this does not mean that the areas are threatened by agricultural drought as generally during transition period of wet and dry seasons and dry season only the irrigated areas are used for agricultural plantation.




Figure 15: Weekly Index of Soil Water Fraction from Jan 9 to 15.

- **Weekly Combined Drought Index (CDI)**

With the dry conditions of soil moisture, the combined drought indicator (displayed in [Figure 13](#)) reveals that during Jan 9-15, the LMB was facing from moderate to severe drought over the middle and southern parts covering Vientiane, Xaisomboun, Vantiane Capital, Bueng Kan, Xiangkhouang, Bolikhamxai, Khammouan, Nakhon Phanom, Sakon Nakhon, Mukdahan, Savannakhet, Salavan, Xekong, Champasak, Attapu, Roi Et, Yasothorn, Amnat Charoen, Ubon Ratchathani, Si Sa Ket, Surin, Buri Ram, Sa Kaeo, Kon Tum, Gia Lai, Dak Lak, Dak Nong, Long An, and all provinces of Cambodia. The drought phenomenon was caused by over dried soil moisture which is considered normal during dry season.




Figure 16: Weekly Combined Drought Index duing Jan 9-15.


More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: <http://droughtforecast.mrcmekong.org/templates/view/our-product>. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section [6.4](#) of this report.

6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

During 17 to 23 January, based on result from the Global Forecast System (GFS) model, no rain to light rain (0-10 mm/24h) is forecasted for the LMB area.

[Figure 17](#) shows accumulated rainfall forecast (24h) of the forecasting model using result from the Global Forecast System (GFS) from 17 to 23 January.






Figure 17: Accumulated rainfall forecast (24 h) based on the result from the Global Forecast System (GFS)

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on January 15's weekly river monitoring bulletin, the weekly forecast water level at Chiang Saen in Thailand is expected to decrease from 1.57 m to 1.52 m in the next seven days. The trend of water levels at these stations will continue staying below its LTA.

For Luang Prabang in Lao PDR, the water level is likely decreasing about 0.07 m during the same period. The current water level is about 2.03 m higher than its LTA and staying about 0.98 m lower than its historical maximum value. No precipitation is forecasted in the area.

Chiang Khan, Vientiane-Nong Khai and Paksane

Water level at Chiang Khan station in Thailand is forecasted to be down about 0.09 m for the next seven days. At Vientiane in Lao PDR, water level will be also down in about 0.11 m while Nong Khai in Thailand will down about 0.08 m in the next seven days. At Paksane in Lao PDR, water level will be slightly down due to some effect of low inflows from the upper catchments. No rainfalls are forecasted in the area due to air pressure dominating in the upper sub-catchments. The water levels here will continue lower than their LTA.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR will decrease from 0.09 to 0.17 m. Water levels at these stations will stay lower than their LTA levels. Next week no precipitation is forecasted in the area.

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng on the Mekong River in Cambodia, the water level will likely go down about 0.12 m, while at Kratie it will be down about 0.12 m over the next seven days. For Kompong Cham, the water level will be down about 0.30 m and stay below than its LTA. No rainfall is forecasted for the area between Stung Treng and Kompong Cham during next week.

The water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port as well as at Phnom Penh's Chaktomuk on the Bassac River will down between 0.21 m and 0.40 m over the next seven days.

Water levels at most of the stations (excepted at Luang Prabang) will continue to stay lower than their LTA value, particularly in the upper and the lower parts of the region from the Chiang Khan to downstream in Phnom Penh, Koh Khel as well as from Tonle Sap in Prek Kdam to Phnom Penh Port, including the Tonle Sap Lake. no rainfall is forecasted for the low-lying area of Cambodia next week.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be moving down between their maximum, LTA and minimum values following daily tidal effects from the sea.

[Table 3](#) shows the weekly River Monitoring Bulletin issued on January 15. Results of the started weekly river monitoring bulletin are also available at http://ffw.mrcmekong.org/bulletin_wet.php. Tables for weekly updated water levels and rainfall at the Key Stations are presented in **Annex A**.

6.3 Flash Flood Information

Flash flood events are not likely to happen in the LMB next week. However, local heavy rain in a short period of time might still be possible with unexpected short flash floods. During the dry season if extreme weather occurs, the information on flash flood guidance for the next one, three, and six hours is updated at <http://ffw.mrcmekong.org/ffg.php>.

Further detailed information on Flash Flood Information Warning, as well as on its explanation, is available for download [here](#).

6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months. The MRC's DFEWS adopts an ensemble model called the North America Multi-Model Ensemble (NMME) with a downscaling method to 5km resolution.

[Figure 18](#) below shows the Combined Drought Indicator (CDI) forecast for January, February and March 2024 over the LMB area.




Figure 18. Monthly forecast of CDI for Jan, Feb and mar 2024.

Figure 18 above shows that in January and February the LMB is likely normal in most parts of the region. While in March, some moderate drought is likely taking place in Loei, Chaiphum, Nakhon Ratchasima, Kratie, and Ratanakiri provinces.

Table 2. Weekly River Monitoring Bulletin.



Mekong Bulletin

Mekong River Commission Secretariat (MRCS)
























Regional Flood and Drought Management Centre (RFDMC)

P.O. Box 623 #576, National Road #2, Chak Angre Krom, Meanchey, Phnom Penh, Cambodia

Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org

Forecast period from: 16 January to 22 January 2024

Date: 15 January 2024

LOCATION	Country	Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Min water level against zero gauge (m)	Observed W. level against zero gauge (m)		Forecasted Water Levels (m)							
		14-Jan				14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan	20-Jan	21-Jan	22-Jan
Jinhong		0.0	-	-	535.65	535.19								
Chiang Saen		1.4	357.110	0.00	1.59	1.57	1.58	1.59	1.61	1.58	1.56	1.54	1.52	
Luang Prabang		0.0	267.195	2.53	8.44	8.64	8.62	8.63	8.64	8.62	8.58	8.60	8.57	
Chiang Khan		0.0	194.118	1.91	3.70	3.71	3.72	3.70	3.69	3.65	3.63	3.61	3.62	
Vientiane		0.0	158.040	-0.28	1.56	1.51	1.52	1.49	1.47	1.46	1.44	1.42	1.40	
Nongkhai		0.0	153.648	0.33	0.98	0.98	1.00	0.99	0.97	0.96	0.94	0.92	0.90	
Paksane		0.0	142.125	0.10	2.11	1.98	1.97	1.98	2.00	1.99	1.98	1.99	1.98	
Nakhon Phanom		0.9	130.961	0.18	1.23	1.21	1.18	1.18	1.16	1.13	1.13	1.12	1.11	
Thakhek		0.0	129.629	1.38	2.59	2.54	2.51	2.47	2.43	2.41	2.40	2.38	2.37	
Mukdahan		0.0	124.219	0.72	1.75	1.73	1.70	1.68	1.65	1.63	1.62	1.61	1.59	
Savannakhet		0.0	125.410	-0.65	0.93	0.91	0.87	0.85	0.83	0.81	0.80	0.80	0.79	
Khong Chiam		0.0	89.030	1.02	2.23	2.20	2.18	2.16	2.14	2.13	2.12	2.10	2.08	
Pakse		0.0	86.490	0.03	1.22	1.20	1.19	1.17	1.15	1.14	1.13	1.12	1.11	
Stung Treng		0.0	36.790	0.32	2.77	2.75	2.74	2.73	2.72	2.70	2.67	2.65	2.63	
Kratie		0.0	-1.080	3.06	7.62	7.59	7.58	7.56	7.55	7.53	7.50	7.48	7.47	
Kompong Cham		0.0	-0.930	0.65	3.30	3.20	3.14	3.09	3.05	3.02	2.99	2.95	2.90	
Phnom Penh (Bassac)		0.0	-1.020	1.58	3.18	3.13	3.08	3.04	3.00	2.96	2.93	2.89	2.85	
Phnom Penh Port		nr	0.000	0.14	2.14	2.09	2.04	2.00	1.96	1.92	1.89	1.85	1.81	
Koh Khel		0.0	-1.000	1.52	2.78	2.80	2.77	2.73	2.70	2.67	2.64	2.61	2.58	
Neak Luong		0.0	-0.330	0.81	2.00	1.96	1.93	1.90	1.87	1.84	1.81	1.78	1.75	
Prek Kdam		0.0	0.080	0.58	2.19	2.14	2.06	2.00	1.94	1.89	1.84	1.79	1.74	
Tan Chau		0.0	0.000	-0.37	1.50	1.14	0.67	0.60	0.71	0.76	0.80	0.82	0.83	
Chau Doc		nr	0.000	-0.60	1.72	1.32	0.67	0.75	0.88	0.97	1.02	1.05	1.07	

REMARKS:

-: not available.

*: reference stations without forecast.

nr: no rain.

NOTE: Discharge at Luang Prabang may be influenced by hydropower operations (at both upstream and downstream).

For more info, please refer to this link:

<http://www.mrcmekong.org/>; http://ffw.mrcmekong.org/bulletin_wet.php; <http://ffw.mrcmekong.org/reportflood.php>

7 Summary and Possible Implications

7.1 Rainfall and its forecast

This week, rainfall was observed in the stations from Chiang Saen to Nakhon Phanom along the Mekong River, but no rainfall further downstream reach. Compared with last week's month, this week was considered no rain in the lower Mekong Basin.

Based on the forecasted satellite data, rainfall is forecasted for some areas of the LMB with the value range from 01.00 mm to 20.00 mm for the next seven days. The forecasting model using CHIRPS-GEFS data, moreover, shows average rainfall (<20 mm) is likely to take place in the Mekong region from 16 to 21 January 2024.

7.2 Water level and its forecast

The MRC's observed water level (WL) at Jinghong showed fluctuated level from 535.20 m to 535.65 m between 09 and 15 January 2024 (recorded on 7:00 am) while the outflow varied from 808.00 m³/s to 1,110.00 m³/s between 09 and 15 January 2024.

Mekong water levels this week remain as normal condition based on the PMFM indicators—with 1 out of 22 stations have water levels higher than their long-term average. In general, this hydrological condition is influenced by the inflows from the upper Mekong River in China and dam operations in the tributaries of the Lower Mekong River Basin.

Stay updated with our river monitoring and forecasting to better prepare for flood and drought events. Find more details at <https://www.mrcmekong.org/>.

Up to 15 January 2024, the flow volume of the Tonle Sap Lake is lower than its LTA (about 90%). From next week, the flow is expected to be decreasing due to no rainfall is predicted in the inflow catchments of the Tonle Sap Lake.

From Stung Treng to Kratie, the water levels will most likely go down, while at Kompong Cham they will also go down. The water levels – at Neak Luong on the Mekong River, from Prek Kdam to Phnom Penh Port on the Tonle Sap, and from Chaktomuk to Koh Khel on the Bassac – are forecasted to go down and stay below their LTA.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain fluctuating. In Tan Chau and Chau Doc, the fluctuation of water levels will move lower than their LTA value during the monitoring period, which will **considered normal**.

Since the third week of October 2023, water levels across most monitoring stations in the LMB have decreased due to the low-average rainfall but still staying higher than their LTA value (at Vientiane, Khong Chiam, Pakse and Koh Khel). The preliminary analysis of the hydrological conditions in the LMB over July–December 2020 and from November 2020 to May 2021 was done as [Situation Report](#), which can be used as reference for the trend of water level and flows of the Mekong River Basin.

The contribution to the Mekong River's flow from the UMB in China (Yunnan component) is about 16% by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the predicted of rainfall for the coming week as mentioned earlier in [section 6.1](#), major flash floods are not likely to happen in the LMB.

7.4 Drought condition and its forecast

During Jan 9-15, the LMB was facing from moderate to severe drought over the middle and southern parts covering Vientiane, Xaisomboun, Vantiane Capital, Bueng Kan, Xiangkhouang, Bolikhamxai, Khammouan, Nakhon Phanom, Sakon Nakhon, Mukdahan, Savannakhet, Salavan, Xekong, Champasak, Attapu, Roi Et, Yasothorn, Amnat Charoen, Ubon Ratchathani, Si Sa Ket, Surin, Buri Ram, Sa Kaeo, Kon Tum, Gia Lai, Dak Lak, Dak Nong, Long An, and all provinces of Cambodia. The drought phenomenon was caused by over dried soil moisture which is considered normal during dry season.

In January and February, the LMB is likely normal in most parts of the region. While in March, some moderate drought is likely taking place in Loei, Chaiyaphum, Nakhon Ratchasima, Kratie, and Ratanakiri provinces.

Annex A: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
09-01-2024	535.24	1.65	8.68	3.69	1.55	1.15	2.32	1.43	2.75	1.86	1.02	2.37	1.30	2.88	7.85	3.30	3.21	2.20	2.68	2.42	2.31	1.12	1.27
10-01-2024	535.22	1.64	8.62	3.71	1.53	1.03	2.27	1.43	2.72	1.84	1.01	2.31	1.32	2.87	7.80	3.20	3.20	2.19	2.66	2.36	2.27	1.24	1.39
11-01-2024	535.21	1.63	8.54	3.75	1.50	0.94	2.19	1.43	2.78	1.86	1.02	2.25	1.28	2.86	7.78	3.24	3.21	2.18	2.68	2.42	2.25	1.50	1.71
12-01-2024	535.20	1.61	8.52	3.76	1.55	0.98	1.99	1.36	2.68	1.87	1.01	2.26	1.24	2.85	7.76	3.24	3.26	2.22	2.68	2.38	2.26	1.69	1.88
13-01-2024	535.20	1.60	8.48	3.70	1.59	1.04	1.98	1.30	2.61	1.81	0.97	2.26	1.24	2.78	7.76	3.38	3.17	2.13	2.76	2.22	2.24	1.70	1.91
14-01-2024	535.65	1.59	8.44	3.70	1.56	0.98	2.11	1.23	2.59	1.75	0.93	2.23	1.22	2.77	7.62	3.30	3.18	2.14	2.78	2.00	2.19	1.50	1.72
15-01-2024	535.19	1.57	8.64	3.71	1.51	0.98	1.98	1.21	2.54	1.73	0.91	2.20	1.20	2.75	7.59	3.20	3.13	2.09	2.80	1.96	2.14	1.14	1.32

Table A2: Weekly observed rainfall

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
09-01-2024	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
10-01-2024	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
11-01-2024	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
12-01-2024	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
13-01-2024	0	0	0	0	0	0.6	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
14-01-2024	0	11.9	0	0	0	0	8.2	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
15-01-2024	0	1.4	0	0	0	0	0	0.9	0	0	0	0	0	0	0	0	0		0	0	0	0	0
Sum	0.0	13.3	0.0	0.0	0.0	0.6	8.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0



Mekong River Commission Secretariat

P. O. Box 6101, 184 Fa Ngoum Road, Unit 18 Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR
Tel: +856 21 263 263. Fax: +856 21 263 264 www.mrcmekong.org

© Mekong River Commission 2020