



Mekong River Commission

Weekly Floods and Drought Situation Report in the Lower Mekong River Basin

29 September – 05 October 2020

Prepared by
The Regional Flood and Drought Management Centre
06 October 2020

The MRC is funded by contributions from its Member Countries and Development Partners, including Australia, Belgium, the European Union, Finland, France, Germany, Japan, Luxembourg, the Netherlands, Sweden, Switzerland, the United States and the World Bank.

Copyright © Mekong River Commission, 2020

First published (2020)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 29 September- 05 October 2020

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2020). *Weekly wet season situation report in the Lower Mekong River Basin for 29 September- 05 October 2020*. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at
<http://www.mrcmekong.org/publications/>

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Contents

- Figures..... ii
- Table iii
- 1 Introduction 1
- 2 General Weather Patterns 2
- 3 Water Levels in the Lower Mekong River 7
- 4 Flash Flood in the Lower Mekong Basin 12
- 5 Drought Monitoring in the Lower Mekong Basin..... 12
- 6 Weather and Water Level Forecast and Flash Flood Information 16
 - 6.1 *Weather and rainfall forecast* 16
 - 6.2 *Water level forecast* 17
 - 6.3 *Flash Flood Information*..... 18
 - 6.4 *Drought forecast* 18
- 7 Summary and Possible Implications 21
 - 7.1 *Rainfall and its forecast* 21
 - 7.2 *Water level and its forecast* 21
 - 7.3 *Flash flood and its trends*..... 22
 - 7.4 *Drought condition and its forecast*..... 22
- Annex 1: Performance of the weekly flood forecasting..... 23

Figures

- Figure 1: Summary of weather conditions over the LMB 2
- Figure 2: Predicted rainfall over the Asian countries by ASMC 3
- Figure 3: Areas affected due to low pressure in the Mekong Region 4
- Figure 4: Weekly total rainfall at key stations in the LMB 5
- Figure 5: Weekly rainfall distribution over the LMB 6
- Figure 6: Key stations and model application for River Monitoring and Flood Forecasting .. 7
- Figure 7: Water levels at Nakhon Phanom of Thailand and Pakse of Lao PDR 8
- Figure 8: Water levels at Kratie on Mekong River and Prek Kdam on Tonle Sap River 9
- Figure 9: Seasonal change of inflows and outflows of Tonle Sap Lake 10
- Figure 10: The seasonal change in monthly flow volume of Tonle Sap Lake 11
- Figure 11: Flash Flood Guidance for next 3 and 6 hours on Sep 24 and 3 hours on Sep 28
..... Error! Bookmark not defined.
- Figure 12: Weekly standardised precipitation index from September 17-23 13
- Figure 13: Weekly Soil Moisture Anomaly from September 17-23 14
- Figure 14: Weekly Combined Drought Index during Sep 17-23 15
- Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS Error! Bookmark not defined.
- Figure 16: Daily average monthly rainfall forecast from Aug to Dec 2020 19

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake 11

Table 2: Detected flash flood in Viet Nam and Lao PDR on 24 Sep and in Cambodia on 28 Sep 12

Table 3. River Flood Forecasting Bulletin 20

1 Introduction

This Weekly Wet Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) from **29 September – 05 October 2020**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. All water level indicated in this report referred to above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from:
http://ffw.mrcmekong.org/bulletin_wet.php.

Drought monitoring and forecasting information is available at:
<http://droughtforecast.mrcmekong.org>

Flash flood information is accessible at: <http://ffw.mrcmekong.org/ffg.php>

2 General Weather Patterns

The weather outlook bulletins for three months (October, November and December) and the weather maps issued by the Thailand Meteorology Department (TMD) were used to verify weather conditions in the LMB.

Since early October 2020, moderate to above normal rainfall has been observed in the LMB, with the amount gradually increasing from the first week of September. The data from the TMD predict that instances of low pressure and tropical cyclones may continue moving closer to the Mekong region in October, when heavy rainfall often occurs in the Mekong region. The TMD also predicts that scattered thundershowers throughout October and November will continue in the north-eastern part of Thailand (within the Mekong region).

[Figure 1](#) presents the weather map of 05 October 2020, showing two lines of low pressure of the Monsoon Trough crossing the upper Mekong region which can bring some rainfall over the next few days, a situation that has persisted over the last couple of weeks.




Figure 1: Summary of weather conditions over the LMB

According to the Asian Specialised Meteorological Centre (ASMC), wetter conditions are predicted over the eastern half of Southeast Asia for the next two weeks from 5 to 18 October 2020 that can increased shower rainfall over the Mekong sub-region. During this time, the ASMC confirmed that the wetter conditions in the eastern Mainland Southeast Asia (Cambodia, Lao PDR, Viet Nam, and parts of Thailand) will depend on tropical cyclone evolution.

Subsequently, from October to November, there is an increasing chance of above average rainfall for most Asian countries, especially in the Mekong region. [Figure 2](#) shows the outlook of rainfall from 05 to 18 October 2020 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of rainfall over the Asian countries by ASMC

Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was a low pressure hitting the LMB during 29 September to 05 October 2020, causing heavy rainfall in the upper part from Chiang Saen to Nong Khai in Lao PDR and Thailand, and lower part from Stung Treng in Cambodia, as well as in the 3S area (Se Kong, Se San and Sre Pok) and the Mekong Delta in Viet Nam. Up to October 05, there are still two lines of low pressure moving across the upper part in northeast Thailand and the 3S area of the Mekong Region, which could bring some rain in the northern part of the LMB. [Figure 3](#) shows affected areas in the lower part of the Mekong floodplain and Delta area due to low pressure on October 02, based on daily satellite observed rainfall (GPM).




Figure 3: Areas affected due to low pressure in the Mekong Region

Rainfall patterns over the LMB

This week's rainfall is considered above average, varying from 3.8 mm to 131 mm at different stations along the LMB from Chiang Saen in Thailand to Tan Chau and Chau Doc in Viet Nam. Unlike the situation last week, rainfall during this reporting week concentrated in the upper part from Chiang Saen to Nong Khai and the lower part from Cambodia's Stung Treng to Viet Nam's Tan Chau and Chau Doc, ranging from 50 mm to 131 mm. This means the middle part from Nakhon Phanom to Khong Chaim of Thailand in the LMB received less amount of rainfall compared to other areas. The total observed rainfall of the week at those selected stations is shown in [Figure 4](#).




Figure 4: Weekly total rainfall at key stations in the LMB

To verify area rainfall distribution, [Figure 5](#) shows a map of the weekly accumulated rainfall based on observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand and Viet Nam – from September 29 to October 5.

The amount of rainfall this week – from 3.8 mm to 131mm – is considered higher than average in the lower part of the basin from Cambodia’s Stung Trend to Viet Nam’s Tan Chau and Chau Doc, but was lower than average in the middle part from Thailand’s Nakhon Phanom to Khong Chiam.




Figure 5: Weekly rainfall distribution over the LMB

3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam’s Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in [Figure 6](#). The hydrograph for each key station is available from the MRC’s River Flood Forecasting: <http://ffw.mrcmekong.org/overview.php>.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting

Chiang Saen and Luang Prabang

Water level during September 29 to October 5 at Chiang Saen station in Thailand was slightly fluctuating between -0.18 metres and 0.05 metres. The main causes of such a phenomenon are believed to be a less quantity of inflow volume from the upstream, stemming from Lao PDR, Myanmar and Lancang (Mekong) in China, and continued lower rainfall over recent

weeks contributed by catchment inflows. When comparing to last week, this week’s water level is relatively lower.

Water level at Luang Prabang monitoring station in Lao PDR was also slightly fluctuating, between -0.25 metres and 0.07 metres, during the reporting period. Compared to last week, the figure shows a decreasing number, from 10.44 metres to 9.73 metres. This level is higher than that of 2019 and is now staying close to its long-term average (LTA).

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. **Thus, the water level at this station can possibly change very rapidly during the wet season.**

Chiang Khan, Vientiane-Nong Khai and Paksane

Water level at Chiang Khan in Thailand was fluctuating between -0.27 metres and 0.16 metres during this week, showing 1.75 metres below its LTA value. The level is at minimum record and is similar to the record in 1992.

Downstream water levels from Vientiane to Paksane in Lao PDR followed the same direction of the Chiang Khan’s one. The fluctuation varied between -0.36 and 0.25 metres. Less water contribution from upstream inflows and rainfall from sub-catchments are likely the main reason. **Compared to this time last year, the current water levels at these stations are about 3 meters higher.**

Nakhon Phanom to Pakse

Similarly, water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR were slightly decreasing during the reporting period, ranging from 0.78 to -0.03 metres. Below-average rainfall in upstream and its adjacent catchments is likely the cause of these increasing water levels. Figure 6 shows that the water levels at two stations of Nakhon Phanom and Sovannakhet dropped from 1.72 to 2.88 meters and was below their LTAs. [Figure 7](#) shows that water levels at these two stations were decreasing close to their historical minimum levels. **During this week, the water levels at the two stations were higher than their historical minimum values, when last 2 weeks they were lower and considered critical.**




Figure 7: Water levels at Nakhon Phanom of Thailand and Pakse of Lao PDR

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

Like many of the upstream stations, water levels at Stung Treng, Kratie, Kampong Cham, Chaktomuk, Koh Khel, Phnom Penh Port, and Prek Kdam stations in Cambodia were slightly decreasing, dropping about 0.56 metres and were even lower than last week. **From Kampong Cham to Neak Luong, as shown in [Figure 8](#), the levels are considered critical.**




Figure 8: Water levels at Kratie on Mekong River and Prek Kdam on Tonle Sap River

Tidal stations at Tan Chau and Chau Doc

Like last week, this week from September 29 to October 5 water levels at the two tidal stations of Viet Nam's Tan Chau and Chau Doc were fluctuating below their LTAs and minimum level due to daily tidal effects from the sea. **The figures are considered as critical.**

The Tonle Sap Flow

At the end of the dry season, when water levels along the Mekong River increase, flows of the Mekong River reverse into the Tonle Sap Lake (TSL). This phenomenon normally takes place from mid-May to mid-October.

[Figure 9](#) shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2018 and 2019, and their LTA level (1997-2019). Up to October 05 of this reporting period, **it is observed that the main reverse flow into the TSL has started since August 4. There were also two extremely small instances of the reverse flow in July, but they were not significant.** The recorded incident matches the record on reverse flow into TSL by the PMFM's (Procedures for the Maintenance of Flows on the Mainstream) tool on Article 6B (monitoring area). The delay of the reverse flow was due to the low water levels on the Mekong mainstream which were caused by deficit rainfall in upper sub-catchment areas, among other factors.

Although the reverse flows have started since August 4, water volume of the Lake up to this point has been considered critical as it is still lower than its minimum level. [Figure 10](#) shows seasonal changes in monthly flow volume up to October 05 for the TSL compared with the volumes in 2018 and 2019 and their LTA and the fluctuating levels (1997-2019). It shows that

in July, August, and October (up to 05) water volume of the Lake was **at a very critical level**, compared with last year (2019) figure and historical minimum levels at the same period. Table 1 shows the monthly change in flow volume of the TSL and the critical flow volume of the TLS in July, August and September 2020 compared to its historical minimum value and volumes of 2018 and 2019. This reveals that the TSL is still affected by low inflows from the Mekong River and insufficient rainfall in the surrounding sub-catchments.

The low inflows (inflows from the Mekong River and from tributaries) in the early wet season of 2020 has resulted in a very critical situation of the TSL. This demonstrates the influence of the relationships between the reverse flows, water levels of the Mekong River, and the flow direction in the complex hydraulic environment of the TSL during this wet season. The data show that more than half of the annual inflow volume into the lake originates from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impacts on the Tonle Sap Lake water levels and on hydrology.




Figure 9: Seasonal change of inflows and outflows of Tonle Sap Lake




Figure 10: The seasonal change in monthly flow volume of Tonle Sap Lake

Table 1. The monthly change in the flow volume of Tonle Sap Lake

Month	Average Volume (97-19) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2018 [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Percentage of Volume in 2020 [%]
Jan	16452.95	26357.53	6272.01	13633.41	10285.31	5906.80	35.90
Feb	9312.36	15596.22	4281.41	7729.72	6019.30	4264.19	45.79
Mar	5868.92	9438.24	3350.92	5037.06	4354.62	3553.99	60.56
Apr	4474.98	8009.14	2875.42	3956.47	3667.47	2992.61	66.87
May	4166.07	9176.93	2417.81	3864.00	3266.43	2594.92	62.29
Jun	6034.10	13635.01	2470.54	5919.18	3517.06	2641.88	43.78
Jul	12502.58	28599.56	3832.51	12024.96	4001.99	2925.86	23.40
Aug	26934.35	39015.12	7554.93	22399.65	7622.71	5941.07	22.06
Sep	42644.05	65632.35	22180.73	53639.54	24194.19	12105.31	
Oct	49698.19	73757.23	24276.79	48193.08	30358.38	15201.37	
Nov	39542.58	60367.33	18576.01	31036.07	19112.65		
Dec	26325.13	38888.95	10869.43	18469.21	10577.29		
	Critical situation, compared with historical Min values						
	Normal condition, compared with LTA (Long term average)						
	Low volume situation, compared with LTA values						
Unit: Million Cubic Meter (1 MCM= 0.001 Km ³)							

4 Flash Flood in the Lower Mekong Basin

During September 29 – October 5, the monsoon Trough moved from upper part to middle part and the southwest monsoon prevailed over in the lower part of LBM. These conditions caused abundant rainfall in some areas of the LBM including Lao DPR, Cambodia, and Viet Nam. According to the MRC-Flash Flood Guidance System (FFGS) and analysis, flash flood events were detected in some areas of Cambodia and Viet Nam with the impacts ranging of low level, as shown in [Figure 11](#) and [Table 2](#).

The figure and table also show Flash Flood Guidance (FFG) results for the next three and six hours produced on October 2 and October 3 at 00:00 UTC (07:00 AM local time).

Table 2: Detected flash flood in Viet Nam on October 2, Cambodia on October 3, 2020.

01-Hour Flash Flood Risk and Location in Viet Nam				3-Hour Flash Flood Risk and Location in Viet Nam				6-Hour Flash Flood Risk and Location in Viet Nam						
Provinces	Districts	Region	Level Risks	Provinces	Districts	Region	Level Risks	Provinces	Districts	Region	Level Risks			
NO ANY DETECTION OF FLASH FLOOD WITHIN NEXT 01-HOUR				Lao Cai	Sa Pa	Northwest	Low-Risk	Lao Cai	Sa Pa	Northwest	Low-Risk			
01-Hour Flash Flood Risk and Location in Cambodia				03-Hour Flash Flood Risk and Location in Cambodia				06-Hour Flash Flood Risk and Location in Cambodia						
Provinces	Districts	Villages	Region	Level Risk	Provinces	Districts	Villages	Region	Level Risk	Provinces	Districts	Villages	Region	Level Risk
NO ANY DETECTION OF FLASH FLOOD WITHIN NEXT 01-HOUR					Pursat	Veal Veang	Chamka Chrey Khang Tbong	Western	Low-Risk	Pursat	Veal Veang	Chamka Chrey Khang Tbong	Western	Low-Risk




Figure 11: Flash Flood Guidance (FFG) for the next 3 hours on October 2 and 3 hours, 6 hours on October 3 at 00:00 UTC.

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from September 24-30

Drought monitoring data are available from Thursday to Wednesday every week; thus, the reporting period is normally delayed for one week compared to Flood and Flash Flood reports.

• Weekly Standardised Precipitation Index (SPI1)

Drought condition of the LMB from September 24-30, as shown in [Figure 12](#), was very much similar to last week. Meteorological indicator of SPI shows that the LMB received surplus rainfall during the monitoring week. Northern and southern parts of the LMB including Chiang Rai, Bokeo, and Luangnamtha of Thailand, Pursat, Kampong Chhnang, Kampong Speu, Takeo, Ratanakiri, Mondulhiri, and Kandal of Cambodia, An Giang, Dong Thap, Kon Tum, Gia Lai, and Dak Lak of Viet Nam were the wettest provinces.




Figure 12: Weekly standardised precipitation index from September 24-30

• Weekly Soil Moisture Anomaly (SMA)

Though meteorological indicator shows no drought hazards during the week from September 24-30, the agricultural indicator through soil moisture anomaly index of the LMB, as shown in

Figure 13, presents some severe and extreme dryness in the north and moderate dryness in central and southern parts of the LMB.

Spatially, soil moisture condition shows similar condition over the same location compared to last week. However, drought magnitude was getting worse in the north and better in central and southern parts of the LMB from September 24-30.





Figure 13: Weekly Soil Moisture Anomaly from September 14-30

• **Weekly Combined Drought Index (CDI)**

The overall drought condition through combined drought index, as shown in Figure 14, shows no drought threat over the region. The only moderate and severe dry condition is found in northern part of the region covering small area of Chiang Mai, Chiang Rai, Phayo, Luangnamtha, Oudomxay, Luang Prabang, and Xayabury.





Drought Early Warning Lower Mekong Basin



Updated On: 30-09-2020

Weekly Monitoring

Combined Drought Index (CDI)

	D4 (Exceptional Drought)		Mekong River
	D3 (Extremely Drought)		Country Boundary
	D2 (Severely Drought)		Catchment Boundary
	D1 (Moderate Drought)		Lower Mekong Basin Boundary
	D0 (Normal Condition)		
	No Data		

The drought monitor focus on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

Disclaimer: This drought monitoring and forecasting map is calculated based on the satellite imageries with no ground verification. MRC does not guarantee the values and accuracy of the products nor be responsible for any risks of using the products.

Figure 14: Weekly Combined Drought Index during September 24-30


More information on Drought Early Warning and Forecasting as well as the explanation is available here: <http://droughtforecast.mrcmekong.org/templates/view/our-product>

6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

Currently, a Tropical Depression (TD) is forming in the East Sea which possibly could become a typhoon and move to the mainland from central to southern parts of Viet Nam on October 8 or 9. Based on the analysis of synoptic meteorological information and the result of the Global Forecast System (GFS) model, in the coming week there might be three factors affecting the LMB. They include (i) TD's circulation, (ii) moon trough lay moving from upstream part, and (iii) the on-going southwest monsoon taking place in the lower part of LBM. In the period from October 8-10, moderate (20 -40 mm/24hrs) to heavy rain (50 -100 mm/24hrs) will occur in some areas from the middle to lower parts of the LMB (including areas of Lao PDR, Cambodia, and Viet Nam).

[Figure 15](#) shows the accumulated rainfall forecast (24hrs) of the GFS model from October 6 through October 12.






Figure 15: Accumulated rainfall forecast (24 hrs) of model GFS¹

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on October 05's daily flood bulletin, the daily forecast water level at Chiang Saen in Thailand is expected to slightly decrease from 3.00 to 3.10 metres in the next five days.

For Luang Prabang in Lao PDR, the water level will increase from around 9.73 to 10.00 metres during the same period.

Despite this increase, the trend of water levels at these stations will continue staying below their LTAs.

Chiang Khan, Vientiane-Nong Khai and Paksane

Water level at Vientiane station in Lao PDR is forecasted to go slightly down of 5.10 to 5.08 metres. At Paksane in Lao PDR, level will also decrease slightly from 6.63 to 6.52 metres in the

1

next five days. Average quantity of precipitation is forecasted in the area. Despite that, the water levels here will still be lower than their LTAs.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR will slightly decrease about 0.11 metres in the next five days.

Stung Treng to Kampong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng to Neak Luong along the Mekong River in Cambodia, water levels will fluctuate between around -0.06 and 0.10 metres in the next five days.

Water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port, as well as at Phnom Penh, Chaktomuk, and Koh Khel on the Bassac River, will fluctuate between -0.04 and 0.08 metres over the next five days.

Even with some anticipated rain in the areas, the water levels at these stations will continue staying below their minimum levels, particularly from Kampong Cham to Neak Luong.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be moving up and down below their LTAs, following daily tidal effects from the sea.

[Table 3](#) shows the River Flood Forecasting Bulletin issued on October 05. Results of the daily flood forecasting bulletin are also available at http://ffw.mrcmekong.org/bulletin_wet.php.

The performance of the weekly flood forecast, with an accuracy and data input evaluation from September 29 to October 05, is presented in [Annex 1](#).

6.3 Flash Flood Information

With some potential rainfall forecasted for next week, flash flood event is likely to happen in some areas from middle to lower parts of LMB. Moreover, the local heavy rains in a short period of time are also possible with unexpected short flash floods. The information on flash flood guidance for the next one, three, and six hours is updated twice daily at <http://ffw.mrcmekong.org/ffg.php>.

Further detailed information on Flash Flood Information Warnings, as well as on its explanation, is available for download [here](#).

6.4 Drought forecast

There are several climate-prediction models with different scenarios on the upcoming months until December 2020. The MRC's Drought Forecasting and Early Warning System (DFEWS) adopts an ensemble model, which averages all scenarios called the North America Multi-

Model Ensemble (NMME). The system is updating the data resolution from 25 km to 5 km and is expected to be ready by October for the MRC DFEWS.

Temporarily, the global scale of rainfall prediction is used to see how the rain distribution looks like for the coming months. [Figure 16](#) of the monthly anomaly maps shows daily average of each month in mm/day from October to December 2020 produced by the NMME.




Figure 16: Daily average monthly rainfall forecast from October to Dec 2020

From the ensemble prediction model, the LMB is likely to receive above average rainfall in October, average rainfall in November, and the least rainfall amount in December 2020. Among the upcoming three months, October is likely wet in all over the LMB, while November is likely wet in the southeast and a bit dry in the upper north.

7 Summary and Possible Implications

7.1 Rainfall and its forecast

Rainfall during this reporting week was considered above average in the upper and lower parts of the LMB (50 to 131 mm). However, in the middle part it was considered lower than average, varying from 0.3 mm to 48 mm at different stations along the LMB from Nakhon Phanom to Khong Chaim in Thailand. The highest concentration was from Stung Treng in Cambodia to Viet Nam's Tan Chau and Chau Doc area (up to 131 mm). Compared with last week's amount, the rainfall this week was considered higher at the downstream part.

There was a low pressure hitting the LMB during 30 September to 05 October 2020, causing downpour in some parts of region. The two lines of Monsoon Trough low pressure continue from the previous weeks, which will still bring some more rainfall to the LMB.

Based on the forecasted rainfall from satellite using GFS data, rainfall is likely to take place in areas between Lao PDR's Paksane to Pakse, low area of Cambodia and the Central Highland of Viet Nam, varying from 50 mm to 100 mm on October 8, 9 and 11 . This will increase the chance of rainfall concentration over the LMB in the upcoming week (average rainfall expected).

7.2 Water level and its forecast

Water levels in the lower part of the monitoring locations in the LMB during this reporting week were slightly increasing, but still lower than their historical minimum levels. The rising level was due to the low-pressure weather, which brought downpour to the lower part of the region from September 29 to October 05. Generally, this week's water levels were relatively lower than those of last week.

The starting date of the reverse flow from the Mekong River into the Tonle Sap Lake took place on August 4, slightly late compared to a normal event. However, two extremely small and brief instances happened in July. Due to late reverse flows this year, the water volume of the Lake at this reporting point remains extremely small and less than its minimum volume (even than the 2019's) and is considered at critical level.

Over the next few days, water levels across most monitoring stations in the LMB are expected to continue slightly increasing, ranging from 0.04 and 0.17 metres. Even so, all the stations' water levels are expected to remain below their LTAs.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain unchanged.

Below average precipitation during the past months is believed to be one of the main factors causing low water levels at most of the stations along the Mekong mainstream.

Since the beginning of this year (2020), water levels in the Lower Mekong River have been lower than their LTAs for all monitoring stations (from upper to lower stretches within the LMB). Like many parts of the world, the Mekong region has been affected by the prolonged El Nino event, the phenomenon that usually causes extreme heat and insufficient rainfall. This climate change impact has been observed since 2019. Therefore, the main cause of low water levels in the Mekong mainstream from June to July 2020 could be the unusual low rainfall as results of the climate change affecting the Lower Mekong Region.

For a more complete preliminary analysis of the hydrological conditions in the LMB over January – July 2020, please refer to this [Situation Report](#).

The contribution to the Mekong River's flow from the Upper Mekong Basin in China (Yunnan component) is about 16 % by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the predicted moderate and heavy amount of rainfall for the coming week as mentioned earlier in [section 6.1](#), major flash floods are likely to happen in some areas from middle to lower parts of the LMB including Lao PDR, Cambodia, and Viet Nam on 8-10 October 2020.

7.4 Drought condition and its forecast

Drought condition of the LMB from September 24-30 was much similar to last week (September 17-23). The region showed no meteorological drought during the monitoring week. However, severe and extreme dry soil moisture kept persisting in northern part of the LMB. In general, drought condition was getting much better - with no potential threat - over the region.

For the upcoming three-month forecast, the LMB is likely to receive above average rainfall in October, average rainfall in November, and the least rainfall amount in December 2020. October is likely wet in all over the LMB, while November is likely wet in the southeast and a bit dry in the upper north.


Annex 1: Performance of the weekly flood forecasting

Accuracy

“Accuracy” here refers to the state where data recorded in the MRC’s Mekong River Flood Forecasting System are cleaned and verified.

The adjustment of flood forecasting outcomes from the flood forecasting system requires flood forecasters to have extensive knowledge in hydrology and statistical modelling for estimating the relationships between stations upstream and downstream in the Mekong River Basin. Flood forecasting performance presented in the graph below shows the average flood forecasting accuracy at each key station along the Mekong mainstream from 29 September to 05 October 2020.

The forecasting values from 29 September to 05 October 2020 show that the overall accuracy is fair for 1-day to 3-day forecast in lead time at stations in the middle to the lower parts of the Mekong River from Savannakhet to Kampong Cham due to the effect of heavy rain in this area during the report period.



Note: The higher percentage of flood forecasting accuracy is due to several key factors as follows:

- Missing data and data input are not sufficient to be used for inputting into the flood forecasting model system.
- The influence of heavy rainfall caused by storms and hydropower operations from upstream (Xayaburi), tributaries inflows and the lower part of the Mekong floodplain.

- Luang Prabang, Chiang Khan and Paksane stations have been affected by hydropower operations of Xayaburi and Nam Nguem (water retention and release). Rainfall always accumulates at this spot, which could be causing rapid high-water levels.
- Rapid fluctuations of water levels at Tan Chau and Chau Doc stations due to daily tidal effects of the sea in the Mekong Delta.
- Satellite rainfall data was not representative of the actual rainfall at ground stations in some areas of the Mekong region.

Performance based on data from the Member Countries

Flood forecasting performance is based on the hydro-met data received from the Member Countries. The flood forecasting achievement indicated in (%) and (cm) from 1 day to 5 days at each key station, against with Old Benchmark are presented in Table B1 and Table B2.

The evaluation of performance indicators, missing data and completion time for flood forecasting are presented in Table B3 and Figures B4, B5 and B6, respectively from 29 September to 05 October 2020.

Table B1: The Mean Absolute Difference (Error) of Flood Forecasting base on old defined Benchmark from 29 September to 05 October 2020 in cm

Lead-time Forecasted	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
1-day	14	8	12	8	9	<u>23</u>	8	7	15	<u>21</u>	10	11	17	11	9	8	9	3	7	5	8	8
2-day	<u>21</u>	19	<u>20</u>	15	15	<u>32</u>	16	15	<u>20</u>	<u>33</u>	<u>20</u>	19	<u>26</u>	<u>32</u>	<u>23</u>	13	15	6	18	10	13	14
3-day	<u>28</u>	<u>35</u>	17	<u>23</u>	18	<u>32</u>	<u>21</u>	<u>20</u>	<u>29</u>	<u>44</u>	<u>26</u>	19	<u>34</u>	<u>44</u>	<u>38</u>	<u>23</u>	<u>24</u>	12	<u>28</u>	14	19	<u>26</u>
4-day	<u>34</u>	<u>41</u>	<u>40</u>	<u>29</u>	<u>29</u>	<u>40</u>	<u>25</u>	<u>27</u>	14	60	<u>24</u>	<u>24</u>	<u>38</u>	59	52	<u>25</u>	<u>25</u>	13	<u>30</u>	17	<u>24</u>	<u>30</u>
5-day	<u>41</u>	56	52	<u>45</u>	<u>49</u>	<u>44</u>	<u>25</u>	<u>26</u>	<u>20</u>	77	<u>24</u>	<u>33</u>	<u>50</u>	87	69	19	<u>20</u>	10	<u>24</u>	16	<u>30</u>	<u>35</u>

Table B2: The Mean Absolute Difference (Error) of Flood Forecasting base on old defined Benchmark from 29 September to 05 October 2020 in %

Lead-time Forecasted	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	Average	
1-day	71.4	57.1	<u>42.9</u>	71.4	57.1	57.1	57.1	71.4	71.4	71.4	57.1	57.1	71.4	71.4	71.4	57.1	71.4	57.1	57.1	57.1	57.1	57.1	<u>42.9</u>	61.7
2-day	66.7	66.7	<u>50.0</u>	66.7	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	66.7	66.7	<u>33.3</u>	<u>50.0</u>	<u>50.0</u>	66.7	<u>33.3</u>	<u>50.0</u>	<u>50.0</u>	<u>33.3</u>	<u>50.0</u>	66.7	<u>50.0</u>	<u>50.0</u>	53.0
3-day	60.0	60.0	60.0	60.0	80.0	60.0	60.0	60.0	60.0	60.0	60.0	80.0	60.0	60.0	60.0	<u>40.0</u>	<u>40.0</u>	60.0	<u>40.0</u>	<u>20.0</u>	60.0	80.0	<u>58.2</u>	
4-day	75.0	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	75.0	75.0	75.0	75.0	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	<u>50.0</u>	55.7
5-day	66.7	66.7	<u>33.3</u>	66.7	66.7	<u>33.3</u>	66.7	<u>33.3</u>	<u>33.3</u>	<u>33.3</u>	66.7	66.7	<u>33.3</u>	<u>33.3</u>	66.7	<u>33.3</u>	<u>33.3</u>	<u>33.3</u>	<u>33.3</u>	66.7	<u>33.3</u>	<u>33.3</u>	<u>33.3</u>	47.0

Note: Red values are not well matched with the actual values in (%) and (cm)

Table B3: Overview of performance indicators for the past 7 days from 29 September to 05 October 2020

2020	FF time sent				Arrival time of input data								Missing data (number-mainstream and trib.st.)							
	FF completed and sent (time)	Stations without forecast	FF2 completed and sent (time)	Weather data available (time)	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - SRHMC	Viet Nam - HMS	NOAA data/2dataset	China/2	Cambodia - DHRW/15	Cambodia - DOM/34	Lao PDR - DMH/32	Thailand - DWR/13	Viet Nam - SRHMC/6	Viet Nam - HMS/39
week	10:15	00:00	-	-	08:15	07:10	07:17	08:06	08:57	08:20	07:01	08:07	0	0	0	0	78	9	1	0
month	10:24	00:00	-	-	08:15	07:10	07:38	08:11	08:39	08:26	07:14	08:07	0	0	37	0	464	0	2	38




Fig. B4: Data delivery times for the past 7 days from 29 September to 05 October 2020




Fig. B5: Missing data for the past 7 days from 29 September to 05 October 2020




Fig. B6: Flood forecast completion time, stations without forecasts, and second forecasts need from 29 September to 05 October 2020



Mekong River Commission Secretariat

P. O. Box 6101, 184 Fa Ngoum Road, Unit 18 Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR
Tel: +856 21 263 263. Fax: +856 21 263 264 www.mrcmekong.org

© Mekong River Commission 2020