

### Weekly Flood Situation Report for the Mekong River Basin

Prepared at: 09/07/2019, covering the week from 02<sup>nd</sup> to 08<sup>th</sup> July 2019

Weather Patterns, General Behaviour of the Mekong River and Flood Situation

### **General weather patterns**

During the week of  $02^{nd}$  to  $08^{th}$  July 2019, the weather bulletins and maps were issued by the Thailand Meteorology Department (TMD). It was stated that Some tropical cyclones may develop at the western side of the northern Pacific Ocean and move pass the Philippines toward the South China Sea. Then, they may move northwesterly pass the Gulf of Tonkin and influence the Southwest Monsoon prevailing over Thailand and the Gulf of Thailand to strengthen. This influences the prevailing Southwest Monsoon over in the Mekong Region. **Figures 1 & 2** presented the weather map for  $02^{nd}$  July and  $08^{th}$  2019.



Figure 1: Weather map for 2<sup>nd</sup> July 2019

Figure 2: Weather map for 08th July 2019

### Tropical depressions (TD), tropical storms (TS) or typhoons (TY)

No TD, TS or TY was presented in LMB during this week.

### Other weather phenomena that affect the discharge

According to the Asian Specialized Meteorological Center (ASMC), July 2019, drier-than-average conditions are expected over parts of the southern ASEAN region, including the southern parts of Sumatra and Kalimantan, and Java. Wetter-than-average conditions may develop over parts of eastern Maritime Continent and eastern Mekong sub-region in Week1. There is currently no significant Madden-Julian Oscillation (MJO) signal present. For the first fortnight of July 2019, there are no consistent signs of an MJO re-developing. **Figure 2** showed the rainfall outlook over southern Southeast Asia.




Figure 2: The predicted higher likelihood of below-normal rainfall over southern Southeast Asia






Figure 3: Weekly Rainfall Distribution over the LMB from 01<sup>st</sup> to 08<sup>th</sup> July 2019



**Mekong River Commission** Regional Flood and Drought Management Centre

The weather of this week was scattered thundershowers with moderate rain of the Southwest monsoon. Consequently, in this week there was moderate rainfall covered from upper part of Nakhon Phanom to Pakse, including the 3S area. The rainfall varies from 100 to 200 mm. Rainfall in the floodplain area of Cambodia and the Mekong Delta in Vietnam also showed between 100 to 150 mm. The weekly rainfall distribution from 01<sup>st</sup> to 08<sup>th</sup> July 2019 is showed in **Figure 3** and daily rainfall at key stations in the Lower Mekong Basin are shown **Table A2**.

### **General behaviour of the Mekong River**

During the last week, the water levels at stations from upper to middle part of LMB has been decreasing significantly, due to low rainfall and the inflow operation upstream part. China sent the notification of operation information of Jinghong Hydropower Station on Lancang River. The outflow of water from the Jinghong hydropower station in China's Yunnan province will be fluctuating from 5 - 19 July 2019, according to an official notification from China's Ministry of Water Resources was sent to the Mekong River Commission Secretariat on  $03^{rd}$  July 2019. In the notification, the Ministry said that from 5 - 9 July, the amount of water flowing out from the Jinghong station will start decreasing by about half from 1,050 - 1,250 cubic meters per second (m<sup>3</sup>/s) to 504-600 m<sup>3</sup>/s. For over a seven-day period between 10 and 16 July, the amount of water flow will be varying between  $504 \text{ m}^3$ /s and  $800 \text{ m}^3$ /s. The water flow will gradually be increased on 17 July and returned to normal ( $1050 - 1250 \text{ m}^3$ /s) by 19 July 2019.

### For stations from Chiang Saen and Luang Prabang

Water levels from 02<sup>nd</sup> to 08<sup>th</sup> July 2019 at Chiang Sean station were decreased significantly and reached to the historical minimum levels (1992) after 5<sup>th</sup> of July 2019. For Luang Prabang station, water levels followed the same trend as upstream which decreased and stay below their long-Term Averages (LTAs) since 20th of June this year. The Luang Prabang stations is likely nominated by hydro power dam operation upstream (tributaries) and downstream (Xayaburi) in which water levels stay above their LTAs, during the impounding reservoir at Xayaburi from end of October 2018 to May 2019.

### For stations from Chiang Khan, Vientiane and Nong Khai and Paksane

Water levels from  $02^{nd}$  to  $08^{th}$  July 2019 at these stations were also followed the same trend of upstream inflowed from Luang Prabang. It was observed that at Vientiane and Nong Khai stations, water levels decreased below their historical low levels (1992), while at Chaing Khan and Pasksane were close to their minimum levels. The water level hydrographs at each key station are showed in **Annex C**.

### For stations from Nakhon Phanom/Thakhet to Mukdaha/Sovannakhet

Water levels from 02<sup>nd</sup> to 08<sup>th</sup> July 2019 at Nakhon Phanom/Thakhet to Mukdahan/Sovannakhet stations were also followed the same trend as upstream stations, in which water levels were significantly decreased and stay below their LTAs condition.

### For stations from Khong Chiam to Pakse

Also water levels from 02<sup>nd</sup> to 08<sup>th</sup> July 2019 at Khong Chiam to Pakse stations were significantly decreased and stay below their LTAs condition.

### For stations from Stung Treng to Kompong Cham/ Phnom Penh to Koh Khel/Neak Luong

Water levels from 02<sup>nd</sup> to 08<sup>th</sup> July 2019 at Stung Treng, Kratie, Kompong Cham and Phnom Penh stations were followed the same trends as upstream stations. It was found that water levels at these stations were also significantly decreased and stay close to their historical low levels (1992-1998) condition.



### Tan Chau and Chau Doc

Water levels from  $02^{nd}$  to  $08^{th}$  July 2019 at these 2 tidal stations were still maintaining fluctuated over their LTAs but did not follow the same trend as previous years as indicated in **Annex C**. This might affect by the El Nino process in the South China Sea.

According to the Japan Meteorological Agency (JMA), Sea surface temperature (SST) variability in the tropics can significantly impact on the global climate through atmospheric circulation. El Niño event, which are identified by SST fluctuations from the central to the eastern equatorial Pacific (NINO.3), are widely known examples of this. The NINO3 index is one of several El Niño/Southern Oscillation (ENSO) indicators based on sea surface temperatures. The five-month running mean of the SST deviation for NINO.3 predicted by JMA's El Niño prediction model is presented in **Figure 4**.

YEAR	MONTH	mean period						
	APR	FEB2019–JUN2019	1	00				
	MAY	MAR2019-JUL2019	1	00				
	JUN	APR2019-AUG2019	70		30			
2019	JUL	MAY2019-SEP2019	70		30			
	AUG	JUN2019-OCT2019	60		40			
	SEP	JUL2019-NOV2019	60		40			
		AUG2019-DEC2019	60		40			
			El Niño ENSC	) neutra	l La Niña			

# Figure 4 Five-month running mean of the SST deviation for NINO.3 predicted by JMA's El Niño prediction model (JMA/MRI-CGCM2)

*Note:* For more detail the flood situation from upstream to downstream during the last week, the hydrograph of water level at each key station is showed in **Annex C**.

### **Conclusion**

From 02<sup>nd</sup> to 08<sup>th</sup> July 2019, the trend of water levels at Chiang Sean was decreased and dropped significantly below their historical low level (1992) due to the low rainfall in early Wet Season and the hydropower dams operation on the Lancang River in Yunnan, China (as China sent a notification of operation information of Jinghong Hydropower Station on Lancang River to MRCS on 3<sup>rd</sup> July 2019). The impact could obviously see the decreasing water level to downstream of Chaing Sean to Vientiane.

Based on a hydrological phenomenon, the inflow contribution of water from the upstream of Lancang-Mekong in China to the Mekong mainstream is about 11% in total during the Wet season from June to October. The whole inflow of water into the lower Mekong basin is influenced more by tributaries and a direct rainfall distribution.

According to the Asian Specialized Meteorological Center (ASMC), July 2019, drier-than-average conditions are expected over parts of the southern ASEAN region, including the southern parts of Sumatra and Kalimantan, and Java. Wetter-than-average conditions may develop over parts of eastern Maritime Continent and eastern Mekong sub-region in Week1 of July 2019.



## **Mekong River Commission** Regional Flood and Drought Management Centre

The abnormal raised water levels at Luang Prabang is still impacted by the impounding hydropower at Xayaburi Dam. It is needed to further investigate and discuss among the relevant stakeholder (MRCS, DMH and Hydro-per dam companies) about the reasons cause of these rising water levels and solution. In general, water levels in the Mekong mainstream were staying below their LTAs, although there are reported of raining in some areas.

On the other hand, the hydrological conditions (rainfall and flows) of the Mekong River during early Wet Season 2019 (June-July) is characterized as low flow and low rainfall, compared to the long-term average. This caused a low-water level in the mainstream and many tributaries in rainfed watershed areas of the Lower Mekong Basin. This low-flow condition is likely caused by the low rainfall and the impact of hydropower operation at upstream parts.

For more detail information of flood forecasting outcomes and its system, please see the following annexes:

- Tables and graphs for water level and rainfall for the last week in Annex A
- A graph for accuracy in **Annex B**
- A table of forecast achievement in Annex B
- Tables and graphs for performance in Annex B
- Water level hydrographs showing weekly observed water level for the Wet Season in Annex C



### **Annex A: Graphs and Tables**

Table A1: observed water levels (02<sup>nd</sup> to 08<sup>th</sup> July 2019)

2019	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
02/07/2019	535.68	2.41	7.24	4.74	1.60	1.99	4.00	2.68	3.99	2.98	2.24	3.52	2.34	3.51	8.74	3.87	2.10	1.14	2.02	1.40	1.14	0.80	0.88
03/07/2019	535.63	2.64	6.82	4.94	1.50	1.86	3.98	3.00	4.25	3.11	2.24	3.40	3.98	3.54	9.18	4.06	2.13	1.16	2.01	1.32	1.21	0.65	0.73
04/07/2019	535.57	2.65	6.68	4.77	1.58	1.90	3.95	3.15	4.41	3.43	2.47	3.42	3.08	3.80	9.48	4.40	2.26	1.29	2.20	1.44	1.32	0.41	0.50
05/07/2019	535.46	2.36	7.34	4.79	1.48	1.90	4.16	3.43	4.70	3.83	2.74	4.20	2.88	4.47	9.98	4.60	2.42	1.46	2.43	1.65	1.45	0.09	0.10
06/07/2019	534.96	2.35	7.08	4.87	1.36	1.84	4.30	3.83	5.10	4.22	3.10	4.87	3.48	4.35	10.84	5.34	2.59	1.63	2.68	1.80	1.77	-0.02	-0.09
07/07/2019	535.00	2.68	7.91	5.07	1.40	1.87	4.09	3.93	5.15	4.42	3.20	4.98	3.89	4.47	10.83	5.65	2.74	1.78	2.90	2.10	2.08	0.11	0.04
08/07/2019	535.03	2.38	7.50	5.42	1.53	1.95	4.01	3.63	4.85	4.21	3.18	4.97	3.64	4.50	10.92	5.69	2.90	1.98	2.95	2.18	2.15	0.20	0.11

Table A2: observed rainfall (02<sup>nd</sup> to 08<sup>th</sup> July 2019)

Nakhon Phanom Kompong Cham Luang Prabang Khong Chiam Phnom Penh (Bassac) Phnom Penh Port Savannakhet Chiang Khan Chiang Saen Neak Luong Stung Treng Prek Kdam Mukdahan Chau Doc Nongkhai Tan Chau 2019 Vientiane Koh Khel Jinghong Paksane Thakhek Pakse Kratie 26 6.2 2.4 1.8 42.2 27.4 15.4 74 68.4 18.9 17 23.8 20.7 22 13 11 4.5 02/07/2019 0 0 0 0 102 29.5 15 30.4 10.5 0.9 14.5 19 03/07/2019 1.9 82.5 1.9 0 0 26.4 7 0 0 0 25.8 0 0 27.6 1.6 2.4 21.4 29.9 82 30.8 2.4 7.4 2.4 3.5 8.2 20.1 37 04/07/2019 0 0 113.5 6 2.8 31.9 6.3 0 30 1.8 05/07/2019 74 0 3.8 49.2 0.1 0 1.2 1 nr 0 6.3 1.8 0 9 6 0 0 1 06/07/2019 22 0 0 0 0 2.4 0 0 0 8.2 17 15.4 0 2.8 1.2 17.4 0 0 0 0 18.8 0 0 0 0 0 0 0 07/07/2019 0.5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 2.2 0 0 0 0 3.5 0 0 1 0 0 3.1 0 2.9 0 0 08/07/2019

Unit in mm

0.4

12 27

Unit in m



Figure A1: Observed water level and rainfall for Jinghong, Chiang Saen, and Luang Prabang






Figure A2: Observed water level and rainfall for Chiang Khan, Vientiane, Nongkhai, and Paksane






Figure A3: Observed water level and rainfall for Nakhon Phanom, Thakhek, Mukdahan and Savannakhet






Figure A4: Observed water level and rainfall for Khong Chiam, Pakse, Stung Treng, and Kratie






Figure A5: Water level and rainfall for Kompong Cham, Phnom Penh (Bassac and Port), and Koh Khel







Figure A6: Water level and rainfall for Neak Luong, Prek Kdam, Tan Chau and Chau Doc



**Mekong River Commission** 



**Regional Flood and Drought Management Centre** 

### **Annex B: Accuracy and performance**

### Accuracy

"Accuracy" describes the accuracy of the adjusted and published forecast, based on the results of the MRC Mekong Flood Forecasting System, which are then adjusted by the Flood Forecaster in Charge taking into consideration known biases in input data and his/her knowledge of the response of the model system and the hydrology of the Mekong River Basin. The information is presented as a graph below, showing the average flood forecasting accuracy along the Mekong mainstream.

In general, the overall accuracy is fair for 1-day to 5-day forecast lead time at stations in the upper and lower parts of the LMB. However, the accuracies at downstream reaches of the LMB stations at Luang Prabang and Tan Chau and Chau Doc for 4-day to 5-day forecast were considered large. This could be effected by the impounding reservoir upstream on the tributaries inflow into the Mekong (upper Luang Prabang), rainfall distribution, the travel time of flows and the abnormal tidal on the Mekong and Bassac rivers.

The above differences due to three main factors: (1) internal model functionality in forecasting; for which the parameter adjustment in the model is not possible especially at stations in the upper part and in the Mekong delta where are affected by tidal; (2) the adjustment by utilizing the practical knowledge and experience of flood forecaster-in-charge; and (3) the forecasted accumulated rainfall was not well represented and abnormal tidal trends.




Figure B1: Average flood forecast accuracy along the Mekong mainstream



### **Forecast Achievement**

The forecast achievement indicates the % of days that the forecast at a particular station for a lead-time is successful against a respective benchmark (Table B2). Table B1: Evaluation performance forecasting (from 02 to 08 July 2019) base on New Benchmark (%).

																						U	n1t 1n %
Lead time Forecast	Chiang Saen	Luang Prabang	Chiang Khan	V ie ntia ne	Nongkhai	Paksane	Nakhon Phanom	Thakhek	M ukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	A v e rage
1-day	71.43	<u>28.57</u>	71.43	100.00	100.00	100.00	71.43	71.43	<u>42.86</u>	57.14	<u>28.57</u>	<u>14.29</u>	<u>42.86</u>	100.00	71.43	85.71	71.43	71.43	85.71	85.71	<u>28.57</u>	<u>28.57</u>	64.94
2-day	83.33	83.33	83.33	83.33	83.33	100.00	100.00	100.00	83.33	83.33	<u>33.33</u>	<u>33.33</u>	66.67	100.00	100.00	66.67	66.67	<u>50.00</u>	100.00	100.00	<u>33.33</u>	<u>16.67</u>	75.00
3-day	100.00	80.00	100.00	80.00	80.00	80.00	80.00	100.00	80.00	100.00	80.00	60.00	<u>20.00</u>	100.00	80.00	80.00	80.00	<u>20.00</u>	100.00	100.00	<u>20.00</u>	<u>40.00</u>	75.45
4-day	100.00	75.00	100.00	100.00	100.00	100.00	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	75.00	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	75.00	100.00	75.00	<u>25.00</u>	100.00	<u>50.00</u>	<u>0.00</u>	<u>25.00</u>	65.91
5-day	100.00	100.00	100.00	100.00	100.00	100.00	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	66.67	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>0.00</u>	<u>33.33</u>	<u>33.33</u>	<u>0.00</u>	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>50.00</u>
																						Un	<u>it in cm</u>
Lead time Forecast	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)			Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
1-day	22	31	22	23	23	23	20	20	20	20	24	22	18	28	20	9	9		6	7	9	6	6
2-day	39	55	41	42	43	42	38	39	39	38	46	41	33	52	38	18	18	3	12	14	17	11	11
3-day	51	76	57	59	59	58	54	54	55	54	65	58	46	73	54	26	26	6	18	20	24	16	16
4-day	60	93	70	72	74	72	68	68	70	68	82	73	57	92	69	34	34	Ļ	22	26	31	20	21
5-day	66	107	81	84	86	85	81	81	83	80	98	87	67	109	82	41	41		27	31	38	24	24

Unit in %



Table B2: Evaluation performance forecasting (from 02 to 08 July 2019) base on Old Benchmark (%).

Lead time Forecast	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	Average
1-day	71.43	<u>28.57</u>	71.43	57.14	<u>28.57</u>	<u>42.86</u>	<u>28.57</u>	<u>28.57</u>	<u>28.57</u>	<u>28.57</u>	<u>14.29</u>	<u>14.29</u>	<u>28.57</u>	57.14	<u>42.86</u>	85.71	71.43	85.71	100.00	85.71	57.14	<u>42.86</u>	<u>50.00</u>
2-day	100.00	66.67	83.33	83.33	66.67	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	<u>16.67</u>	66.67	<u>33.33</u>	<u>33.33</u>	<u>50.00</u>	<u>50.00</u>	83.33	66.67	66.67	<u>33.33</u>	83.33	<u>50.00</u>	<u>33.33</u>	<u>16.67</u>	56.06
3-day	100.00	80.00	100.00	60.00	60.00	60.00	<u>40.00</u>	<u>40.00</u>	<u>40.00</u>	60.00	<u>40.00</u>	<u>40.00</u>	20.00	<u>40.00</u>	<u>40.00</u>	<u>20.00</u>	20.00	<u>0.00</u>	<u>40.00</u>	<u>20.00</u>	20.00	<u>0.00</u>	<u>42.73</u>
4-day	100.00	75.00	75.00	75.00	75.00	100.00	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	<u>50.00</u>	<u>25.00</u>	<u>25.00</u>	<u>25.00</u>	<u>50.00</u>	<u>50.00</u>	<u>25.00</u>	<u>50.00</u>	<u>25.00</u>	100.00	<u>25.00</u>	<u>0.00</u>	<u>0.00</u>	<u>50.00</u>
5-day	100.00	66.67	66.67	66.67	66.67	100.00	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>33.33</u>	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>33.33</u>	<u>33.33</u>	<u>0.00</u>	<u>33.33</u>	<u>0.00</u>	<u>33.33</u>	<u>33.33</u>	<u>34.85</u>

Unit in cm

Unit in %

-ead time Forecast	Chiang Saen	-uang Prabang	Chiang Khan	Vientiane	Nongkhai	aksane	Vakhon Phanom	hakhek	lukdahan	avannakhet	Khong Chiam	akse	tung Treng	Kratie	ompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	leak Luong	rek Kdam	an Chau	thau Doc
			0	-	~		~	H	Μ	S	X	Р	Ś	Y	Ý	L E	Ь	x	Ž	<b>L</b>	L	U U
1-day	25	25	25	10	10	10	10	10	<b>1</b> 0	<b>0</b>	<b>¥</b> 10	<b>0</b> 10	<b>0</b> 10	<b>¥</b> 10	10	10	10	10	10	10	10	10
1-day 2-day		25 50						-														
	25	-	25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
2-day	25 50	50	25 50	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 25	10 10	10 10	10 10	10 10	10 10	10 10	10 10

*Note:* An indication of the accuracy given in the Table B2 is based on the performance of the forecast made in 2008 from the new flood forecasting system and the configuration for the 2009 flood season and is published on the website of MRC (http://ffw.mrcmekong.org/accuracy.htm).

A new set of performance indicators that is established by combining international standards and the specific circumstances in the Mekong River Basin, is applied officially for the flood season of 2011 onward.



### **Performance**

Performance is assessed by evaluating a number of performance indicators, see table and graphs below:

		FF 1	time sent				Arı	rival time	of input	data			Missing data (number-mainstream and trib.st.)								
2019	FF completed and sent (time)	Stations without forecast	FF2 completed and sent (time)	Weather data available (time)	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - SRHMC	Viet Nam - HMS	NOAA data/2dataset	China/2	Cambodia - DHRW/15	Cambodia - DOM/34	Lao PDR - DMH/32	Thailand - DWR/13	Viet Nam - SRHMC/6	Viet Nam - HMS/39	
week	10:31	00:00	-	-	08:15	07:10	07:10	08:00	08:35	08:17	07:10	08:05	0	0	2	0	88	0	0	0	
month	10:24	00:00	-	-	08:15	07:14	07:24	07:55	08:34	08:09	07:26	#REF!	0	0	7	1	114	4	1	0	

Table B3: Overview of performance indicators for the past 7 days including the current report date



Week is the week for which this report is made; *Month* is actually the last 30 days (or less if the flood season has just begun); *Season* is the current flood season up to the date of this report.



Figure B2: Data delivery times for the past 8 days including the current report date



Figure B3: Missing data for the past 8 days including the current report date




Figure B4: Flood forecast completion time

Figure B5: Flood forecast stations without forecast


Figure B6: Second forecast needed




### Annex C: Season Water Level Graphs


This Annex has the water level graphs of the report date. These graphs are distributed daily by email together with the Flood Bulletins.


### HYDROGRAPHS OF THE MEKONG AT MAINSTREAM STATIONS IN FLOOD SEASON FROM 02 TO 08 JULY 2019










































Water Level at 7am of Mekong at Kratie







Water Level at 7am of Mekong at Phnom Penh Chaktomuk

