



Mekong River Commission

**Weekly Dry Season Situation Report in
the Lower Mekong River Basin
01-07 November 2022**

Prepared by
The Regional Flood and Drought Management Centre
08 November 2022

The MRC is funded by contributions from its Member Countries and Development Partners, including Australia, Belgium, the European Union, Finland, France, Germany, Japan, Luxembourg, the Netherlands, Sweden, Switzerland, the United States and the World Bank.

Copyright © Mekong River Commission, 2020

First published (2020)

Some rights reserved

This work is the product of the Mekong River Commission Secretariat. While all efforts are made to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on any map in this work do not imply any judgement on the part of the MRC concerning the legal status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 01-07 November 2022.

ISSN: 1728-3248

Keywords: flood/drought/weather/Mekong/Tonle Sap

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2020). *Weekly dry season situation report in the Lower Mekong River Basin for 01-07 November 2022*. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at
<http://www.mrcmekong.org/publications/>

All queries on rights and licenses should be addressed to:

Mekong River Commission

Documentation and Learning Centre

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

Contents

- Figures..... 2**
- Table 3**
- Key Messages 4**
- 1 Introduction 6**
- 2 General Weather Patterns 7**
- 3 Water Levels in the Lower Mekong River 11**
- 4 Flash Flood in the Lower Mekong Basin 18**
- 5 Drought Monitoring in the Lower Mekong Basin..... 19**
- 6 Weather and Water Level Forecast and Flash Flood Information 22**
 - 6.1 Weather and rainfall forecast 22*
 - 6.2 Water level forecast 23*
 - 6.3 Flash Flood Information..... 24*
 - 6.4 Drought forecast 24*
- 7 Summary and Possible Implications 27**
 - 7.1 Rainfall and its forecast 27*
 - 7.2 Water level and its forecast 27*
 - 7.3 Flash flood and its trends..... 28*
 - 7.4 Drought condition and its forecast 28*

Figures

- Figure 1: Summary of weather conditions over the LMB. 7
- Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC..... 8
- Figure 3: No tropical storm risk observed on 7 November 2022..... 8
- Figure 4: Weekly total rainfall at key stations in the LMB. 9
- Figure 5: Weekly rainfall distribution over the LMB. 10
- Figure 6: Key stations and model application for River Monitoring and Flood Forecasting. 11
- Figure 7. Water level at the Jinghong hydrological station during to 7 Nov 2022..... 12
- Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR. 13
- Figure 9. Water levels Veintaine and Paksane in Thailand and Lao PDR. 14
- Figure 10: Water levels at Nakhon Phanom and Savannakhet of Thailand and Lao PDR. ... 14
- Figure 11: Water levels at Stung Treng and Kratie on the Mekong River. 15
- Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake. 16
- Figure 13. The seasonal change in monthly flow volume of Tonle Sap Lake..... 17
- Figure 14: Weekly standardised precipitation index from October 30 to November 5. 19
- Figure 15: Weekly Index of Soil Water Fraction from October 30 to November 5. 20
- Figure 16: Weekly Combined Drought Index duing October 30-November 5. 21
- Figure 17: Accumulated rainfall forecast (24 hrs) of model GFS. 23
- Figure 15. Monthly forecast of CDI for October, November, and December 2022. 25

Table

Table 1. The monthly change in the flow volume of Tonle Sap Lake. 17

Table 2. Weekly River Monitoring Bulletin. 26

Key Messages

Key messages for this weekly report are presented below.

Rainfall and its forecast

- During November 1-7, low rainfall was observed over the Mekong region, varied in between 1.60 mm to 49.60 mm.
- There will be no rain for the next 7 days over the Mekong region from 8 to 14 November 2022 due to no any low-pressure line dominating the Mekong region.

Water level and its forecast

- The MRC's observed water level at Jinghong showed a decrease of about **0.40 m from 535.94 m on 1 Nov to 535.54 on 7 Nov 2022**. The outflow was down from 1280.00 m³/s on 01 Nov to 1010.00 m³/s on 07 Nov 2022.
- Along with the slightly decreased outflow from Jinghong upstream, water level of monitoring station at **Chiang Saen in Thailand dropped about 1.26 m during the report period and stayed 1.46 m below its LTA and was close to its minimum value, considered critical**. WLS at the monitoring stations from Chiang Khan to Vientiane in Thailand and Lao PDR decreased and increased about 0.14 m and 0.22 m, staying about 1.01 m and 0.20 m below their LTA value respectively. The current WL from Nong Khai in Thailand to Paksane in Lao PDR are lower than their LTA level, which considered critical. WL from Thailand's Nakhon Phanom to Savannakhet in Lao PDR decreased about 0.25 m and continued staying below their LTA level. WLS at Khong Chaim and Pakse stayed close to their LTA, which considered normal. Water levels from the stretches of the river from Stung Treng to Kratie and at Kompong Cham in Cambodia, moreover, were decreasing due to less contributed rainfall from the upstream part (at Pakse and 3S area in Viet Nam).
- The water volume of the Tonle Sap Lake up to 7 Nov 2022 was about 0.22% higher than its LTA during the same period from 01 to 07 November 2022, and still considered normal.
- Over the next seven days, the water levels across most monitoring stations are expected to go down and remain lower than their long-term average value in most stations.

Drought condition and its forecast

- During October 30-November 5 the LMB was facing some moderate and severe droughts mainly in the northern and southern parts of the LMB covering **Chiang Rai, Phongsaly, Luang Prabang, Xaysomboun, Borikhamxay, Khammuane, Buriram, Surin, Si Saket, Ubon Ratchathani, Ordar Meanchey, Siem Reap, Preah Vihea, Stung Treng, Ratanakiri, Mondulkiri, Kratie, and Kampong Thom** due to severely dry soil moisture which is normal during dry season; thus, this is not considered as drought threat for the LMB.

- During the next two months, November is ultimately wet in general with the wettest areas in the eastern part. While December is receiving below-average rainfall in the northern part covering **Chiang Mai, Chiang Rai, Payao, Bokeo, Luangnamtha, and Vientiane** with moderate and severe droughts. The forecast predicts that the eastern area is also extremely wet in December.

1 Introduction

This Weekly Dry Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for **01-07 November 2022**. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. Water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB
- Water levels in the LMB, including in the Tonle Sap
- Flash flood and drought situation in the LMB
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from:
http://ffw.mrcmekong.org/bulletin_wet.php.

Drought monitoring and forecasting information is available at:
<http://droughtforecast.mrcmekong.org>

Flash flood information is accessible at: <http://ffw.mrcmekong.org/ffg.php>

2 General Weather Patterns

The weather outlook bulletins for three months (November, December and January) and the weather maps issued by the Thai Meteorological Department (TMD) were used to verify weather conditions in the LMB.

Since the end of October 2022, the cold weather appears because the influentially high-pressure air mass areas prevailing over the LMB, with gradually decreasing water levels in both mainstream and tributaries. The data from the TMD predict that low pressure of air-mass will bring cool weather condition in the upper part of Thailand, Lao PDR and Viet Nam. As a result, the temperature in the upper part of Thailand will drop sharply as commonly chilly weather, specifically at the upper portion of the northern and north-eastern parts together with very cold weather in mountainous areas (within the Mekong region).

[Figure 1](#) presents the weather map of 07 November 2022, showing no any line of low pressure of the Monsoon Trough crossing the upper Mekong region which means no rainfall is forecasted for the next few days over the LMB.




Figure 1: Summary of weather conditions over the LMB.

According to the ASEAN Specialised Meteorological Centre (ASMC), a highest probability of warm and drier conditions is predicted over of the lower part of the Mekong region covering Lao PDR and Thailand from 31 October to 13 November 2022, during the 4th and 1st weeks of October and November, respectively. **Figure 2** shows the outlook of weather condition from 31 October to 13 November 2022 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

Tropical depressions (TD), tropical storms (TS) and typhoons (TY)

There was tracking storm covering the LMB during 1-7 November 2022, showing no any low-pressure line over the LMB. No movement of storm was detected over Viet Nam, as displayed in [Figure 3](#).

Active system as of 07 Nov 6:35 GMT




Figure 3: No tropical storm risk observed on 7 November 2022.

Rainfall patterns over the LMB

This week from 1 to 7 November 2022, rainfall was observed from the lower part from Stung Treng in Cambodia to Tan Chau and Chau Doc in Viet Nam of the Lower Mekong Basin, varied from 1.50 mm to 49.40 mm. The highest rainfall of this week report concentrated at Chaktomuk in Phnom Penh which reached up to 49.40 mm. The total rainfall of this week report in the Mekong region, compared with last week and its long-term-average (LTA) is showed in [Figure 4](#). The total rainfall of this week was considered low, compared with its LTA and last week rainfall in most of the stations.




Figure 4: Weekly total rainfall at key stations in the LMB.

To verify area rainfall distribution, [Figure 5](#) shows a map of the weekly accumulated rainfall based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 01 to 07 November 2022.

Absence of rain this week is an indication of the end of the rainy season in the LMB.




Figure 5: Weekly rainfall distribution over the LMB.

3 Water Levels in the Lower Mekong River

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam’s Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in [Figure 6](#). The hydrograph for each key station is available from the MRC’s River Flood Forecasting: <http://ffw.mrcmekong.org/overview.php>. The weekly water levels and rainfall at each key station are summarised in **Annex A**.




Figure 6: Key stations and model application for River Monitoring and Flood Forecasting.

The MRC’s observed water level at Jinghong showed a decrease of about **0.40 m from 535.94 m on 1 Nov to 535.54 on 7 Nov 2022 (recorded on 7:00 am)**. Flow restrictions from dams last month are the main driver of missing water throughout the mainstream. Three parts of the Mekong are extremely wet for this time of the year: the headwaters in Tibet, the 3S Basin and western Cambodia. The outflow was down from 1280.00 m³/s on 01 Nov to 1010.00 m³/s on 07 Nov 2022.

[Figure 7](#) below presents water level that increased at the Jinghong hydrological station¹, indicating the trend of fluctuating water level up to 7 November 2021.




Figure 7. Water level at the Jinghong hydrological station during to 7 Nov 2022.

Along with the decreased outflow from Jinghong upstream, water level of monitoring station at Chiang Saen in Thailand decreased about 1.26 m from 01 to 07 November 2022 and stayed about 1.46 m lower than its long-term average (LTA), which considered critical. WLs at the monitoring stations from Chiang Khan in Thailand decreased 0.14 m and stayed 1.01 m below its LTA , while at Vientiane in Lao PDR increased about 0.22 m and stayed about 0.20 m below its LTA value. The current WLs from Nong Khai in Thailand increased 0.25 m and stayed 1.13 m and at Paksane in Lao PDR it increased about 0.04 m and stayed 1.35 m lower than its LTA value. WL from Thailand’s Nakhon Phanom to Pakse in Lao PDR decreased between 0.20 m and 0.67 m staying below their LTA level, which still considered normal. Water levels from the stretches of the river from Stung Treng to Kratie and at Kompong Cham in Cambodia, moreover, were decreasing due to less contributed rainfall from the upstream part (at Pakse and 3S area in Viet Nam).

Based on hydrological phenomenon, the contribution of inflow water from the upstream of Lancang-Mekong in China to the Mekong mainstream is about 16% in total during the wet season from June to October and about 25% in total during the dry season from November to

¹ Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at <https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry>.

May. The whole inflow of water into the LMB is influenced by rainfall at the Mekong mainstream and its tributaries during the wet season.

Chiang Saen and Luang Prabang

Water level during November 1-7 at Thailand’s Chiang Saen decreased from 3.35 m to 2.09 m, staying close to its minimum level and about 1.46 m lower than its Long-Term-Average (LTA), which is considered critical. When compared to last week, this week’s water level is relatively lower.

Water level at the Luang Prabang station in Lao PDR slightly decreased from 9.46 m to 8.80 m, during the reporting period. Compared to last week, the figure shows down by about 0.66 m. The water level at this station was 0.78 m higher than its LTA value. The water levels at Chiang Saen and Luang Prabang are shown in [Figure 8](#) below.

Being situated between the upstream (Nam Beng, Nam Ou, Nam Suong, and Nam Khan) and downstream (Xayaburi) hydropower dams, the Luang Prabang station has a unique characteristic as it is influenced by the operations of all its surrounding dams. **Thus, the water level at this station can possibly change very rapidly during the early dry season.**




Figure 8. Water levels at Chiang Saen in Thailand and Luang Prabang in Lao PDR.

Chiang Khan, Vientiane-Nong Khai and Paksane

The water level at Chiang Khan in Thailand (downstream of the Xayaburi dam) decreased during the reporting week. It showed 1.01 m lower than its LTA. Furthermore, water level downstream at Vientiane in Lao PDR increased from 4.03 m to 4.25 m and was about 0.20 m lower than its LTA during 1-7 November 2022. At Nong Khai station in Thailand, the water level was also up during the reporting period. It increased from 3.45 m to 3.70 m and showing 1.23 m lower than its LTA value, **which considered normal**. At Paksane in Lao PDR, water levels increased about 0.04 m, up from 4.12 m to 4.16 m. The recently decreased and increased water levels were obvious due to low inflow from upstream, less rainfall in the sub-catchment area and water released from upstream. The water levels at Veintain and Paksane are shown in [Figure 9](#) below.




Figure 9. Water levels Veintiane and Paksane in Thailand and Lao PDR.

Nakhon Phanom to Pakse

Similarly, water levels from Nakhon Phanom in Thailand to Pakse in Lao PDR decreased in between 0.20 m and 0.67 m, during the reporting period. **Water levels at these stations were staying below their LTA level.** The current WL at Khong Chaim and Pakse are **close to their LTA level, which considered normal.** [Figure 10](#) shows the water levels at Nakhon Phanom and Pakse stations.




Figure 10: Water levels at Nakhon Phanom and Savannakhet of Thailand and Lao PDR.

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

Due to less rainfall from the upstream part of the Mekong River and the 3S river (Sekong, Se San, and Sre Pok), the water levels from Stung Treng to Kratie in Cambodia were decreasing during 01-07 November 2022. This week water level from Stung Treng to Kratie decreased about 0.41 m and 1.13 m, respectively. Water levels at Stung Treng and Kratie are staying about 0.08 m and 0.28 m lower than their LTA value respectively, while water level at Kompong Cham was about 0.84 m below their LTA (as showed in [Figure 11](#)).

This week, the Water levels at Stung Treng and Kratie were close to their LTA, which considered normal.




Figure 11: Water levels at Stung Treng and Kratie on the Mekong River.

At Chaktomuk on the Bassac River, due to less contributed flows from upstream catchment, the water level was down by about 0.74 m and stayed 0.85 m lower than its LTA value; while at Koh Khel, water level decreased about 0.59 m, staying 0.09 m lower than its LTA value. The water level at Prek Kdam on the Tonle Sap Lake decreased about 0.54 m and was about 0.08 m higher than its LTA value. The water level at the Tonle Sap Lake (observed at Kompong Luong) was similar to Prek Kdam station's water level. The recently decreased water level was due to low rainfall and inflow contributed from upstream of the Tonle Sap Lake area during the reporting period. The water level at the Tonle Sap Lake (observed at Kompong Luong) followed the same trend of Prek Kdam station's water level. **Water levels at these stations were staying close to their LTA level, which still considered normal.**

Tidal stations at Tan Chau and Chau Doc

Like last week, the water levels from 01 to 07 November 2022 at Viet Nam's Tan Chau and Chau Doc were fluctuating in between their LTA and maximum values due to daily tidal effects from the sea. The fluctuation levels were between 2.60 m and 2.72 m. In Tan Chau and Chau Doc, the fluctuation of water levels were lower than its LTA level, which **considered critical.**

The Tonle Sap Flow

At the end of the wet season, when water levels along the Mekong River subside, the outflows of the Tonle Sap Lake return into the Mekong River and then to the Delta. This phenomenon normally takes place from end of September to October. Based on flow observation at Prek Kdam, the outflow of the Tonle Sap Lake was taking place since 19 October 2022.

[Figure 12](#) shows the seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2019-2021 and 2022, and their LTA level (1997-2021). Up to November 7 of this reporting period, **it was observed that the main outflow to Tonle Sap Lake slightly decreased due to less rainfall and inflows from upstream.** This decreased outflow of Tonle Sap Lake was most likely caused by less inflows and rainfall from the catchment area. Up to this date, the outflow from the Tonle Sap Lake condition in 2022 is higher than 2019, 2020 and 2021 outflow conditions. The early outflow of 2022 is also higher than its LTA. For next week, less rainfall is forecasted for the Tonle Sap area; thus, the outflow into the Tonle Sap Lake is likely continuing to decrease from the current level.

Figure 13 shows seasonal changes in monthly flow volumes up to 7 November 2022 for the Lake compared with the volumes in 2019, 2020, 2021 and their LTA, and the fluctuation levels (1997–2021). It shows that up to November 7, **the water volume of the Tonle Sap Lake was higher than its LTA (21% higher) and also higher than 2019, 2020, 2021 during the same period.** The figure is displayed in Table 1, which indicates that the Tonle Sap Lake has been affected by water levels from the Mekong River, the tributaries, and rainfall in the surrounding sub-catchments and ***considered critical.***

This demonstrates the influence of the relationships between the reverse flows, water levels of the Mekong River, inflows from tributaries, and the flow direction in the complex hydraulic environment of the Tonle Sap Lake during the wet and dry seasons. The data show that about half of the annual inflow volume into the Tonle Sap Lake has originated from the Mekong mainstream. Thus, flow alterations in the mainstream could have direct impact on the Tonle Sap Lake water levels and on its hydrology.




Figure 12: Seasonal change of inflows and outflows of Tonle Sap Lake.




Figure 13. The seasonal change in monthly flow volume of Tonle Sap Lake.

Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	LTA (97-21) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2018 [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume in 2022 [%], compared with its LTA
Jan	15523.23	26357.53	5906.80	13633.41	10285.31	5906.80	9923.80	11214.32	72.24
Feb	8837.89	15596.22	4198.60	7729.72	6019.30	4264.19	5832.97	6558.79	74.21
Mar	5654.18	9438.24	3347.07	5037.06	4354.62	3553.99	4264.88	4736.52	83.77
Apr	4346.65	8009.14	2866.91	3956.47	3667.47	2992.61	3556.68	4288.31	98.66
May	4030.23	9176.93	2417.81	3864.00	3266.43	2594.92	3240.78	4556.83	113.07
Jun	5708.30	13635.01	2468.70	5919.18	3517.06	2641.88	3798.29	7489.04	131.20
Jul	11493.25	28599.56	2925.86	12024.96	4001.99	2925.86	5346.73	9703.79	84.43
Aug	24666.69	39015.12	4433.46	22399.65	7622.71	5941.07	10547.80	19554.70	79.28
Sep	39634.03	65632.35	12105.31	53639.54	24194.19	12105.31	16382.34	32860.34	82.91
Oct	46873.44	73757.23	19705.50	48193.08	30358.38	20799.13	27318.21	48199.12	102.83
Nov	37823.16	60367.33	18534.61	31036.07	19112.65	27546.80	28982.93	45895.38	121.34
Dec	25126.11	38888.95	10563.49	18469.21	10577.29	18251.65	20170.76		
	Critical situation, compared with historical Min values								
	Normal condition, compared with LTA (Long term average)								
	Low volume situation, compared with LTA values								
Unit: Million Cubic Meter (1 MCM= 0.001 Km ³)				LTA: Long-Term-Average					

4 Flash Flood in the Lower Mekong Basin

During 1-7 November 2022, the LMB was affected by two main weather factors. These include (i) the moderate high-pressure system over upper part and (ii) the active northeast monsoon prevailed over the Gulf of Thailand. These conditions caused generally cool weather in the morning in the northern and north-eastern parts of the LMB.

According to the MRC-Flash Flood Guidance System (MRC-FFGS) and analysis, flash flood events were not detected during the reporting period over the LMB.

5 Drought Monitoring in the Lower Mekong Basin

Weekly drought monitoring from 30 October to 05 November 2022

Drought monitoring data for 2022 are available from Sunday to Saturday every week; thus, the reporting period is normally delayed by two days compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

- **Weekly Standardised Precipitation Index (SPI1)**

Meteorological drought condition of the LMB from October 30 to November 5, as shown in [Figure 14](#), was normal in most parts of the region but drier than its long-term value in some areas of the north and the south of the region. The weekly SPI shows that moderate meteorological drought took place in **Chiang Mai and Chiang Rai** in the upper part and **Siem Reap, Preah Vihea, Stung Treng, Ratanakiri, Mondulakiri, Kratie, Kampong Thom, Kampong Chhnang, Takeo, Kandal, Dong Thap, and An Giang** in the lower part. However, the situation was not severe.




Figure 14: Weekly standardised precipitation index from October 30 to November 5.

- **Weekly Index of Soil Water Fraction (ISWF)**

With relatively less rainfall in the northern and southern parts of the region, soil moisture condition from October 30 to November 5, as displayed in [Figure 15](#), were severely dry in most areas of the LMB especially the north and the south. However, this condition is normal during dry season.

Note: The index of soil water fraction presents the current soil water fraction conditions compared with normal month; therefore, it normally shows extremely dry during dry season which is completely different from SPI that is standardized to its specific month of the years. However, this does not mean that the areas are threatened by agricultural drought as generally during transition period of wet and dry seasons and dry season only the irrigated areas are used for agricultural plantation.




Figure 15: Weekly Index of Soil Water Fraction from October 30 to November 5.

- **Weekly Combined Drought Index (CDI)**

The combined drought indicator, as displayed in [Figure 16](#), reveals that during October 30-November 5 the LMB was facing some moderate and severe droughts mainly in the northern and southern parts of the LMB covering **Chiang Rai, Phongsaly, Luang Prabang, Xaysomboun, Borikhamxay, Khammuane, Burirum, Surin, Si Saket, Ubon Ratchathani, Ordar Meanchey, Siem Reap, Preah Vihea, Stung Treng, Ratanakiri, Mondulkiri, Kratie, and Kampong Thom**

due to severely dry soil moisture as described above. The other areas, however, were normal during the reporting week.




Figure 16: Weekly Combined Drought Index during October 30-November 5.

More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: <http://droughtforecast.mrcmekong.org/templates/view/our-product>. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.


6 Weather and Water Level Forecast and Flash Flood Information

6.1 Weather and rainfall forecast

Based on the analysis of the synoptic meteorological information and result from the Global Forecast System (GFS) Model, in the coming week, two main factors might affect the LMB. They include (i) High pressure from China in the upper part and (ii) the on-going prevailing Southwest Monsoon from the Gulf of Thailand to the lower part of the LMB.

During November 8-14, small rainfall (5-20 mm/24h) or no rain may occur in the LMB.

[Figure 14](#) shows accumulated rainfall forecast (24hrs) of the GFS model during 8-14 November 2022.






Figure 17: Accumulated rainfall forecast (24 hrs) of model GFS.

6.2 Water level forecast

Chiang Saen and Luang Prabang

Based on November 7's weekly river monitoring bulletin, the weekly forecast water level at Chiang Saen in Thailand is expected to slightly increase from 2.09 m to 2.20 m in the next seven days. The trend of water levels at these stations will continue staying below their LTA.

For Luang Prabang in Lao PDR, the water level is likely stable, staying at 8.80 m during the same period. The current water levels are lower than their maximum value.

Chiang Khan, Vientiane-Nong Khai and Paksane

Water level at Chiang Khan station in Thailand is forecasted to be down about 0.20 m for the next seven days. Also, from Vientiane in Lao PDR and Nong Khai in Thailand WL will decrease about 0.55 m in the next seven days. At Paksane in Lao PDR, water level will decrease about 0.53 m due to less inflow from the upper catchments. No rainfall is forecasted in the area. The water levels here will remain lower than their LTA.

Nakhon Phanom to Pakse

Water levels from Nakhon Phanom to in Thailand to Savannakhet in Lao PDR will decrease between 0.25 m and 0.40 m in the next seven days. However, water levels from Khong Chiam in Thailand to Pakse in Lao PDR will decrease by about 0.85 m. Water levels at these stations will stay lower than their LTA level. Next week no precipitation is forecasted in the area.

Stung Treng to Kompong Cham/Phnom Penh to Koh Khel/Neak Luong

From Stung Treng to Kompong Cham along the Mekong River in Cambodia, the water levels will go down between 0.41 m and 0.65 m over the next seven days. Rainfall is forecasted for the area between Stung Treng and Kompong Cham during next week.

The water levels of the Tonle Sap Lake at Prek Kdam and Phnom Penh Port as well as at Phnom Penh's Chaktomuk on the Bassac River will decrease about 0.27 m over the next seven days.

Water levels at most of the stations will continue to stay lower than their LTA value, particularly in the lower part of the region from the Bassac at Phnom Penh to Koh Khel as well as from Tonle Sap at Prek Kdam to Phnom Penh Port, including the Tonle Sap Lake. No rainfall is forecasted for the low-lying area of Cambodia next week.

Tidal stations at Tan Chau and Chau Doc

For Viet Nam's Tan Chau on the Mekong River and Chau Doc on the Bassac River, water levels will be moving up and down in between their LTA, Minimum and Maximum values following daily tidal effects from the sea.

[Table 3](#) shows the weekly River Monitoring Bulletin issued on November 7. Results of the started weekly river monitoring bulletin are also available at http://ffw.mrcmekong.org/bulletin_wet.php.

6.3 Flash Flood Information

Flash flood events are not likely to happen in the LMB. However, local heavy rain in a short period of time might still be possible with unexpected short flash floods. During the dry season if extreme weather occurs, the information on flash flood guidance for the next one, three, and six hours is updated at <http://ffw.mrcmekong.org/ffg.php>.

Further detailed information on Flash Flood Information Warning, as well as on its explanation, is available for download [here](#).

6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months until November 2022. The MRC's DFEWS adopts an ensemble model called the North America Multi-Model Ensemble (NMME), which averages all scenarios, and downscales the forecasts to the regional level. The Viable Infiltration Capability (VIC) is then used to generate soil moisture and runoff for the whole basin.

[Figure 15](#) below shows the Combine Drought Indicator (CDI) forecast for September, October, and November 2022. CDI is a combination of meteorological and agricultural indicators.




Figure 18. Monthly forecast of CDI for October, November, and December 2022.

Figure 15 above shows that November is generally wet with the wettest areas in the eastern part. While **December** is receiving below-average rainfall in the northern part covering **Chiang Mai, Chiang Rai, Payao, Bokeo, Luangnamtha, and Vientiane** with **moderate and severe droughts**. The forecast predicts that the eastern area is also extremely wet in December.

Table 2. Weekly River Monitoring Bulletin.



Mekong Bulletin

Mekong River Commission Secretariat (MRCS)

Regional Flood and Drought Management Centre (RFDMC)

P.O. Box 623 #576, National Road #2, Chak Angre Krom, Meanchey, Phnom Penh, Cambodia
Tel: (855-23) 425353, Fax: (855-23) 425363, Email: floodforecast@mrcmekong.org

Forecast period from: 08 November to 15 November 2022

Date: 08 November 2022

LOCATION	Country	Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Min water level against zero gauge (m)	Observed W. level against zero gauge (m)		Forecasted Water Levels (m)						
					06-Nov	07-Nov	08-Nov	09-Nov	10-Nov	11-Nov	12-Nov	13-Nov	14-Nov
Jinhong		29.5	-	-	535.18	535.54							
Chiang Saen		32.0	357.110	0.00	2.12	2.09	2.07	2.05	2.07	2.10	2.13	2.16	2.20
Luang Prabang		0.0	267.190	2.93	8.98	8.80	8.75	8.73	8.70	8.68	8.71	8.75	8.80
Chiang Khan		0.0	194.110	1.91	6.80	6.48	6.33	6.29	6.27	6.25	6.23	6.26	6.28
Vientiane		0.0	156.040	-0.26	4.30	4.25	3.92	3.78	3.72	3.70	3.67	3.64	3.68
Nongkhai		0.0	153.640	0.33	3.70	3.70	3.40	3.29	3.25	3.22	3.20	3.17	3.20
Paksane		0.0	142.125	0.10	4.01	4.16	4.13	3.86	3.77	3.74	3.71	3.68	3.66
Nakhon Phanom		0.0	130.961	0.16	2.73	2.73	2.85	2.84	2.60	2.52	2.50	2.47	2.46
Thakhek		0.0	129.629	1.36	3.92	3.92	3.79	3.77	3.52	3.43	3.40	3.36	3.34
Mukdahan		0.0	124.219	0.72	2.90	2.81	2.76	2.60	2.55	2.30	2.21	2.18	2.13
Savannakhet		0.0	125.410	-0.65	1.30	1.28	1.25	1.15	1.13	0.95	0.92	0.90	0.89
Khong Chiam		0.0	89.030	1.02	5.32	5.20	5.05	4.96	4.77	4.69	4.42	4.30	4.25
Pakse		0.0	86.490	0.03	3.91	3.83	3.75	3.70	3.57	3.52	3.30	3.22	3.19
Stung Treng		nr	36.790	0.32	4.72	4.69	4.66	4.63	4.61	4.53	4.50	4.33	4.28
Kratie		nr	-1.000	3.06	11.95	11.82	11.72	11.63	11.58	11.54	11.43	11.38	11.17
Kompong Cham		nr	-0.930	0.65	7.84	7.73	7.64	7.56	7.49	7.46	7.44	7.35	7.32
Phnom Penh (Bassac)		nr	-1.020	1.56	6.66	6.55	6.48	6.43	6.39	6.37	6.36	6.32	6.30
Phnom Penh Port		-	0.000	0.14	5.44	5.36	5.30	5.26	5.22	5.20	5.20	5.16	5.14
Koh Khel		nr	-1.000	1.52	6.05	5.90	5.83	5.79	5.74	5.69	5.67	5.63	5.60
Neak Luong		nr	-0.330	0.61	4.92	4.88	4.83	4.79	4.74	4.71	4.70	4.69	4.64
Prek Kdam		nr	0.000	0.56	6.97	6.88	6.81	6.77	6.73	6.70	6.68	6.64	6.62
Tan Chau		0.0	0.000	-0.37	2.72	2.70	2.68	2.65	2.64	2.63	2.61	2.65	2.68
Chau Doc		nr	0.000	-0.60	2.66	2.64	2.65	2.64	2.62	2.60	2.58	2.60	2.63

REMARKS:

-: not available.
*: reference stations without forecast.
nr: no rain.

River Flood Forecaster

KHEM Sothea

NOTE: Discharge at Luang Prabang may be influenced by hydropower operations (at both upstream and downstream).
For more info, please refer to this link:
<http://www.mrcmekong.org/>; http://fw.mrcmekong.org/bulletin_wet.php; <http://fw.mrcmekong.org/reportflood.php>

7 Summary and Possible Implications

7.1 Rainfall and its forecast

This week, no rainfall was observed over the upper Mekong region. However, rainfall was observed in the lower part from Stung Treng in Cambodia to Tan Chau and Chau Doc in Viet Nam. The highest rainfall was 49.40 mm recorded at Chaktomuk during this reporting week. Compared with last week's amount, the rainfall this week was considered low in the Mekong region.

Based on the forecasted rainfall from satellite using GFS data, rainfall is likely to take place in the areas from the lower part of Cambodia to the 3S area and Mekong Delta in Viet Nam during November 8-14, varying from 0.05 mm to 50 mm. This indicates that the dry season has started for the LMB.

7.2 Water level and its forecast

The MRC's observed water level at Jinghong showed a decrease of about 0.40 m from 535.94 m on 1 Nov to 535.54 on 7 Nov 2022. The outflow was down from 1280.00 m³/s on 01 Nov to 1010.00 m³/s on 07 Nov 2022.

Water levels in the lower part of the monitoring locations in the LMB during this reporting week were decreasing from Chiang Saen in Thailand to Pakse in Lao PDR. Water levels at Khong Chaim, Pakse, Stung Treng and Kratie were staying close to their LTA level, considered Normal. Also, at Kompong Cham down to Chaktomuk and Koh Khel in Cambodia, water levels dropped lower than their LTA level. Water levels at Prek Kdam in Cambodia were slightly higher than its LTA level. The low level was due to low inflows from upstream and less rainfall in the region from 01-07 November 2022. Generally, this week's water levels were relatively lower than those of last week from the upper to the lower part of the LMB.

The flow volume of the Tonle Sap Lake is higher than its LTA. From next week, the flow is expected to continue decreasing due to less rainfall forecasted in the inflow catchments of the Tonle Sap Lake.

From Stung Treng to Kompong Cham, the water levels will continue to go down. The water levels – at Neak Luong on the Mekong River, from Prek Kdam to Phnom Penh Port on the Tonle Sap, and from Chaktomuk to Koh Khel on the Bassac – are forecasted to stay below their LTA.

The situation in Tan Chau on the Mekong River and Chau Doc on the Bassac River is expected to remain fluctuating. In Tan Chau and Chau Doc, the fluctuation of water levels were lower than its LTA level, which **considered critical**.

Since the third week of September 2022, water levels across most monitoring stations in the LMB have increased due to the above-average rainfall but still staying lower than their LTA value (from middle to lower stretches within the LMB). The preliminary analysis of the hydrological conditions in the LMB over July–December 2020 and November 2020 to May

2021 was done as [Situation Report](#), which can be used as reference for the trend of water level and flows of the Mekong River Basin.

The contribution to the Mekong River's flow from the UMB in China (Yunnan component) is about 16% by the time the river discharges through the Mekong Delta into the Sea. By far the major contribution comes from the two major 'left-bank' (Eastern) tributaries between Vientiane – Nakhon Phanom and Pakse – Stung Treng, which together contribute more than 40% of the flows.

7.3 Flash flood and its trends

With the predicted of rainfall for the coming week as mentioned earlier in [section 6.1](#), major flash floods are not likely to happen in the LMB.

7.4 Drought condition and its forecast

During October 30-November 5 the LMB was facing some moderate and severe droughts mainly in the northern and southern parts of the LMB covering **Chiang Rai, Phongsaly, Luang Prabang, Xaysomboun, Borikhamxay, Khammuane, Burirum, Surin, Si Saket, Ubon Ratchathani, Ordar Meanchey, Siem Reap, Preah Vihea, Stung Treng, Ratanakiri, Mondulkiri, Kratie, and Kampong Thom** due to severely dry soil moisture which is normal during dry season; thus, this is not considered as drought threat for the LMB.

During the next two months, November is ultimately wet in general with the wettest areas in the eastern part. While **December** is receiving below-average rainfall in the northern part covering **Chiang Mai, Chiang Rai, Payao, Bokeo, Luangnamtha, and Vientiane** with **moderate and severe droughts**. The forecast predicts that the eastern area is also extremely wet in December.

Annex A: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2022	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
01-11-2022	535.94	3.35	9.46	6.62	4.03	3.45	4.12	2.94	4.15	3.03	1.48	5.85	4.40	5.10	12.95	8.70	7.29	6.07	6.49	5.45	7.42	2.72	2.60
02-11-2022	535.20	3.25	9.74	6.53	4.09	3.49	4.08	2.94	4.12	3.02	1.30	5.76	4.26	4.98	12.71	8.52	7.15	5.96	6.39	5.35	7.29	2.70	2.59
03-11-2022	535.18	2.92	9.82	6.54	4.02	3.46	4.12	2.87	4.08	3.00	1.30	5.62	4.18	4.88	12.43	8.31	7.00	5.82	6.29	5.24	7.19	2.72	2.63
04-11-2022	535.18	2.43	9.72	6.78	4.01	3.38	4.06	2.83	4.05	3.00	1.30	5.50	4.08	4.85	12.23	8.11	6.85	5.69	6.16	5.10	7.09	2.74	2.64
05-11-2022	535.18	2.13	9.40	6.86	4.21	3.54	4.05	2.77	3.96	2.95	1.31	5.40	4.00	4.75	12.09	7.96	6.74	5.88	6.05	5.02	7.02	2.79	2.68
06-11-2022	535.18	2.12	8.98	6.80	4.30	3.70	4.01	2.73	3.92	2.90	1.30	5.32	3.91	4.72	11.95	7.84	6.66	5.44	6.05	4.92	6.97	2.72	2.66
07-11-2022	535.54	2.09	8.80	6.48	4.25	3.70	4.16	2.73	3.92	2.81	1.28	5.20	3.83	4.69	11.82	7.73	6.55	5.36	5.90	4.88	6.88	2.70	2.64

Table A2: Weekly observed rainfall

2022	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
01-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.2	18.3	0	3.8	0	0	0	0
06-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	1.5	0	24.5	31.1	0	6.4	0	16.4	0	0
07-11-2022	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	25.7	49.4	0	10.2	0.0	16.4	0.0	0.0



Mekong River Commission Secretariat

P. O. Box 6101, 184 Fa Ngoum Road, Unit 18 Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR
Tel: +856 21 263 263. Fax: +856 21 263 264 www.mrcmekong.org

© Mekong River Commission 2020