

# Weekly Wet Season Situation Report in the Lower Mekong River Basin

06 - 12 August 2024

Prepared by
The Regional Flood and Drought Management Centre
13 August 2024



Copyright © Mekong River Commission, 2024

First published (2020)

Some rights reserved.

This work is the product of the Mekong River Commission Secretariat. While all efforts are made

to present accurate information, the Secretariat does not guarantee the accuracy of the data included in this work. The boundaries, colours, denomination, and other information shown on

any map in this work do not imply any judgement on the part of the MRC concerning the legal

status of any territory or the endorsement or acceptance of such boundaries.

Nothing herein shall constitute or be considered to be a limitation upon or waiver of the privileges

and immunities of the MRC, all of which are specifically reserved.

This publication may be reproduced in whole or in part and in any form for educational or non-

profit purposes without special permission from the copyright holder, provided acknowledgement

of the source is made and notification is sent to the MRC. The MRC would appreciate receiving a copy of any publication that uses this publication as a source. This publication cannot be used for

sale or for any other commercial purpose whatsoever without permission in writing from the MRC.

Title: Weekly wet season situation report in the Lower Mekong River Basin for 06 – 12 August

2024.

ISSN: 1728-3248

Keywords: Monitoring/forecasting/weather/the Mekong/the Tonle Sap Lake

For bibliographic purposes, this volume may be cited as:

Mekong River Commission. (2024). Weekly wet season situation report in the Lower Mekong River

Basin for 06 – 12 August 2024. Vientiane: MRC Secretariat.

Information on MRC publications and digital products can be found at

http://www.mrcmekong.org/ publications/

All queries on rights and licenses should be addressed to:

**Mekong River Commission** 

**Documentation and Learning Centre** 

184 Fa Ngoum Road, Unit 18, Ban Sithane Neua, Sikhottabong District, Vientiane 01000, Lao PDR

Telephone: +856-21 263 263 | E-mail: mrcs@mrcmekong.org | www.mrcmekong.org

# **Content**

Co	ontent.		i
Li	st of Fig	gures	ii
Li	st of Ta	bles	iii
Κe	ey Mess	sages	iv
1	Intro	oduction	1
2	Gen	eral Weather Patterns	2
3.	Rair	nfall and Water Level Monitoring	3
	3.1.	Rainfall monitoring	3
	3.2.	Water level monitoring	5
4.	Flas	h Flood in the Lower Mekong Basin	9
5.	Dro	ught Monitoring in the Lower Mekong Basin	10
	5.2.	Weekly drought monitoring from 6 to 120August 2024	10
6	Wea	ather and Water Level Forecast and Flash Flood information	13
	6.1	Rainfall forecast	13
	6.2	Water level forecast	15
	6.3	Flash Flood Information	18
	6.4	Drought forecast	18
7	Sum	nmary and Possible Implications	19
	7.1.	Rainfall and its forecast	19
	7.2.	Water level and its forecast	19
	7.3.	Flash flood and its trends	19
	7.4.	Drought condition and its forecast	19
Αı	nnex A:	Weekly water level monitoring at the 22 key stations	22
Αı	nnex B:	Tables for weekly updated water levels and rainfall at the Key Stations	25
Αı	nnex C:	Performance of the weekly flood forecasting	29

# **List of Figures**

Figure 1: Weather conditions over the LMB	2
Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC	3
Figure 3: One tropical storm risk observed on 12 August 2024	3
Figure 4: Weekly rainfall distribution over the LMB during 06 – 12 August 2024	4
Figure 5: The key stations along LMB for river flood forecasting	6
Figure 6. Water level at the Jinghong hydrological station up to 12 August 2024	7
Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake	8
Figure 8. The seasonal change in monthly flow volume of Tonle Sap Lake	8
Figure 9. Flash Flood Guidance for the next 1-hr, 3-hr, and 6-hr on 12 August	10
Figure 10: Weekly standardized precipitation index from August 6 to 12	11
Figure 11: Weekly Index of Soil Water Fraction from August 6 to 12	12
Figure 12: Weekly Combined Drought Index from August 6 to 12	13
Figure 13: Accumulated rainfall forecast from CHIRPS-GFS (13 – 17 August 2024)	14
Figure 14. Monthly rainfall anomaly forecast for August. September and October 2024	. 18

# **List of Tables**

Table 1. The monthly change in the flow volume of Tonle Sap Lake	. 9
Table 2. Detected moderate to high-risk flash flood in Lao PDR on 12 August	. 9
Table 3. River Monitoring and Forecasting Bulletin	16

## **Key Messages**

Key messages for this weekly report are presented below.

#### Rainfall monitoring and forecast

- In the period of 06 12 August 2024, light to very heavy rainfall has been observed over the LMB. In particular, heavy to very heavy rainfall has been observed in the upper and center parts of the LMB including Vang Vieng, Nong Khai, Paksane, Thakhet, Muong Mai, Nakhon Phanom, and Mahaxai.
- From 13 17 August 2024, the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain and thunderstorms. Moderate rainfall is expected to sporadically occur across the LMB. However, heavy rainfall is likely to occur in Chiang Saen during 15-16 August.

#### Water level monitoring and forecast

- At 22 key monitoring stations along the Mekong mainstream from 06 12 August 2024, water levels at all stations are in normal conditions, which do not reach alarm and flood levels. Water level at most of station are below their LTAs except for Nakhon Phanom and Thakhek. The total accumulated volume of the reverse flow to Tonle Sap Lake is 15.24 Km<sup>3</sup>.
- In the period of 13 17 August 2024, water levels at stations along Mekong mainstream from are likely expected to drop except for upper stations including Chaing Saen, and Luang Prabang stations. water levels at most of stations along the Mekong mainstream are also expected to be below their long-term averages (LTAs) except for Koh Khel station.

#### **Drought condition and forecast**

- During 6-12 August 2024, the LMB was at moderate and severe drought mainly in the central and southern parts. Severe drought took place in Kampong Chhnang, Prey Veng, Borikhamxay, Maha Sarakham, Roi Et, Yasothon, Ubon Ratchathani, and Surin.
- August is expected to be abnormally dry over the central and lower parts. Eastern
  Cambodia and 3S area are likely the driest area of the region. The forecast also
  indicates that central and eastern Cambodia is likely at moderately dry during
  September. While no drought is anticipated for October. More rain is expected to
  come during October before the end of the rainy season.

#### 1 Introduction

This Weekly Wet Season Situation Report presents a preliminary analysis of the weekly hydrological situation in the Lower Mekong River Basin (LMB) for 06 - 12 August 2024. The trend and outlook for water levels are also presented.

This analysis is based on the daily hydro-meteorological data provided by the Mekong River Commission (MRC) Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – and on satellite data. The water level indicated in this report refers to an above zero gauge of each station.

The report covers the following topics that are updated weekly:

- General weather patterns, including rainfall patterns over the LMB.
- Water levels in the LMB, including in the Tonle Sap Lake.
- Flash flood and drought situation in the LMB.
- Weather, water level and flash flood forecast, and
- Possible implications.

Mekong River water levels are updated daily and can be accessed from: <a href="http://ffw.mrcmekong.org/bulletin.php">http://ffw.mrcmekong.org/bulletin.php</a>.

Drought monitoring and forecasting information is available at: <a href="http://droughtforecast.mrcmekong.org">http://droughtforecast.mrcmekong.org</a>

Flash flood information is accessible at: <a href="http://ffw.mrcmekong.org/ffg.php">http://ffw.mrcmekong.org/ffg.php</a>

#### 2 General Weather Patterns

During 06 – 12 August 2024, light to very heavy rainfall has been observed over the LMB. In particular, heavy to very heavy rainfall has been observed in the upper and center parts of the LMB including Vang Vieng, Nong Khai, Paksane, Thakhet, Muong Mai, Nakhon Phanom, and Mahaxai.

**Figure 1** presents the mean sea level pressure over the region. It is forecasted that the moderate southwest monsoon and the low pressure will be impacted on the Lower Mekong Basin from 14 - 19 August. Therefore, in the upcoming seven days, the Lower Mekong Basin is expected to experience light to moderate rainfall and isolated heavy rainfall. Moderate rainfall is expected to sporadically occur across the LMB. However, heavy rainfall is likely to occur in Chiang Saen during 15-16 August




Figure 1: Weather conditions over the LMB

According to the ASEAN Specialised Meteorological Centre (ASMC, <a href="http://asmc.asean.org/home/">http://asmc.asean.org/home/</a>), the subseasonal weather outlook (05 – 18 August 2024) indicates that drier

condition is predicted in the lower part of Lower Mekong Basin (LMB), while wetter condition is predicted to be in the upper part. The warmer conditions will be expected in the lower part of LMB during abovementioned period. **Figure 2** shows the outlook of weather condition from 22 July – 04 August 2024 in Southeast Asia based on results from the NCEP model (National Centres for Environmental Prediction).




Figure 2: Outlook of wet and dry conditions over the Asian countries by ASMC.

Based on the tropical storm risk (TS) (<a href="https://www.tropicalstormrisk.com/">https://www.tropicalstormrisk.com/</a>), there are four active NW pacific system as of 12 August 2024 as displayed in **Figure 3.** However, those tropical storm may not affect the LMB.




Figure 3: One tropical storm risk observed on 12 August 2024

## 3. Rainfall and Water Level Monitoring

#### 3.1. Rainfall monitoring

The weekly accumulated rainfall is based on the observed data provided by the MRC Member Countries – Cambodia, Lao PDR, Thailand, and Viet Nam – from 06 - 12 August 2024 (Figure

**4**). light to very heavy rainfall has been observed over the LMB. In particular, heavy to very heavy rainfall has been observed in the upper and center parts of the LMB including Vang Vieng, Nong Khai, Paksane, Thakhet, Muong Mai, Nakhon Phanom, and Mahaxai.




Figure 4: Weekly rainfall distribution over the LMB during 06 – 12 August 2024

#### 3.2. Water level monitoring

The hydrological regimes of the Mekong mainstream are illustrated by recorded water levels and flows at key mainstream stations: at Chiang Saen to capture mainstream flows entering from the Upper Mekong Basin (UMB); at Vientiane to present flows generated by climate conditions in the upper part of the LMB; at Pakse to investigate flows influenced by inflows from the larger Mekong tributaries; at Kratie in Cambodia to capture overall flows of the Mekong Basin; and at Viet Nam's Tan Chau and Chau Doc to monitor flows to the Delta.

The key stations along the LMB and their respective model application for River Flood Forecasting during the wet season from June to October and River Monitoring during the dry season from November to May are presented in **Figure 5**. The hydrograph for each key station is available from the MRC's River Flood Forecasting: <a href="http://ffw.mrcmekong.org/overview.php">http://ffw.mrcmekong.org/overview.php</a>.

During 06– 12 August 2024, the observed water level (WL) at Jinghong hydrological station<sup>1</sup>, was almost constant and ranges between 537.09 m and 536.72 m, which are corresponding to the outflow between 2,230.00 m³/s to 1,920.00 m³/s (recorded on 7:00 am), respectively (**Figure 6**). The water level in Chiang Saen station also indicated a fluctuation ranging from 6.54 m to 4.60 m. At the same period, the water level in Luang Prabang station also slightly decreased with an approximate value of 2.8 m from 14.28 m to 12.08 m as compared to the previous week.

During the same period, the water levels observed at the upper stretch from Chiang Khan to Pakse have decreased. At Chiang Khan, Vientiane, Nongkhai, Paksane, Nakhon Phanom, Thakhek, Mukdahan, Savannakhet, Khong Chiam, and Pakse, water levels have increased from 12.86 m to 9.98 m, 8.68 m to 7.09 m, 9.36 m to 7.92 m, 9.32 m to 9.68 m, 8.22 m to 9.07 m, 8.95 m to 10.04 m, 8.22 m to 8.62 m, 6.68 m to 7.02 m, 9.91 m to 9.75 m, and 8.12 m to 7.84 m, respectively. In addition, water levels at Stung Treng, Kratie, kampong Cham Phnom Penh Bassac, Phnom Penh Port, Koh Khel, Neak Luong and Prek Kdam have also decreased from 7.54 m to 7.32 m, 17.29 m to 16.71 m, 10.80 m to 10.26 m, 6.7 m to 6.4 m, 5.49 m to 5.25 m, 6.15 m to 5.9 m, 4.7 m to 4.48 m, and 5.57 m to 5.41 m, respectively.

Similar to the previous week, the water levels from 06 to 12 August 2024 at Viet Nam's Tan Chau and Chau Doc, water levels have also decreased from 1.87 m to 1.61 m and from 1.53 m to 1.51 m, respectively.

<sup>&</sup>lt;sup>1</sup> Near-real time data of hydro-meteorological monitoring at the Jinghong hydrological station is available at <a href="https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry">https://portal.mrcmekong.org/monitoring/river-monitoring-telemetry</a>.





Figure 5: The key stations along LMB for river flood forecasting

The water levels in key monitoring stations on 12 August, water levels at all stations are in normal conditions, which do not reach alarm and flood levels. Water level at most of station

are below their LTAs except for Nakhon Phanom and Thakhek. Moreover, all stations with available PMFM (Article 6C) thresholds are in normal conditions. The graphics of water level monitoring in all key stations are presented in **Annex A** and the weekly water levels and rainfall at each key station are summarised in **Annex B**.



## Figure 6. Water level at the Jinghong hydrological station up to 12 August 2024.

At the end of the wet season, when water levels along the Mekong River subside, the outflow of the Tonle Sap Lake (TSL) returns to the Mekong River and then to the Delta. This phenomenon normally takes place between September and October. Based on flow observation at Prek Kdam monitoring station, the inflow/reverse of the Tonle Sap Lake took place since 29 June 2024.

The outflow flow is calculated based on a formula of rating-curves using by difference of water levels at Kompong Luong and Phnom Penh Port stations for slop and Prek Kdam as cross-section of the Lake. The formula of flow is as follows:

$$Flow = WL_{Prek\ Kdam}^{1.2} \times \sqrt{|WL_{Phnom\ Penh\ Port} - WL_{Kampong\ Luong}|}$$

Where, WL is water level in m (msl).

The seasonal changes of the inflow/reverse flow and the outflow of the TSL at Prek Kdam in comparison with the flows of 2020, 2021 and 2022, 2023 and their LTA level (1997-2023) are illustrated in **Figure 8**. Up to 12 August 2024, it was observed that the main outflow to Tonle Sap Lake decreased due to limited rainfall and less inflows from upstream **(Figure 8)**. This decreased outflow of Tonle Sap Lake was most likely caused by low inflows from its tributaries.

The seasonal changes in monthly flow volumes up to 12 August 2024 for the TSL compared with that in 2020, 2021, 2022, 2023 and their LTAs, and the fluctuation levels (1997–2023) are presented in **Table 8**. The mean monthly water volume of the Tonle Sap Lake in July 2024 is lower than its LTA (about 52.56 %) and 2022 but higher than that in 2019, 2020, 2021 and 2023 during the same period **(Figure 8 and Table 1)**.




Figure 7: Seasonal change of inflows and outflows of Tonle Sap Lake.




Figure 8. The seasonal change in monthly volume of Tonle Sap Lake.

Table 1. The monthly change in the flow volume of Tonle Sap Lake.

Month	LTA (97-22) [MCM]	Max Volume [MCM]	Min Volume [MCM]	Volume 2019 [MCM]	Volume 2020 [MCM]	Volume 2021 [MCM]	Volume 2022 [MCM]	Volume 2023 [MCM]	Volume 2024 [MCM]	Volume in 2024 [%], compared with its LTA
Jan	11487.13	20039.88	4796.69	7998.69	4796.69	7405.81	7998.69	10700.62	8610.88	74.96
Feb	6697.79	12266.87	3757.30	4954.90	3757.30	4671.15	5405.65	6309.00	5211.05	77.80
Mar	4822.51	8340.62	3030.40	3936.30	3259.79	4147.46	4330.50	4299.86	3936.30	81.62
Apr	4033.80	9203.09	2552.38	3317.61	2635.83	3259.79	4026.48	3609.52	3580.11	88.75
May	4376.15	9938.04	2441.69	3317.61	2469.30	3462.96	5668.52	3404.68	3609.52	82.48
Jun	7357.50	18344.65	2775.77	3580.11	2832.04	4765.22	7886.07	3936.30	3698.04	50.26
Jul	16001.18	40825.01	3230.96	4269.27	3230.96	7333.01	13751.91	7260.51	11671.87	72.94
Aug	31847.52	54529.13	10021.39	12266.87	10021.39	12453.19	27226.87	18168.63	17993.68	56.50
Sep	45088.00	72427.44	14251.59	35070.22	14251.59	22430.63	39624.67	30811.08		
Oct	44317.53	72124.19	22296.87	25074.27	28782.41	32331.33	48230.13	38255.90		
Nov	31391.74	49030.83	14302.12	14302.12	23867.31	25218.90	31989.11	28075.12		
Dec	19550.90	31734.10	7886.07	7886.07	13900.73	15599.94	19545.75	16466.19		
	Critical situ	ation: lower	than long-t	erm minimu	m values (L	TMIN)				
	Normal cor	alues								
	Low volum	e situation:	lower than I	ong-term av	erage (LTA	.)				
Unit: Million	Cubic Met	er (1 MCM=	0.001 Km <sup>3</sup>	)						

Remarks: the monthly volume of Tonle Sap Lake in 2024 is updated untill 12 August 2024.

## 4. Flash Flood in the Lower Mekong Basin

During the weekly monitoring period from 06 - 12 August, the LMB received light to very heavy rain and thunderstorms in some areas in the upper and central parts of the LMB and the 3S Basin of Sekong, Sesan, and Srepok.

According to the Southeast Asian Flash Flood Guidance System (SEAFFGS) and analysis, flash flood guidance was detected high level in the next 1, 3, and 6 hours in some areas of Lao PDR, during this period, the reporting period as shown in <u>Figure 14</u> and <u>Table 2</u>.

Table 2. Detected moderate to high-risk flash flood in Lao PDR on 12 August

FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN													
In	the next 01 hour	r	In	the next 03 hour		In the next 06 hour							
Province	District	Level of FFG	Province	District	Level of FFG	Province	District	Level of FFG					
Attapeu	Sanxay	moderate	Attapeu	Sanxay	moderate	Attapeu	Sanxay	moderate					
Attapeu	Phouvong	moderate	Khammuane	Nakai	moderate	Khammuane	Nakai	moderate					
Bolikhamxay	Viengthon	moderate	Khammuane	Nhommalat	moderate	Khammuane	Nhommalat	moderate					
Champasak	Pathoomph	moderate	Khammuane	Mahaxay	moderate	Khammuane	Mahaxay	moderate					
Khammuane	Nakai	high	Luangprabang	Ngoi	moderate	Vientiane	Xanakham	high					
Khammuane	Nhommalat	moderate	Vientiane	Kasy	moderate	Xayaboury	Paklai	moderate					
Khammuane	Mahaxay	moderate	Vientiane	Xanakham	high								
Luangprabang	Ngoi	moderate	Xayaboury	Paklai	moderate								
Oudomxay	Hoon	moderate											
Phongsaly	May	moderate											
Vientiane	Kasy	moderate											
Vientiane	Met	moderate											

	FLASH FLOOD GUIDANCE IN THE LOWER MEKONG BASIN													
In	the next 01 hour	r	In	the next 03 hou	r	Ir	In the next 06 hour							
Province	District	Level of FFG	Province	District	Level of FFG	Province	District	Level of FFG						
Vientiane	Feuang	moderate	riovince	District	110	Frovince	District	110						
Vientiane	Xanakham	high												
Xayaboury	Phieng	moderate												
Xayaboury	Paklai	moderate												
Xayaboury	Kenethao	moderate												
Xiengkhuang	Pek	moderate												
Xiengkhuang	Souy	moderate												




Figure 9. Flash Flood Guidance for the next 1-hr, 3-hr, and 6-hr on 12 August

## 5. Drought Monitoring in the Lower Mekong Basin

#### 5.2. Weekly drought monitoring from 6 to 120August 2024

Drought monitoring data for 2024 are available from Monday to Sunday every week; thus, the reporting period is normally delayed by one day compared to Flood and Flash Flood reports. We adopt the Index of Soil Water Fraction (ISWF) data obtained from FFGS to represent soil moisture of agricultural indicator for both dry and wet seasons.

#### • Weekly Standardised Precipitation Index (SPI1)

As indicated in **Figure 10** below, during 6-12 August, the LMB was facing some moderate and severe meteorological droughts from north to south. However, the central region was the driest area during the monitoring week.




Figure 10: Weekly standardized precipitation index from August 6 to 12.

### • Weekly Index of Soil Water Fraction (ISWF)

There were some moderate and severe agricultural droughts taking place during the monitoring week from 6 to 12 August and mainly in the central Lao PDR from Borikhamxay to Savannakhet, see **Figure 10**.




Figure 11: Weekly Index of Soil Water Fraction from August 6 to 12.

#### Weekly Combined Drought Index (CDI)

The combined drought indicator, **Figure 11**, shows that the LMB was at moderate and severe drought mainly in the central and southern parts. Severe drought took place in Kampong Chhnang, Prey Veng, Borikhamxay, Maha Sarakham, Roi Et, Yasothon, Ubon Ratchathani, and Surin.

#### The impacted areas are listed below:

Number	Country	Province	Mderate	Severe	Extreme	xceptiona	Number	Country	Province	Mderate	Severe	Extreme	xceptional	Number	Country	Province	Mderate	Severe	Extreme	xceptiona
1	Cambodia	Battamabang					24	Lao PDR	Oudomxai					47	Thailand	Udon Thani				
2	Cambodia	Bante ay Meanche	у				25	Lao PDR	Loungprabang					48	Thailand	Sakon Nakhon				
3	Cambodia	Kampong Cham					26	Lao PDR	Xayaburi					49	Thailand	Bueng Kan				
4	Cambodia	Pursat					27	Lao PDR	Xiengkhouang					50	Thailand	Nakhon Phanom				
5	Cambodia	Kampong Chhnar	g	S			28	Lao PDR	Vientiane					51	Thailand	Kalasin				
6	Cambodia	Otdar Meanchey					29	Lao PDR	Vientiane Capital					52	Thailand	Mukdahan				
7	Cambodia	Preah Vihear					30	Lao PDR	Xaisomboun					53	Thailand	Roi Et		S		
8	Cambodia	Kampong Thom					31	Lao PDR	Borikhamxai		S			54	Thailand	Yasothon		S		
9	Cambodia	Kratie					32	Lao PDR	Khammouan					55	Thailand	Amnat Charoen				
10	Cambodia	Mondulkiri					33	Lao PDR	Savanakhet					56	Thailand	Ubon Ratchathani		S		
11	Cambodia	Ratanakiri					34	Lao PDR	Salavan					57	Thailand	Si Sa Ket				
12	Cambodia	Tbong Khmum					35	Lao PDR	Xekong					58	Thailand	Surin		S		
13	Cambodia	Prey Veng		S			36	Lao PDR	Attapu					59	Thailand	Buri Ram				
14	Cambodia	Kampot					37	Lao PDR	Champasack					60	Thailand	Nakhon Ratchasim	na na			
15	Cambodia	Takeo					38	Thailand	Chiang Mai					61	Viet Nam	Kon Tum				
16	Cambodia	Svai Rieng					39	Thailand	Chiang Rai					62	Viet Nam	Gia Lai				
17	Cambodia	Stung Treng					40	Thailand	Payao					63	Viet Nam	Dak Nong				
18	Cambodia	Kampong Speu					41	Thailand	Loei					64	Viet Nam	Dak Lak				
19	Cambodia	Kandal					42	Thailand	Nong Bua Lam Ph	u				65	Viet Nam	Dong Thap				
20	Cambodia	Siem Reap					43	Thailand	Khon Kaen					66	Viet Nam	Tien Giang				
21	Lao PDR	Bokeo					44	Thailand	Nong Khai					67	Viet Nam	An Giang				
22	Lao PDR	Luangnamtha					45	Thailand	Chaiyaphum						Other pro	vinces of the Meko	ng Del ta of	f Viet Nam	have no d	ata
23	Lao PDR	Phongsali					46	Thailand	Maha Sarakham		S					Moderate		Severe		
																Severe		xce ption a	1	

Note: S: short-term drought, less than 1 months; L: long-term drought, more than 1 month




Figure 12: Weekly Combined Drought Index from August 6 to 12.

More information on Drought Forecasting and Early Warning (DFEW) as well as the explanation is available here: <a href="http://droughtforecast.mrcmekong.org/templates/view/our-product">http://droughtforecast.mrcmekong.org/templates/view/our-product</a>. DFEW provides not only weekly monitoring and forecasting information but also a three-month forecast of drought indicators with seasonal outlook which are updated every month based on international weather forecast models. Details on drought forecast are described in section 6.4 of this report.

#### 6 Weather and Water Level Forecast and Flash Flood information

#### 6.1 Rainfall forecast

From 06 to 12 August 2024, the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain based on CHIRPS-GFS (**Figure 12**). the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain and thunderstorms. Moderate rainfall is expected to sporadically occur across the LMB. However, heavy rainfall is likely to occur in Chiang Saen during 15-16 August.




Figure 13: Accumulated rainfall forecast from CHIRPS-GFS (13 – 17 August 2024)

#### **6.2** Water level forecast

In Chiang Saen monitoring station, the water level is expected to be fluctuated over the forecasting period of 13 - 17 August 2024. However, it will increase from 4.46 m to 4.82 m. The water levels in Luang Prabang affected by backwater is likely decreasing approximately - 0.22 m.

Along the Mekong mainstream, the water levels at all forecasting stations are expected to decrease except for Nakhon Phanom, Thakhek, Phnom Penh (Bassac), Phnom Penh Port, and Prek kdam. At Chiang Khan, Vientiane, Nongkhai, paksane, Mukdahan, Savannakhet, Khong Chiam, Pakse, Stung Treng, Kratie, Kampong Cham station, water levels are expected to decrease approximately, -0.50 m, -0.61 m, -0.69 m, -0.26 m, -0.20 m, -0.16 m, -0.37 m, -0.24 m, -0.44 m, -0.51 m, -0.46 m, -0.05 m, and -0.16 m, respecitively.

For the Tan Chau station on the Mekong River and Chau Doc station on the Bassac River, water levels will be also stable from previous week.

water levels at most of stations along the Mekong mainstream are also expected to be below their long-term averages (LTAs) except for Koh Khel station.


The weekly River Monitoring Bulletin and forecasting issued on 12 August 2024 can be found in **Table 2.** Results of the weekly river monitoring and forecasting bulletin are also available at <a href="http://ffw.mrcmekong.org/bulletin.php">http://ffw.mrcmekong.org/bulletin.php</a>



#### MEKONG RIVER MONITORING AND FORECASTING BULLETIN

#### Monitoring on 12 August 2024

**Highlights:** Today's water levels in all mainstream stations are "normal", and the flow thresholds (PMFM 6C) are under "normal conditions". The accumulated volume of reverse flow to Tonle Sap Lake is **15.24 km**<sup>3</sup>.





## **MEKONG RIVER MONITORING AND FORECASTING BULLETIN**

#### Forecasting from 13 to 17 August 2024

**Highlights:** In the next five days, it is forecasted that water levels at all the mainstream stations will not reach the "alarm" levels.

Forecasting Station	24 h Observed Rainfall (mm)	Zero gauge above M.S.L (m)	Level a	ved Water gaint zero ige (m)	Fo	rec	asteo	d Wate	r Le	vel (	m)		Alarm Level (m)	Flood Level (m)	Forecasted Water Levels Change in	Max. Water levels change within	Min. distance to alarm level within	Min. distance to flood level within
	11-Aug		11-Aug	12-Aug	13-Aug	14	l-Aug	15-Aug	1	5-Aug	1	7-Aug			5 days (m)	next 5 days (m)	next 5 days (m)	next 5 days (m)
Jinghong	26.5	.a.	536.52	<b>↓</b> 536.51	-		-	÷		·		w	4	121	-	-	-	-
Chiang Saen	6.2	357.110	4.48	<b>↓</b> 4.46	→ 4.53	>	4.58	→ 4.67	>	4.75	→	4.82	11.50	12.80	<b>↑</b> 0.36	0.36	6.68	7.98
Luang Prabang	41.2	267.195	12.38	<b>↓</b> 11.94	<b>↓</b> 11.75	<b>→</b>	11.80	<b>↑</b> 11.90	→	12.00	个	12.16	17.50	18.00	<b>↑</b> 0.22	0.22	5.34	5.84
Chiang Khan	7.3	194.118	10.74	↓ 10.30	↓ 10.12	<b>4</b>	10.00	→ 9.95	<b>→</b>	9.91	4	9.80	14.50	16.00	<b>↓</b> -0.50	-0.50	4.38	5.88
Vientiane Vientiane	35.0	158.040	7.32	<b>↓</b> 7.28	<b>↓</b> 7.03	<b>→</b>	7.01	<b>↓</b> 6.83	<b>→</b>	6.74	<b>→</b>	6.67	11.50	12.50	<b>↓</b> -0.61	-0.61	4.48	5.48
Nongkhai	73.0	153.648	8.86	<b>↓</b> 8.35	<b>↓</b> 8.16	→	8.13	<b>↓</b> 7.95	1	7.80	Ψ	7.66	11.40	12.20	<b>↓</b> -0.69	-0.69	3.24	4.04
Paksane	70.5	142.125	10.08	<b>↓</b> 9.83	→ 9.81	<b>→</b>	9.73	→ 9.78	<b>→</b>	9.68	¥	9.57	13.50	14.50	<b>↓</b> -0.26	-0.26	3.69	4.69
Nakhon Phanom	79.7	130.961	9.15	<b>↓</b> 9.04	<b>↓</b> 8.88	<b>→</b>	8.82	→ 8.84	<b>→</b>	8.93	<b>→</b>	9.00	11.50	12.00	→ -0.04	-0.22	2.50	3.00
Thakhek	46.8	129.629	10.12	↓ 10.01	→ 9.94	<b>+</b>	9.83	→ 9.76	1	9.87	→	9.96	13.00	14.00	→ -0.05	-0.25	3.04	4.04
Mukdahan	17.5	124.219	8.72	<b>↓</b> 8.58	<b>↓</b> 8.31	1	8.17	→ 8.14	1	8.26	1	8.38	12.00	12.50	<b>↓</b> -0.20	-0.44	3.62	4.12
Savannakhet	3.8	124.219	7.12	<b>↓</b> 7.03	<b>↓</b> 6.80	4	6.65	→ 6.62	1	6.75	1	6.87	12.00	13.00	<b>↓</b> -0.16	-0.41	5.13	6.13
Khong Chiam	0.0	89.030	10.06	<b>↓</b> 9.78	<b>↓</b> 9.52	4	9.32	→ 9.24	>	9.25	<b>↑</b>	9.41	13.50	14.50	<b>↓</b> -0.37	-0.54	3.98	4.98
Pakse	20.6	86.490	8.18	<b>↓</b> 7.92	<b>↓</b> 7.75	<b>\</b>	7.61	<b>↓</b> 7.54	→	7.53	1	7.68	11.00	12.00	<b>↓</b> -0.24	-0.39	3.25	4.25
Stung Treng	0.0	36.790	7.44	<b>↓</b> 7.32	<b>↓</b> 7.19	4	7.06	<b>↓</b> 6.98	4	6.91	<b>→</b>	6.88	10.70	12.00	<b>↓</b> -0.44	-0.44	3.51	4.81
Kratie Kratie	0.0	-0.101	16.92	<b>↓</b> 16.82	<b>↓</b> 16.68	<b>4</b>	16.56	<b>↓</b> 16.43	4	16.36	<b>4</b>	16.31	22.00	23.00	<b>↓</b> -0.51	-0.51	5.32	6.32
Kompong Cham	0.0	-0.930	10.38	↓ 10.36	<b>↓</b> 10.26	ψ.	10.14	<b>↓</b> 10.03	Ψ	9.95	¥	9.90	15.20	16.20	<b>↓</b> -0.46	-0.46	4.94	5.94
Phnom Penh (Bassac)	0.0	-1.020	6.41	↑ 6.47	→ 6.47	<b>→</b>	6.47	→ 6.47	→	6.46	<b>→</b>	6.46	10.50	12.00	→ -0.01	-0.01	4.03	5.53
Phnom Penh Port	nr	0.070	5.24	<b>↑</b> 5.31	<b>→</b> 5.31	<b>→</b>	5.31	→ 5.31	→	5.30	>	5.30	9.50	11.00	→ -0.01	-0.01	4.19	5.69
Koh Khel	0.0	-1.000	5.96	↑ 6.02	→ 6.02	<b>→</b>	6.01	→ 5.99	→	5.98	→	5.97	7.90	8.40	<b>↓</b> -0.05	-0.05	1.88	2.38
Meak Luong	0.0	-0.330	4.53	→ 4.54	<b>→</b> 4.53	<b>4</b>	4.50	↓ 4.46	4	4.42	$\downarrow$	4.38	7.50	8.00	<b>↓</b> -0.16	-0.16	2.97	3.47
Prek Kdam	0.0	0.080	5.41	→ 5.43	<b>→</b> 5.45	<b>→</b>	5.45	→ 5.45	→	5.45	<b>→</b>	5.44	9.50	10.00	→ 0.01	0.01	4.05	4.55
Tan Chau	0.0	0.000	1.60	→ 1.63	→ 1.64	>	1.64	→ 1.63	→	1.62	→	1.61	3.50	4.50	→ -0.02	-0.02	1.86	2.86
Chau Doc	0.8	0.000	1.49	<b>→</b> 1.51	<b>→</b> 1.53	<b>→</b>	1.54	<b>→</b> 1.55	÷	1.55	<b>→</b>	1.53	3.00	4.00	→ 0.02	0.04	1.45	2.45

#### WATER LEVEL FORECASTING DEFINITIONS

1	Rising water level.
$\rightarrow$	Stable water level: stable water level is defined as a daily change of less than 10cm from Chaing Saen to Savannakhet; less than 5cm at Pakse and Stung Treng; and no more than 3cm from Kratie downstream.
$\downarrow$	Falling water level.
Х	No data available.
Alarm stage	Alarm stage is when the water level ranges between alarm and flood levels.
Flood stage	Flood stage is when the flood level exceeds. A flood level is determined by member countries.

#### **NOTES**

- On 12 August, water levels at all stations are in normal conditions, which
  do not reach alarm and flood levels. Water level at most of station are
  below their LTAs except for Nakhon Phanom and Thakhek. The total
  accumulated volume of the reverse flow to Tonle Sap Lake is 15.24 Km³.
- During 13-17 August, moderate rainfall is expected to sporadically occur at central and upper parts of the LMB, north-eastern Cambodia and the 3S Basins. Heavy rainfall is likely occurring in Thakhek during 14-16 August.
- For 13-17 August, water levels at stations along Mekong mainstream from are likely expected to drop except for upper stations including Chaing Saen, and Luang Prabang stations.
- At the same period (13-17 August), water levels at most of stations along the Mekong mainstream are also expected to be below their long-term averages (LTAs) except for Koh Khel station.

MRC Secretariat, Vientiane, Lao PDR | E: mrcs@mrcmekong.org | T: +856 21 263 263 MRC Regional Flood and Drought Management Centre, Phnom Penh, Cambodia | E: floodforecast@mrcmekong.org | T: +855 23 425 353

http://www.mrcmekong.org/ http://ffw.mrcmekong.org/bulletin\_wet.ph http://ffw.mrcmekong.org/reportflood.php https://pmfm.mrcmekong.org/ DISCLAIMER

This information is supplied as a service to the government the MRC Member Countries so that it may be used as a too

#### 6.3 Flash Flood Information

With the predicted rainfall for the coming week, flash floods might be detected in some areas in the LMB. Local heavy rain in a short period of time is possible with unpredictable short flash floods.

Further detailed information on Flash Flood Guidance Information, as well as its explanation, is available for download <a href="https://example.com/here/">here</a>.

#### 6.4 Drought forecast

There are several climate-prediction models with different scenarios in the upcoming months. The MRC's DFEWS adopts the global scale of North America Multi-Model Ensemble (NMME) for the seasonal outlook of rainfall.

**Figure 13** below shows the monthly rainfall anomaly from August to October 2024 over the LMB area.




Figure 14. Monthly rainfall anomaly forecast for August, September and October 2024.

Figure 14 shows that August is expected to be abnormally dry over the central and lower parts. Eastern Cambodia and 3S area are likely the driest area of the region. The forecast also indicates that central and eastern Cambodia and Mekong Delta of Viet Nam are likely at moderately dry during September. While no drought is anticipated for October. More rain is expected to come during October before the end of the rainy season.

## 7 Summary and Possible Implications

#### 7.1. Rainfall and its forecast

In the period of 06 – 12 August 2024, light to very heavy rainfall has been observed over the LMB. In particular, heavy to very heavy rainfall has been observed in the upper and center parts of the LMB including Vang Vieng, Nong Khai, Paksane, Thakhet, Muong Mai, Nakhon Phanom, and Mahaxai.

From 20 – 26 August 2024, the accumulated rainfall over the entire Lower Mekong Basin is distributed with light to heavy rain and thunderstorms. Moderate rainfall is expected to sporadically occur across the LMB. However, heavy rainfall is likely to occur in Chiang Saen during 15-16 August.

#### 7.2. Water level and its forecast

At 22 key monitoring stations along the Mekong mainstream from 06 - 12 August 2024, water levels at all stations are in normal conditions, which do not reach alarm and flood levels. Water level at most of station are below their LTAs except for Nakhon Phanom and Thakhek. The total accumulated volume of the reverse flow to Tonle Sap Lake is 15.24 Km<sup>3</sup>.

In the period of 13-17 August 2024, water levels at stations along Mekong mainstream from are likely expected to drop except for upper stations including Chaing Saen, and Luang Prabang stations. water levels at most of stations along the Mekong mainstream are also expected to be below their long-term averages (LTAs) except for Koh Khel station.

#### 7.3. Flash flood and its trends


With the predicted of rainfall for the coming week as mentioned earlier in part 2, the flash flood guidance at a low to high level will likely be detected in some areas of the LMB.


#### 7.4. Drought condition and its forecast


During 6-12 August 2024, the LMB was at moderate and severe drought mainly in the central and southern parts. Severe drought took place in Kampong Chhnang, Prey Veng, Borikhamxay, Maha Sarakham, Roi Et, Yasothon, Ubon Ratchathani, and Surin.

August is expected to be abnormally dry over the central and lower parts. Eastern Cambodia and 3S area are likely the driest area of the region. The forecast also indicates that central and eastern Cambodia is likely at moderately dry during September. While no drought is anticipated for October. More rain is expected to come during October before the end of the rainy season.

## Annex A: Weekly water level monitoring at the 22 key stations







# Annex B: Tables for weekly updated water levels and rainfall at the Key Stations

Table A1: Weekly observed water levels

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
06-08-2024	537.08	6.43	13.92	12.95	9.48	10.38	10.56	8.85	9.83	8.51	6.92	9.83	7.96	7.50	17.19	10.66	6.61	5.40	6.06	4.65	5.54	1.72	1.53
07-08-2024	537.08	6.08	14.00	12.24	9.31	10.49	11.03	9.46	10.42	8.92	7.35	9.88	7.92	7.32	17.00	10.56	6.56	5.37	6.04	4.62	5.48	1.66	1.49
08-08-2024	536.75	5.65	13.78	12.06	8.75	9.82	11.01	9.75	10.73	9.29	7.69	10.19	8.16	7.27	16.74	10.38	6.49	5.29	6.02	4.58	5.44	1.61	1.47
09-08-2024	536.62	5.27	13.34	11.77	8.03	9.68	10.69	9.68	10.65	9.29	7.72	10.40	8.38	7.35	16.67	10.26	6.40	5.21	5.95	4.53	5.38	1.59	1.48
10-08-2024	537.05	4.88	12.82	11.28	7.82	9.36	10.36	9.38	10.33	9.03	7.40	10.35	8.38	7.49	16.82	10.28	6.38	5.20	5.92	4.52	5.38	1.57	1.47
11-08-2024	536.52	4.48	12.38	10.74	7.32	8.86	10.08	9.15	10.12	8.72	7.12	10.06	8.18	7.44	16.92	10.38	6.41	5.24	5.96	4.53	5.41	1.60	1.49
12-08-2024	536.51	4.46	11.94	10.30	7.28	8.35	9.83	9.04	10.01	8.58	7.03	9.78	7.92	7.32	16.82	10.36	6.47	5.31	6.02	4.54	5.43	1.63	1.51
Flood level		12.80	18.00	16.00	12.50	12.00	14.50	12.50	14.00	12.50	13.00	14.50	12.00	12.00	23.00	16.20	12.00	11.00	7.90	8.00	10.00	4.50	4.00


Table A2: Weekly observed rainfall

2024	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
06-08-2024	8.5	13.2	0	0	1	0	2.2	0	0	0	0	0	0	6.5	0	0	21		0	0	0	30.4	46
07-08-2024	0	4	0	7.2	9.8	0	2.5	0	0	0	0	0	0	28	5.7	0	3.1		0	5.4	0	0	0
08-08-2024	0	1.5	17.8	9.3	0	1.3	0	0	0	7.8	0	0	0	0	53.4	0	0.3		1	2.3	0	0	0
09-08-2024	1	14.7	0	0	1.8	0	1	0	0	0	0	0	0	2	0	0	136		16.8	0	34.3	3.8	0
10-08-2024	0	0	0	0	0	0.9	2.3	0	0	0	0	0	0	0	0	0	3.7		14.6	0	12.2	0	0.7
11-08-2024	0	0	0	0	0	0	113.2	86.1	87.7	0	0	0	5.4	0	35	0	0		0	0	0	0	0
12-08-2024	26.5	6.2	41.2	7.3	35	73	70.5	79.7	46.8	17.5	3.8	0	20.6	0	0	0	0		0	0	0	0	0.8
Sum	36.0	39.6	59.0	23.8	47.6	75.2	191.7	165.8	134.5	25.3	3.8	0.0	26.0	36.5	94.1	0.0	164.1	0.0	32.4	7.7	46.5	34.2	47.5

## Annex C: Performance of the weekly flood forecasting

"Accuracy" here refers to the state where data recorded in the MRC's Mekong River Flood Forecasting System are cleaned and verified.

The adjustment of flood forecasting outcomes from the flood forecasting system requires flood forecasters to have extensive knowledge in hydrology and statistical modelling for estimating the relationships between stations upstream and downstream in the Mekong River Basin. Flood forecasting performance presented in the graph below shows the average flood forecasting accuracy at each key station along the Mekong mainstream from 06 to 12 August 2024.



The forecasting values from 06 to 12 August 2024 show that the overall accuracy is fair for a four-day to five-day forecast in lead time (less than 250 cm) for all forecasting station. However, it has been over forecasted for some stations such as Khong Chiam and Pakse (more 100 cm)

<u>Note:</u> The higher percentage of flood forecasting accuracy is due to several key factors as follows:

- Missing rainfall in Cambodia (DOM) data and data input are not sufficient to be used for inputting into the flood forecasting model system.
- Chiang Saen station is influencing by hydropower upstream operation from China.
- Luang Prabang to Chiang Khan and Paksane to Stung Treng to Kratie have been influenced by hydropower operations upstream, tributaries inflows.
- The influence of heavy rainfall caused by storms and hydropower operations from upstream, tributaries inflows and the lower part of the Mekong floodplain, including the 3S (Stung Treng and Kratie).
- Fluctuations of the water levels at Tan Chau and Chau Doc stations were due to daily tidal effects of the sea in the Mekong Delta.
- Satellite rainfall data were not representative of the actual rainfall at ground stations in some areas of the Mekong region.



## Mekong River Commission Secretariat