

Mekong River Commission

Regional Flood Management and Mitigation Centre

Weekly Flood Situation Report for the Mekong River Basin

Prepared on: 31/10/2011, covering the week from the 24th October to the 30th October, 2011

Weather Patterns, General Behaviour of the Mekong River and Flood Situation

General weather patterns

During the week of the 24th to the 30th October 2011, three weather bulletins were issued by the Department of Meteorology (DOM) of Cambodia. The weather charts of the 25th and the 29th October bulletins are presented in the figures below:




Figure 1: Weather map for 25th October 2011

Figure 2: Weather map for 29th October 2011

South-West (SW) Monsoon

NE monsoon prevailed over the LMB and no SW monsoon activity occurred during last week.

Inter Tropical Convergence Zone (ITCZ)

No ITCZ was observed in the monitoring period.

<u>Tropical depressions (TD), tropical storms (TS) or typhoons (TY)</u>

No TD, TS or TY have significant influenced to the LMB in this week.

Other weather phenomena that affect the discharge

No other weather phenomena affecting the discharge were observed.

Over weather situation

A normal weather situation lasted during last week. NE monsoon prevailed over Myanmar, Thailand and Indochina at surface and moderate ridge of high pressure from China covered Lao PDR, Cambodia, Thailand and Viet Nam in the whole last week. As the result of these phenomena,

scattered thundershower occurred in the lower of Myanmar, Thailand, Cambodia and Viet Nam during the monitoring period..

General behaviour of the Mekong River

While most stations in the middle and lower reaches of Lower Mekong Basin were recording levels that are above the long-term average, water levels at stations in the upper reach were somewhat below the long-term average for this time of the year. Water level along the Mekong river was falling at most stations except Chiang Saen and Luang Prabang, where were showed a falling and rising trend during the reporting period as the influence of reservoir regulation in China. Regarding to two stations in downstream at Tan Chau and Chau Doc, water levels at those two stations were fluctuated by tidal with decreasing trend till the end of the week.

For stations from Chiang Saen to Vientiane/ Nong Khai

Water levels at stations Chiang Saen and Luang Prabang decreased in the first half of the week and then were increasing till the end of the week, while water levels at Chiang Khong, Vientiane and Nong Khai showed a decreasing trend during the reporting period and these stations were recording levels that are somewhat below the long-term average for this time of the year.

For stations Paksane to Pakse

Water level was falling during the reporting period. These stations were recording levels that are above the long-term average for this time of the year.

For stations Strung Treng to Kompong Cham

Water levels were decreasing in last week and above the long-term average for this time of the year.

For stations from Phnom Penh Port/ Phnom Penh Bassac to Prek Dam

Water levels at these stations showed a falling trend during reporting period. These stations were recording levels are above the long-term average for this time of the year.

Tan Chau and Chau Doc

Water levels were more-or-less stable in the first half of the week and then were falling toward the end of the week. Both stations were recording levels that are above the long-term average for this time of the year and significantly affected by tidal.

Note: for areas between forecast stations, please refer to the nearest forecast station.

Flood Situation

- Flood stage or alarm stage:
 - The Mekong reached flood stage at Prek Dam, Tan Chau and Chau Doc and alarm situation at Phnom Penh Bassac, Phom Penh Port and Neak Luong monitoring stations.
 - The Mekong has reached alarm situation at Koh Khel monitoring station.

For more details see the following annex:

- tables and graphs for water level and rainfall for the last week in Annex A
- a graph for accuracy in Annex B
- a table of forecast achievement in Annex B
- tables and graphs for performance in Annex B
- the water level graphs showing the observed water level for the season in Annex C

Annex A: Graphs and Tables

Table A1: observed water levels unit in m

2011	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
24/10		3.38	7.80	7.65	4.49	5.29	7.16	5.93	7.20	5.97	5.57	8.76	7.20	7.14	17.82	13.50	10.57	9.80	7.75	7.69	10.12	4.66	4.21
25/10		3.05	7.72	7.68	4.42	5.20	6.98	5.72	6.90	5.74	5.47	8.51	6.90	6.91	17.23	13.12	10.43	9.59	7.72	7.64	10.07	4.64	4.21
26/10		3.02	7.44	7.70	4.44	5.18	6.88	5.59	6.76	5.56	5.39	8.27	6.67	6.73	16.76	12.78	10.27	9.45	7.67	7.55	10.03	4.61	4.19
27/10		3.05	7.01	7.61	4.43	5.19	6.82	5.47	6.63	5.42	5.30	8.08	6.48	6.52	16.35	12.46	10.14	9.31	7.64	7.48	9.97	4.57	4.16
28/10		3.12	6.98	7.37	4.35	5.12	6.76	5.33	6.53	5.30	5.26	7.91	6.33	6.44	16.00	12.18	10.04	9.20	7.60	7.40	9.89	4.50	4.10
29/10		3.66	6.94	7.11	4.30	4.90	6.69	5.25	6.44	5.18	5.20	7.76	6.18	6.36	15.75	11.97	9.94	9.10	7.55	7.32	9.84	4.43	4.04
30/10		3.95	7.54	6.99	3.90	4.64	6.51	5.09	6.28	5.08	5.09	7.62	6.05	6.22	15.43	11.76	9.82	8.97	7.50	7.24	9.75	4.37	3.98
31/10		3.76	8.04	7.00	3.76	4.46	6.26	4.79	5.95	4.88	4.98	7.50	5.95	6.18	15.27	11.57	9.72	8.86	7.45	7.16	9.68	4.30	3.91
Flood le	evel	11.80	18.00	17.40	12.50	12.20	14.50	12.70	14.00	12.60	13.00	16.20	12.00	12.00	23.00	16.20	12.00	11.00	7.90	8.00	10.00	4.20	3.50

Table A2: observed rainfall

Unit in mm

2011	Jinghong	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
24/10	-	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	-	nr	nr	nr	1.1	
25/10	-	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	4.2	1.7	nr	nr	nr	nr	-	17.5	1.8	nr	0.0	3.0
26/10	-	1.9	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	5.3	nr	nr	nr	nr	-	0.0	0.0	nr	3.4	0.0
27/10	-	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	2.8	17.8	-	17.0	28.2	6.2	3.3	3.0
28/10	-	16.9	nr	nr	nr	nr	nr	nr	nr	nr	nr	2.5	nr	47.0	nr	18.6	0.3	-	29.2	43.4	nr	nr	
29/10	-	nr	nr	nr	nr	nr	nr	nr	nr	3.5	nr	nr	nr	nr	nr	nr	nr	-	nr	nr	nr	7.7	
30/10	-	nr	65.6	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	-	2.7	27.8	nr	22.1	
31/10	-	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	nr	-	nr	nr	nr	nr	

Figure A1: Water level and rainfall for Jinghong, Chiang Saen, and Luang Prabang




Figure A2: Water level and rainfall for Chiang Khan, Vientiane, Nongkhai, and Paksane




Figure A3: Water level and rainfall for Nakhon Phanom, Thakhek, Mukdahan and Savannakhet




Figure A4: Water level and rainfall for Khong Chiam, Pakse, Stung Treng, and Kratie




Figure A5: Water level and rainfall for Kompong Cham, Phnom Penh (Bassac and Port), and Koh Khel





Figure A6: Water level and rainfall for Neak Luong, Prek Kdam, Tan Chau and Chau Doc



Annex B: Accuracy and performance

Accuracy

"Accuracy" describes the accuracy of the adjusted and published forecast, based on the results of the MRC Mekong Flood Forecasting System, which are then adjusted by the Flood Forecaster in Charge taking into consideration known biases in input data and his/her knowledge of the response of the model system and the hydrology of the Mekong River Basin. The information is presented as a graph below, showing the average flood forecasting accuracy along the Mekong mainstream.

The graph of average difference between forecast and actual water levels for the past week shows the normal pattern in which the accuracies at stations in the middle and lower reaches were better than that in the upper reach.

In general, the overall accuracy is good for all forecast lead time at most stations; however accuracies at stations Luang Prabang for 3-day to 4-day forecast were less than expected.

The less expected accuracy perhaps caused by internal model functionality in forecasting for upper reach of the LMB in the case of lacking data in China, for which the parameter adjustment in the model is not possible.




Figure B1: Average flood forecast accuracy along the Mekong mainstream

Forecast Achievement

The forecast achievement indicates the % of days that the forecast at a particular station for a lead-time is successful against a respective benchmark (Table B2).

Table B1: Achievement of daily forecast against benchmarks

unit in %

	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc	Average
1-day	71.4	85.7	100.0	71.4	85.7	85.7	71.4	57.1	85.7	71.4	100.0	100.0	100.0	85.7	100.0	85.7	85.7	100.0	100.0	100.0	85.7	85.7	87.0
2-day	83.3	66.7	100.0	100.0	100.0	100.0	83.3	83.3	100.0	83.3	100.0	100.0	100.0	100.0	100.0	83.3	83.3	100.0	100.0	100.0	100.0	100.0	93.9
3-day	80.0	40.0	100.0	100.0	80.0	100.0	80.0	80.0	100.0	80.0	80.0	100.0	100.0	100.0	100.0	80.0	80.0	100.0	100.0	100.0	100.0	100.0	90.0
4-day	100.0	75.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	75.0	75.0	100.0	100.0	100.0	100.0	75.0	95.5
5-day	100.0	66.7	100.0	100.0	66.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	66.7	66.7	100.0	100.0	100.0	100.0	100.0	93.9

Table B2: Benchmarks of success (Indicator of accuracy in mean absolute error)

Unit in cm

	Chiang Saen	Luang Prabang	Chiang Khan	Vientiane	Nongkhai	Paksane	Nakhon Phanom	Thakhek	Mukdahan	Savannakhet	Khong Chiam	Pakse	Stung Treng	Kratie	Kompong Cham	Phnom Penh (Bassac)	Phnom Penh Port	Koh Khel	Neak Luong	Prek Kdam	Tan Chau	Chau Doc
1-day	25	25	25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
2-day	50	50	50	25	25	25	25	25	25	25	25	25	25	25	25	10	10	10	10	10	10	10
3-day	50	50	50	25	25	25	25	25	25	25	25	25	25	25	25	10	10	10	10	10	10	10
4-day	75	75	50	50	50	50	50	50	50	50	50	50	50	50	50	10	25	10	25	25	10	10
5-day	75	75	50	50	50	50	50	50	50	50	50	50	50	50	50	25	25	25	25	25	25	25

Note: An indication of the accuracy given in the Table B2 is based on the performance of the forecast made in 2008 from the new flood forecasting system and the configuration for the 2009 flood season and is published on the website of MRC (http://ffw.mrcmekong.org/accuracy.htm).

A new set of performance indicators that is established by combining international standards and the specific circumstances in the Mekong River Basin is applied officially for the flood season of 2011 onward.

Performance

Performance is assessed by evaluating a number of performance indicators, see table and graphs below:

Table B3: Overview of performance indicators for the past 5 days including the current report date

	Flood Fo	orecast: ti	ime sent			Arriv	/al time c	f input da	ata (avera	ge)	Missing data (number)								
2011	FF completed and sent (time)	stations without forecast	FF2 completed and sent (time)	Weather informaition available (number)	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - NCHMF	NOAA data	China	Cambodia - DHRW	Cambodia - DOM	Lao PDR - DMH	Thailand - DWR	Viet Nam - NCHMF	
week	10:43	0	-	3	08:09	-	07:17	05:54	09:26	07:45	07:12	0	0	12	81	116	7	107	
month	10:34	0	-	19	08:10	08:09	07:28	05:57	09:10	07:35	07:17	1	0	58	678	490	12	314	
season	10:31	1	-	93	08:10	08:18	07:30	06:07	09:06	07:43	07:10	2	16	125	1858	2639	44	972	

Week is the week for which this report is made; *Month* is actually the last 30 days (or less if the flood season has just begun); *Season* is the current flood season up to the date of this report.




Figure B2: Data delivery times for the past 8 days including the current report date






Figure B3: Missing data for the past 8 days including the current report date








Figure B4: Flood forecast completion time

Figure B5: Flood forecast stations without forecast

Figure B6: Second forecast needed

Performance indicators of bulletin delivery (Table B3 and Figure B4) shows that the time of flood bulletin dissemination during last week to the registered national Line Agencies, and other interested users was later than 10h30 AM which is a prescribed time in the Operational Manual. This was due to 2 main factors: (1) the late transfer and incomplete of data from LA's (Figure B2 and B3), especially data from DMH of Lao PDR caused by internet problem; (2) the too careful adjustment of flood forecaster-in-charge in flood forecast operation.

Annex C: Season Water Level Graphs

This Annex has the water level graphs of the report date. These graphs are distributed daily by email together with the Flood Bulletins.

HYDROGRAPHS OF THE MEKONG AT MAINSTREAM STATIONS IN FLOOD SEASON FROM 1 JUNE TO 31 OCTOBER

